


SEASONAL VARIATIONS IN GREAT LAKES DESIGN WAVE HEIGHTS: LAKE ER





**MISCELLANEOUS PAPER H-76-21** 

# SEASONAL VARIATIONS IN GREAT LAKES DESIGN WAVE HEIGHTS: LAKE ERIE

bv

Donald T. Resio, Rebecca M. Brooks, Charles L. Vincent

Hydraulics Laboratory
U. S. Army Engineer Waterways Experiment Station
P. O. Box 631, Vicksburg, Miss. 39180

March 1977 Final Report

Approved For Public Release; Distribution Unlimited



Prepared for U. S. Army Engineer Division, North Central Chicago, Illinois 60605



# (14) WES-MP- H-76-21

Unclassified ECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)	
REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
	3. RECIPIENT'S CATALOG NUMBER
fiscellaneous Paper H-76-21	
. TITLE (and Subtitle)	5. TYPE OF REPORT A REGION SOVERED
GEASONAL VARIATIONS IN GREAT LAKES DESIGN WAVE GEIGHTS: LAKE ERIE	Final report Feb- Oct
The second secon	6. PERFORMING ONG. REPORT NUMBER
AUTHOR(+)	8. CONTRACT OR GRANT NUMBER(+)
Oonald T./Resio	
Rebecca M./Brooks	
Charles L. Vincent	
PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
J. S. Army Engineer Waterways Experiment Station	
Hydraulics Laboratory P. O. Box 631, Vicksburg, Miss. 39180	
1. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
J. S. Army Engineer Division, North Central	March 1977
536 South Clark Street	13: NUMBER OF PAGES
Chicago, Ill. 60605	82 12 860.
4. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	15. SECURITY CLASS. (of this report)
	The Constitution of the Co
	Unclassified
	154. DECLASSIFICATION/DOWNGRADING
Approved for public release; distribution unlimite	
7. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different in	on Report)
8. SUPPLEMENTARY NOTES	
. KEY WORDS (Continue on reverse side if necessary and identify by block number	)
Great Lakes	
Extremes	
Waves	
A ASSTRACT (Continue on reverse side If recessary and identity by block number,	
Tables of 5-day extremal parameters are presology for the calculation of design wave heights furing the year. A brief description of the Great cluded to provide a meteorological context for the	ented, along with a method- or variable intervals of time Lakes climatology is in-

038 100 2


#### PREFACE

A request for the U. S. Army Engineer Waterways Experiment Station (WES) to conduct an investigation of wave heights on the Great Lakes was made by the U. S. Army Engineer Division, North Central (NCD), in a conference held in Chicago, Illinois, on 22 July 1974. Funds were authorized by NCD on 30 August 1974. The study was conducted during the period from February 1976 to October 1976 in the Coastal Branch, Wave Dynamics Division, Hydraulics Laboratory, under the direction of Mr. H. B. Simmons, Chief of the Hydraulics Laboratory, and Dr. R. W. Whalin, Chief of the Wave Dynamics Division.

Dr. D. T. Resio, Mrs. Rebecca Brooks, and Dr. C. L. Vincent conducted the study and also prepared the report. During the investigation Miss Nancy Coleman aided greatly in the preparation of the charts and graphs.

COL G. H. Hilt, CE, and COL J. L. Cannon, CE, were the Directors of WES during the conduct of the study and the preparation of this report.

Technical Director was Mr. F. R. Brown.





#### CONTENTS

		Page
PREFACE		1
	ACTORS, U. S. CUSTOMARY TO METRIC (SI) AND METRIC S. CUSTOMARY UNITS OF MEASUREMENT	3
PART I: INTE	RODUCTION	4
PART II: GRI	EAT LAKES CLIMATOLOGY	5
Anticy	ropical Cyclones	8 8 8
PART III: AI	NALYSIS OF WAVE EXTREMES	10
	PLICATION OF RESULTS TO CALCULATION OF DESIGN	13
	PARISON OF RESULTS TO OTHER STUDIES OF SONAL VARIATIONS	18
Variat	ions in Atmospheric Phenomena	18 21 25
PART VI: COI	NCLUSIONS AND DISCUSSION	27
REFERENCES .		28
APPENDIX A:	EXAMPLES OF DAMAGING EXTRATROPICAL STORMS IN THE GREAT LAKES REGION	Al
APPENDIX B:	EXAMPLES OF DAMAGING TROPICAL STORMS IN THE GREAT LAKES REGION	Bl
APPENDIX C:	TABLES OF PARAMETERS FOR EXTREMAL DISTRIBUTION THROUGHOUT THE YEAR	Cl
TABLE C1		
APPENDIX D:	NOTATION	Dl

# CONVERSION FACTORS, U. S. CUSTOMARY TO METRIC (SI) AND METRIC (SI) TO U. S. CUSTOMARY UNITS OF MEASUREMENT

Units of measurement used in this report can be converted as follows:

Multiply	Ву	To Obtain
U.S. Cu	istomary to Meti	ric (SI)
feet	0.3048	metres
miles (U. S. statute)	1.609344	kilometres
miles (U. S. nautical)	1.852	kilometres
miles per hour	1.609344	kilometres per hour
knots (international)	0.5144444	metres per second
square feet per second	0.09290304	square metres per second
degrees (angle)	0.01745329	radians
Metric (	(SI) to U.S. C	ustomary
centimetres	0.3937	inches
metres	3.28084	feet
square metres per second	10.7638	square feet per second
Celsius degrees or Kelvins	9/5	Fahrenheit degrees*

<sup>\*</sup> To obtain Fahrenheit (F) temperature readings from Celsius (C) readings, use the following formula: F = 9/5(C) + 32. To obtain Fahrenheit readings from Kelvins (K), use: F = 9/5(K - 273.15) + 32.

### SEASONAL VARIATIONS IN GREAT LAKES DESIGN WAVE HEIGHTS: LAKE ERIE

#### PART I: INTRODUCTION

1. In Technical Report H-76-1 Report 1 (Resio and Vincent, 1976), the calculation of design wave information for Lake Erie from wave hindcasts was described. The information in that report was subdivided by angle of wave approach relative to shore and by arbitrary seasons (January-March, April-June, July-September, October-December). This information suffices for many applications in which structures must meet certain performance criteria throughout the entire year or to evaluate criteria with seasonal divisions which coincide with those chosen. However, many uses of Great Lakes shorelines are concentrated during portions of the year. A prime example of this is recreational activity along the coast. Typically, this activity is restricted to warm summer months with low wave energy. Another example is the seasonal variation in ice coverage which can force commercial shipping to completely stop during some winter and spring months. In both cases the time of year important to planning and design varies from site to site. Only rarely will the design-use season coincide exactly with the seasons selected in Technical Report H-76-1. Consequently, this Miscellaneous Paper is intended to provide a rational means of obtaining design wave information for planning and design involving highly seasonal activities.

#### PART II: GREAT LAKES CLIMATOLOGY

- 2. In order to understand the seasonal attributes of waves on the Great Lakes it is helpful to review the general climate of this region. Detailed summaries of the regional climatic characteristics have been published by the U. S. Weather Bureau (U. S. Weather Bureau, 1959) and the Atmospheric Environment Service of Canada (Phillips and McCulloch, 1970). Additional data on frequencies, intensities and movements of storms, and on the winds over the Great Lakes are available from several sources (Garriott, 1903; Weightman, 1945; Klein, 1957; Richards and Phillips, 1970). Consequently, the description in this paper of the regional climate will be brief and will concentrate primarily on climate aspects relating to the generation of surface waves.
- 3. Since wave generation is very dependent on the duration of wind speeds, it is often difficult to estimate wave height statistics from wind speed data such as presented with wind roses. This situation is further complicated by the variability of wind direction, particularly since changes in wind direction can dramatically alter the fetch for wave generation. Therefore, a different type of climatic analysis is often more appropriate in attempting to relate atmospheric phenomena to surface waves. This type of analysis deals with the aspects of climate generally referred to as synoptic climatology. Rather than treat separate measures of scalar parameters, this approach attempts to describe the distribution of atmospheric systems which are more or less closed in a thermodynamic sense. In this context it is possible to categorize the winds as elements

within nested systems of different scales of motion. Figure 1 taken from Anthes (1976) indicates the time and space scales of these organized atmospheric systems. Although interaction between scales is an important energy exchange process, the energy flux between scales, relative to the total energy, is typically small over the time scales for each system given in Figure 1.

4. Each of the scales of motion affects the water surface on the Great Lakes, with the degree of interaction dependent on the response scales of the lake relative to the time and space scales of the atmospheric motion. The intensity of turbulence, the smallest scale of motion represented in Figure 1, can be treated as a function of wind velocity and surface roughness given the assumption of a constant stress layer. It is the flux of momentum from this scale of motion to the water which is primarily responsible for the growth of the wave spectrum due to the wind as well as for maintaining the energy in the high frequency portion of the wave spectrum as energy is transferred to lower (and higher) frequencies due to nonlinear wave-wave interactions. Consequently, this scale of motion serves as a conductor of momentum between larger scales of atmospheric motion and surface waves. The second smallest scale of motion given in Figure 1 is important only for very small areas and since the fetch is extremely limited does not create large surface waves in the open lake. Similarly, land-sea breeze circulations and thunderstorms generate waves with significant wave heights typically ranging only from 1 to 3 feet. The remaining scales of motion are responsible for most of the larger waves on the Great Lakes.




Figure 1. Schematic illustration of scales of motion in the atmosphere (After: Anthes, 1976)

#### Extratropical Cyclones


5. As shown in Figure 2, the Great Lakes region is situated along a major storm track, with extratropical cyclones generally passing from southwest to northeast through this area. Rates of movement along the storm path usually range from 20 to 35 knots; however, some of the most destructive storms are those which become quasi-stationary and intensify over the Great Lakes region. Appendix A, taken from U. S. Weather Bureau Technical Paper No. 35, gives a sample of destructive Great Lakes storms grouped by storm tracks shown in Figure 2. The frequency and intensity of these storms is highly seasonal with the largest storms usually confined to the period from October to April.

#### Anticyclones

6. Anticyclones are usually somewhat larger than extratropical cyclones in the Great Lakes region, but they do not contain wind speeds as high as strong extratropical storms; however, anticyclones do produce some relatively high waves since wind speeds in excess of 40 m.p.h. occasionally occur. The storms like the extratropical cyclones tend to be more intense during the colder months of the year.

#### Tropical Cyclones

7. Storms of tropical origin rarely reach the Great Lakes region. Appendix B gives an idea of the frequency of occurrence and strength of storms of this type in the Great Lakes area during the period 1935-1975. As demonstrated in this Appendix the predominant months for tropical storms are June through October.



MEDIAN STORM TRACKS FROM U.S. WEATHER BUREAU TECHNICAL PAPER NO. 35

	NO.	AREA OF ORIGIN
	[ 1	TEXAS - NEW MEXICO REGION
	2	CENTRAL ROCKY MOUNTAINS AND GREAT PLAINS REGION
EXTRATROPICAL	3	PACIFIC SOUTHWEST REGION
	4	WESTERN CANADA REGION
	5	EASTERN UNITED STATES
TROPICAL	6	TROPICS

Figure 2. Median positions of storm tracks characterized by area of storm origin in U. S. Weather Bureau Technical Paper No. 35

#### PART III: ANALYSIS OF WAVE EXTREMES

8. The peak significant wave heights from each direction (Fig. 3) for storms hindcast for the period 1948 through 1972 were first categorized by 5-day periods during the year. Since 365 is divisible by 5 this gave exactly 73 time periods. February 29 was included in the period February 25 through March 1, which gave one extra day in this category every four years, an increase of 5% over the other categories. Since only the maximum is selected for each storm, the data can very reasonably be taken to represent independent observations. From this it follows that a separate extremal population can be formed for each 5-day period. These subsets of the total sample can be characterized in ways similar to that described in Technical Report H-76-1 for the entire sample. As shown there, the Fisher-Tippett Type I distribution appears to give an adequate representation of the occurrence of large significant wave heights. This distribution has the asymptotic form

$$ln T_{R} = a + b H \tag{1}$$

where  $T_R$  is the mean recurrence interval for significant wave height H and a and b are parameters of the distribution. In order to obtain unbiased estimates of a and b, the following procedure was used.

9. To insure a sufficiently large sample in each of the 73 categories, all wave heights within a 30-day period centered around the 5-day period were included as part of the 5-day sample. This essentially smoothes out sampling irregularities and also reduces the effects of




Figure 3. Definition of angle classes used in Technical Report H-76-1 and this study. The classes are defined by the direction of propagation toward shore. For example, for an observer standing on the shore looking toward the lake, angle class 1 includes all waves approaching the shore more than 30° right of normal to shore

climatic singularities (as discussed by Bryson and Lahey (1958)) on the extremes. This procedure tends to create a bias which is dependent on the second derivative of the recurrence interval estimates through time; however, in all cases examined, this bias was found to be very small.

10. Next, for each direction class the largest ten wave heights were ranked and their recurrence intervals were estimated for these wave heights by the USGS method (Dalrymple, 1960)

$$T_{R} = \frac{m+1}{n} \tag{2}$$

where m is the number of years in the sample and n is the rank of the storm (largest = 1, second largest = 2, etc.). A least squares estimate of a and b was then obtained by a linear regression with the dependent variable in  $T_R$  and the independent variable H.

11. In the method described, there are certain random sampling effects which can lead to significant bias in the estimates of a and b. In order to increase the reliability of the estimates, an iterative technique was used to insure that the overall estimates of recurrence intervals for each season were consistent with those published in Technical Report H-76-1. The final estimates of the parameters a and b are listed in Appendix C.

### PART IV: APPLICATION OF RESULTS TO CALCULATION OF DESIGN WAVES

12. From the values of a and b listed in Appendix C it is possible to calculate the recurrence interval of any selected wave height for any number of 5-day periods during the year. For each five-day subset, the probability of a wave height equal to or larger than H in the i<sup>th</sup> 5-day period is given by

$$P_{i} (H \ge H') = 1 - F_{i} (H')$$
 (3)

where  $F_i$  (H') is the distribution function of wave heights in the  $i^{th}$  5-day period. The probability that no wave heights are equal to or larger than H in this period is simply

$$P_{i} (H < H') = F_{i} (H')$$
 (4)

In k samples, the probability of a wave height in excess of H is represented as

$$P_{k} (H < H') = 1 - \frac{k}{\pi} F_{i} (H')$$
 (5)

Since the recurrence interval is defined as

$$T_{R_i} (H') = \frac{1}{1 - F_i (H')}$$
 (6)

the recurrence interval for a wave height, H, for k 5-day periods in a year is

$$T_{R_k} (H') = \frac{1}{k} (T_k) + \frac{1}{k} (T_k) = \frac{1}{k} (T_k)$$

or in terms of recurrence intervals for the 5-day periods

$$T_{R_{k}} (H') = \frac{1}{k \cdot 1 - 1/T_{R_{1}} (H')}$$
(8)

The estimate of  $T_{R_{\hat{1}}}$  (H) can be obtained from Equation 1 using the listed values for a and b in Appendix C.

Example 1 - Calculate the recurrence interval for an 8-foot significant wave height in direction class 2 during the period May 26 through July 14 at Cleveland.

#### Solution to Example 1:

1	2	3	4	5	6	7
Date*	i	a	b	ℓn T**	T	1 - 1/T <sub>i</sub>
May 26	1	.159	.695	5.719	305	.9967
May 31	2	.153	.694	5.705	300	.9967
June 5	3	.141	.693	5.685	294	.9966
June 10	4	.134	.691	5.662	288	.9965
June 15	5	.168	.690	5.688	295	. 9966
June 20	6	.320	.689	5.832	341	.9971
June 25	7	.642	.691	6.170	478	.9979
June 30	8	1.06	.694	6.612	744	.9987
July 5	9	1.39	.697	6.966	1060	.9991
July 10	10	1.57	.698	7.154	1279	.9992

<sup>\*</sup> Date is listed as first day of 5-day period.

Compute multiple product from values in Column 7:

10  

$$\pi$$
 (1-1/ $T_i$ ) = (.9967) x (.9967) x (.9966) x (.9965) x (.9966)  
 $i=1$  x (.9971) x (.9979) x (.9987) x (.9991) x (.9992)  
= .9754

Compute  $T_k$  as per equation:

$$T_k = \frac{1}{1 - .9754} = 40.7 \text{ years}$$

<sup>\*\*</sup>  $lnT = a + b \times 8$  (equation 1)

Example 2 - Calculate the recurrence interval for an 8-foot significant wave height in direction class 3 during the period June 30 - July 30 at Cleveland.

#### Solution to Example 2:

1	2	3	4	5	6	7
Date*	i	a	b	ℓn T**	Т	1 - 1/T <sub>i</sub>
June 30	1	1.09	.645	6.25	518	.9981
July 5	2	1.34	.634	6.41	609	.9984
July 10	3	1.46	.628	6.48	655	.9985
July 15	4	1.48	.626	6.49	657	. 9985
July 20	5	1.46	.625	6.46	639	.9984
July 25	6	1.44	.624	6.43	621	.9984

<sup>\*</sup> Date is listed as first day of 5-day period.

\*\*  $\ell nT = a + b \times 8$  (equation 1)

Compute multiple product from values in Column 7:

6  

$$\pi$$
 (1 - 1/ $T_i$ ) = (.9981) x (.9984) x (.9985) x (.9985) x (.9984) x (.9984)  
i=1  
= .9903

Compute  $T_k$  as per equation:

$$T_k = \frac{1}{1 - .9903} = 103.1 \text{ years}$$

- 13. As illustrated in examples 1 and 2, the general procedure to calculate the return period of a specified significant wave height involves 4 steps:
  - Look up values of "a" and "b" in Appendix C and using Equation 1 calculate return periods for each 5-day period (Column 6 in examples);
  - 2. calculate values of 1 1/T for each 5-day period;
  - 3. form multiple product  $\pi$   $(1 1/T_i)$ ; and
  - 4. use equation 8 to determine  $T_k$ .

- 14. If in any case it is imperative to have a particular interval of time that is not an integer number times 5 days or does not coincide with 5-day division listed in Appendix C, the following modification to the previous procedure can be used:
  - 1. Same as 1 above,
  - 2. revise return periods for incomplete 5-day periods using the formula

$$T_{j/5} = \frac{1}{1 - (1-1/T)^{j/5}}$$
 (9)

where T is computed for the complete 5-day period (Equation 1), j is the number of days in the incomplete period and T is the recurrence interval for j-5 of a 5-day period;

- 3. same as Step 2 above;
- 4. same as Step 3 above; and
- 5. same as Step 4 above.

Example 3 - Calculate the recurrence interval for an 8-foot significant wave height in direction class 2 during the period May 29 - July 10, inclusive, at Cleveland.

#### Solution to Example 3:

1	2	3	4	.5	6	7
Date*	i	a	ь	ln T**	T	1 - 1/T <sub>i</sub>
May 29***	1	.159	.695	5.72	305	.9967
May 31	2	.153	. 694	5.71	300	.9967
June 5	3	.141	.693	5.69	294	.9966
June 10	4	.134	.691	5.66	288	. 9965
June 15	5	.168	.690	5.69	295	.9966
June 20	6	.320	.689	5.83	341	.9971
June 25	7	.642	.691	6.17	478	.9979
June 30	8	.106	. 694	5.66	287	.9965
July 5	9	.139	.697	5.72	303	.9967
July 10***	10	.157	.698	5.74	311	.9968

<sup>\*</sup> Date is listed as first day of period.

<sup>\*\*</sup>  $\ell$ n T = a + b x 8 except for rows 1 and 10.

<sup>\*\*\*</sup> Incomplete 5-day periods.

Revise return periods for incomplete periods:

$$T_{3/5} = \frac{1}{1 - (1 - 1/T_i)^{3/5}} = \frac{1}{1 - (.9967)^{3/5}} = 500$$

July 9 - July 10 (2 days: j=2 in Equation 9)

$$T_{2/5} = \frac{1}{1 - (1 - 1/T_i)^{2/5}} = \frac{1}{1 - (.9968)^{2/5}} = 769$$

Calculate multiple product for values in Column 7 with revised values

for rows 1 and 10:

10  

$$\pi$$
 (1-1/ $T_i$ ) = (.9967) x (.9967) x (.9966) x (.9965) x (.9966) x (.9971)  
i=1 x (.9979) x (.9965) x (.9967) x (.9968)  
= .9686

Compute  $T_{k}$  as per equation:


$$T_k = \frac{1}{1 - .9686} = 31.8 \text{ years}$$

### PART V: COMPARISON OF RESULTS TO OTHER STUDIES OF SEASONAL VARIATIONS

#### Variations in Atmospheric Phenomena

- circulation patterns. An excellent treatment of the variation of climatic regions as related to large-scale circulations in the atmosphere is given by Barry and Perry (1973); and a detailed analysis of the abrupt changes in climatic patterns through a year, termed singularities, is presented by Bryson and Lahey (1958). In the latter report entitled "The March of the Seasons," the annual progression of weather from Winter to Summer and back to Winter again is shown to be the consequence of a somewhat disjointed switching of large-scale circulation patterns throughout the year. Many other studies have isolated similar results and, hence, attempts have been made to define what could be called a "natural calendar." Figure 4 presents a summary of several criteria used to establish such a calendar. Details of these criteria and their interrelationships can be found in the work by Bryson and Lahey (1958).
- 16. One aspect of the seasonal changes in weather is the variation of frequency and intensity of the extratropical cyclones and anticyclones in the Great Lakes region. Figure 5 presents a monthly summary of the frequencies of extratropical cyclones and anticyclones in the Great Lakes region. These frequencies are taken from Klein (1957) and indicate that the storm frequency is at a maximum during the November through April period, with a minimum of storm activity in the months of June and July.

#### NATURAL CALENDAR



Abbreviations:	
$\sum D_i^2 40^\circ$	Wadsworth 'storminess' index; a measure of meridional circulation at MSL. Pressure differences are taken for each 5" around 40 N then their squares are summed.
Antieye	Anticyclonicity; the difference between the mid-latitude westerlies and the subtropical easterlies.
Baro	Baroclinicity; the difference between the MSL and 700 mb zonal indices. SP = subpolar, ML = mid-latitude, ST = sub-tropical.
Index Var	Standard deviation of circulation indices.
Ortho Poly	Orthogonal polynomials for the western hemisphere at 500 mb.
G.A. and M.	Gulf of Alaska and Manchuria occurrences of the Aleutian low.
P <sub>s</sub>	Normal five day mean pressure. $45/155 = 45^{\circ}N$ , $155^{\circ}W$ .
N.W. U.S. High	Anticyclones, location and origin, in the northwestern U.S.
Can. Inflow	Sea level geostrophic net flow from Canada into the U.S. between Alberta and Ontario.
Alberta	Synoptic pattern dominating the southern Alberta area.
GWT	Grosswetter type $  = 3\sigma$ changes, $\times = 2\sigma$ changes.
Medit. Low-High	Cyclonic or anticyclonic regime in the Mediterranean area.
migr.	Migratory, Pac. = Pacific; Pol. = Polar.
basin highs	Great Basin high, over Utah, Nevada, Idaho.

Figure 4. Summary of criteria used to establish a natural calendar (After: Bryson and Lahey, 1958)

#### Frequency of Extratropical Cyclones

MONTH	1	2	3	4	5	120	150	160	210	240	270	300
Jan.	53	59	37	47	31	120	150	160	210	-	1	-
Feb.	49	52	37	43	32	-	_	_			1	1
Mar.	57	44	47	43	36				_			1
Apr.	59	45	50	47	38			_	_			
May	45	36	43	40	33							
Jun.	45	43	30	37	29							1
Jul.	40	30	32	25	35		_			-		-
Aug.	25	48	14	16	24	-			1	1		
Sep.	40	32	34	25	32		-					
Oct.	44	40	27	19	23							1
Nov.	50	55	32	26	23							
Dec.	69	56	30	33	31			二				

#### Frequency of Anticyclones

MONTH	1	2	3	4	5							
,	10	25	19	30	36	120	150	180	210	240	270	300
Jan.	19	25								1		
Feb.	24	30	24	23	30				1			
Mar.	25	30	21	25	36							
Apr.	26	21	29	41	26							1
May	32	34	31	42	40							1
Jun.	42	38	47	41	35		_	_				
Jul.	50	44	38	64	27			_	_			-
Aug.	69	54	41	45	58		_	_		-		
Sep.	46	43	47	51	53		-					1
Oct.	25	45	30	53	66		-					
Nov.	15	22	21	31	34	-						
Dec.	17	36	23	30	35	-	-					





Figure 5. Monthly frequencies of cyclones and anticyclones within areas shown on map (Source: Klein, 1957)

17. Figure 5 depicts the variation in storm frequency as a broad Summer-Winter type of phenomena. An equally important parameter, storm intensity, is reflected in the distribution of wind speeds within 5-day periods (Fig. 6) taken from data at Cleveland. This figure indicates that storm intensity reaches a peak during January with a somewhat regular sinusoidal variation throughout the year. Data from Weather Bureau Technical Paper 35, shown in Table 1, for three Canadian stations tend to support this interpretation.

#### Variations in Wave Climate

18. The only presently available source of wave height information on the Great Lakes which covers all seasons comes from visual observations. For comparison to the waves hindcast as part of the program described in this paper, it is instructive to examine the frequencies of wave heights reported on each lake by shipboard observers. Since most ships remain in harbor during bad storms, these frequencies are probably biased toward low wave heights; however, the general trend (Fig. 7) still retains a sinusoidal variation with a maximum during December and a minimum during June and July. A possible explanation of the slight discrepancy between the December maximum noted here and the January maximum noted in the previous section can be found in the increased ice coverage during January (Rondy, 1969). Most ships reporting winds in the mid-winter period are in sheltered areas where the waves tend to be lower. Also, the presence of ice during the winter reduces over-water fetch which can produce a lowering of wave heights.



Trend of  $90^{\,\mathrm{th}}$  percentile windspeed for winds moving toward the east, north, west, and south within 5-day periods throughout the year Figure 6.




Figure 7. Monthly variation of  $90^{\mbox{th}}$  percentile wave heights from ships observations on the Great Lakes

Table 1

Mean Number of Days With Winds of 28 Knots or Greater (Source: U. S. Weather Bureau Technical Paper No. 35)

	Quebec	Montreal	Massena*
Jan.	5	14	1
Feb.	3	2	1
Mar.	5	2	1
Apr.	14	2	1
May	3	1	1
June	1	+	2
July	0.4	0	0.4
Aug.	0.4	+	0.4
Sept.	0.7	1	0.4
Oct.	1	1	1
Nov.	3	2	1
Dec.	4	2	2

<sup>+</sup> Amount less than 1.

<sup>\* 34</sup> knots or greater criterion.

#### Extremal Variations Depicted in Appendix C

- 19. Figure 8 shows a reconstruction of the recurrence intervals (for 5-day periods throughout the year) for 6-foot and 12-foot significant wave heights in angle classes 1, 2 and 3 at Cleveland. The type of variation indicated here, a general minimum in recurrence intervals during January and a maximum in June and July, is in general agreement with the patterns of storms and storm intensities as previously discussed. The only discrepancy between this cycle of recurrence intervals and observed waves is the same as noted in the ships' observations, the absence of the January maximum in the ships' observations. Again, the reason is most likely due to the effects of ice coverage.
- 20. Perhaps the most surprising facet of the trend in recurrence intervals throughout the year is the magnitude of this variation. For example, during the months of December and January, 6-foot wave heights in angle class 3 usually occur at least once during each 5-day period. Hence, the recurrence interval indicated in Figure 8 is less than 1 for these months. During June, however, the recurrence intervals for such waves are typically in excess of 3000 5-day periods (approximately 40 years). The rapid increase in recurrence intervals during May and decrease during late September and October make these months important in terms of natural planning periods.
- 21. In terms of coastal planning and design an additional factor which must be considered, particularly as it relates to the potential for damage, is the strong seasonal trends in Great Lakes water levels. The higher water levels in Summer can extend into the Fall, and consequently a storm in Fall can produce a somewhat disproportionate amount of damage.




Figure 8. Variation in return periods for 6-and 12-foot significant wave heights within 5-day periods throughout the year as calculated from Equation 8 using data from Appendix C

#### PART VI: CONCLUSIONS AND DISCUSSION

22. The treatment of the extremes in this Miscellaneous Paper is intended to provide an objective assessment of the variation in design wave heights throughout the year. The confidence of such severely stratified samples is certainly not as high as those presented in Technical Report H-76-1; however, for most design wave heights the technique presented here should give a reliable estimate for return periods for any specified intervals during the year. This is clearly an advantage over return periods for fixed, arbitrary seasons and can permit consideration of additional time-dependent parameters in design criteria.

#### REFERENCES

- Anthes, R. A., 1976, "Numerical Prediction of Severe Storms -Certainty, Possibility or Dream?", Bull. Am. Meteorol. Soc., V. 51, No. 4, pp. 423-430.
- 2. Barry, R. G. and A. H. Perry, 1973, Synoptic Climatology: Methods and Applications, Methuen & Co. Ltd., London, 555 pp.
- 3. Bryson, R. A. and J. F. Lahey, 1958, "The March of the Seasons," Univ. of Wisconsin Dept. of Meteorol. Final Report Contract AF 19-(604)-992.
- 4. Dalrymple, T., 1960, "Flood-Frequency Analysis," Manual of Hydrology: Part 3. Flood-Flow Techniques, USGS Water Supply Paper 1543, pp. 1-79.
- 5. Garriot, E. B., 1903, "Storms of the Great Lakes," U. S. Weather Bulletin K, Washington, D.C., 9 pp., 968 charts.
- 6. Klein, W. H., 1957, "Principal Tracks and Mean Frequencies of Cyclones and Anticyclones in the Northern Hemisphere," U. S. Weather Bureau Research Paper No. 40, Washington, D.C., 20 pp., 40 charts.
- 7. Phillips, D. W. and J. A. W. McCulloch, 1972, "The Climate of the Great Lakes Basin," Environment Canada, Climatological Studies Number 20, 40 pp., 57 charts.
- 8. Resio, D. T. and C. L. Vincent, 1976, "Design Wave Information for the Great Lakes: Report 1 Lake Erie," U. S. Army Waterways Experiment Station Technical Report H-76-1, 148 pp.
- 9. Richards, T. L. and D. W. Phillips, 1970, "Synthesized Winds and Wave Heights of the Great Lakes," Climatological Studies Number 17, Meteorological Branch, Canadian Department of Transport, 53 pp.
- Rondy, D. R., 1969, "Great Lakes Ice Atlas," U. S. Army Corps of Engineer District, Lake Survey, Research Report 5-6, 11 pp., 35 charts.
- 11. U. S. Weather Bureau, 1959, "Climatology and Weather Services of the St. Lawrence Seaway and Great Lakes," Tech. Paper No. 35, Marine Area Section, Office of Climatology, 75 pp.
- 12. Weightman, R. H., 1945, "Average Monthly Tracks by Types of Laws in the United States," U. S. Weather Bureau, Washington, D.C., 2 pp., 13 charts.

APPENDIX A: EXAMPLES OF DAMAGING EXTRATROPICAL STORMS IN THE GREAT LAKES REGION

Source: U. S. Weather Bureau Technical Paper No. 35

STORM DATES

May 10-11, 1953

#### WINDS AND REMARKS

#### TEXAS AND NEW MEXICO (STORM TRACK #1 IN FIG. 2)

TEMES TELL TEMETOR (DIO	1111011    1 11 1101
November 17-18, 1958	CARL D. BRADLEY lost in storm, 33 lives lost. 60 m.p.h. over Lakes Michigan and Superior - gusts to 75 m.p.h.
November 14-15, 1957	40 to 45 m.p.h. over Lake Superior, 55 to 60 m.p.h. over Lake Erie.
November 18-19, 1957	45 to 55 m.p.h. over Lake Michigan, over 40 m.p.h. over Lake Ontario.
November 20-21, 1956	50 to 60 m.p.h. over all lakes. Pressure 28.77 in. at Sault Ste. Marie - lowest since 1920. Low water in western Lake Erie.
October 9-10, 1949	60-70 m.p.h. general over Lakes Superior and Michigan. Reported 102 m.p.h. and 12-ft. waves at Superior, Wis.
April 4, 1946	50 m.p.h. on Lake Michigan and 40 to 50 m.p.h. on Lake Erie.
May 21-22, 1945	In excess of 50 m.p.h. reported by vessels in the upper lakes.
April 1, 1939	40 to 55 m.p.h. over Lake Erie.
November 7-8, 1938	40 to 50 m.p.h. over Lakes Michigan and Huron.
December 2-3, 1938	40 to 50 m.p.h. over Lakes Huron, Erie, and Ontario.
CENTRAL ROCKY MOUNTAINS A	ND GREAT PLAINS (STORM TRACK #2 IN FIG. 2)
November 8, 1957	Above 60 m.p.h. at Duluth and Buffalo, 40 to 50 m.p.h. on all the lakes.
November 15-16, 1956	40 to 50 m.p.h. on all the lakes.

HARRY STEINBRENNER sank with 17 lives lost.

45 to 60 m.p.h. over Lake Superior.

#### APPENDIX A (Cont'd)

#### STORM DATES

#### WINDS AND REMARKS

CENTRAL	ROCKY	MOUNTAINS	AND	GREAT	PLAINS	(STORM	TRACK	#2	IN	FIG.	2)	(Cont	'd)	
			-											

May 5, 1950	Dock facilities destroyed at Superior, Wis. Winds at Superior were 62 m.p.h., gusts to 92 m.p.h., at Milwaukee 72 m.p.h., at Green Bay 109 m.p.h.
November 4-6, 1948	40 to 50 m.p.h. over the upper lakes.
December 4-6, 1948	45 to 50 m.p.h. over lower lakes, 60 m.p.h. over upper lakes.
March 25, 1947	Up to 55 m.p.h., above gale force for 20 hr. on Lake Erie.
April 4, 1945	Above 60 m.p.h. over central lakes.
November 22, 1945	45 to 50 m.p.h. over Lake Superior, 35 to 40 m.p.h. over the lower lakes.
October 29-30, 1942	45 to 50 m.p.h. over Lake Michigan, 30 to 35 m.p.h. over the lower lakes.
November 21-22, 1941	35 to 40 m.p.h. over Lakes Erie and Huron.
December 5, 1941	40 to 50 m.p.h. over the upper lakes, 50 to 60 m.p.h. over the lower lakes.
November 11-12, 1940	One of most severe storms. Winds 60 m.p.h. over a large area, up to 80 m.p.h. over Lakes Michigan and Huron. Severe snow and cold wave. Three large ships and several small craft lost on Lake Michigan, 69 lives lost.
September 18-19, 1938	35 to 40 m.p.h. over the upper lakes.
November 12-13, 1938	35 to 45 m.p.h. over Lake Michigan, 40 to 55 m.p.h.

#### PACIFIC SOUTHWEST (STORM TRACK #3 IN FIG. 2)

November 16-17, 1955	Above 60 m.p.h. over Lakes Michigan, Huron, ar Erie. Severe icing.	ıd
November 26, 1952	Up to 60 m.p.h. over Lakes Michigan, Huron, ar	ıd

over Lake Erie.

#### APPENDIX A (Cont'd)

STORM DATES

WINDS AND REMARKS

#### PACIFIC SOUTHWEST (STORM TRACK #3 IN FIG. 2) (Cont'd)

April 5-6, 1947 Up to 60 m.p.h. over Lake Michigan, 50 m.p.h. over Lake Erie.

April 11, 1947 35 to 40 m.p.h. over the eastern lakes.

December 7-8, 1947 35 to 45 m.p.h. over all the lakes.

October 18, 1946 35 to 40 m.p.h. over Lake Erie.

October 7, 1941 35 to 50 m.p.h. over all the lakes.

#### ALBERTA (STORM TRACK #4 IN FIG. 2)

December 11, 1956 40 to 50 m.p.h. reported by many ships on all lakes.

October 28-29, 1954 45 to 60 m.p.h. on Lake Superior, over 50 m.p.h. on Lake Michigan.

November 8-9, 1950 40 to 50 m.p.h. over Lake Superior.

August 9-10, 1946 35 to 45 m.p.h. over the lower lakes.

September 6-7, 1943 50 to 55 m.p.h. over the upper lakes.

December 10-11, 1943 55 to 60 m.p.h. over the upper lakes.

November 9-10, 1942 40 to 50 m.p.h. over Lakes Erie and Ontario.

October 22, 1938 35 to 40 m.p.h. over Lakes Michigan and Superior.

July 25-26, 1937 One of the most severe summer storms. Up to 65 m.p.h. over Lakes Michigan, Huron, and Erie.

#### EASTERN UNITED STATES (STORM TRACK #5 IN FIG. 2)

November 25-26, 1950 50 to 60 m.p.h. with gusts to 90 m.p.h. over Lakes Erie and Ontario.

December 1-2, 1942 40 to 60 m.p.h. over Lakes Erie and Ontario.

November 7-10, 1913 One of the most severe lake storms. 50 to 60 m.p.h. western lakes and above 80 m.p.h. over Lakes Erie and Ontario. Over 200 seamen and at least 8 large ships lost.

# APPENDIX B: EXAMPLES OF DAMAGING TROPICAL STORMS IN THE GREAT LAKES REGION

Source: U. S. Weather Bureau Technical Paper No. 35

#### STORM DATES

#### WINDS AND REMARKS

#### TROPICAL CYCLONES (STORM TRACK #6 IN FIG. 2)

June 28-29, 1957	50 to 60 m.p.h. over Lakes Erie and Ontario.
August 13-14, 1955	45 to 60 m.p.h. over Lakes Erie and Ontario 40 m.p.h. on Lake Huron.
October 15-16, 1954	50-65 m.p.h. over Lakes Erie and Ontario. 35 to 50 m.p.h. on Lake Huron.
September 25, 1941	40 to 70 m.p.h. over the lower lakes, 35 to 45 m.p.h. over Lakes Michigan and Huron.
September 21-22, 1938	Small boats driven ashore, large vessels unable to leave port. 50 to 60 m.p.h. over Lakes Erie and Ontario.

## APPENDIX C: TABLES OF PARAMETERS FOR EXTREMAL DISTRIBUTION THROUGHOUT THE YEAR

Appendix C is composed of tables of extremes estimates for each site on Lake Erie. Each individual table identifies the station by name, grid location, latitude and longitude coordinates, and shoreline grid point number. The three angle classes used are those defined in Figure 3, Definition of Directions. The a and b terms in each angle class are two parameters for extremal distribution from Equation 1 in the text. The dates listed in the first column are the beginning dates of the individual 5-day periods.

#### Table Cl

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 9, 2 LAT-41,87 LON-83,27

#### MONROE MI

### SHORELINE GRID POINT 1 PAGE 1 OF 2

ANGLE CLASS

		1				2			3	
DATE			8			В			В	
-AN 01		0,466E 00	0;544E 00		0.928E 00	0.447E 00		0.157E 01	0.534E 00	
LAN DE		1.626E 00	0.514E 00		0.996E 00	0.450E 00		0.188E 01	0.496E 00	
LAN 11		0.490E 00	0.511E 00		0.184E 01	0.452E 00		0.220E 01	0.463E 00	
_AN 16		0.331E 00	0.516E 00		0.106E 01	0.453E 00		0.245E 01	0.441E 00	
AN 21		0.274E 00	0.518E 00		0.106E 01	0.453E 00		0.261E 01	0.427E 00	
_AN 26		1.277E 00	0.518E 00		0.105E 01	0.452E 00		0.269E 01	0.421E 00	
_AN 31		0.292E 00	0.520E 00		0.101E 01	0.447E 00		0.259E 01	0.432E 00	
FEB 05		0.305E 00	0.523E 00		0.105E 01	0.449E CO		0.264E 01	0.426E 00	
FEB 10		0.309E 00	0,526E 00		0.108E 01	0.452E 00		0.269E 01	0.421E 00	
FER 15		0.333E 00	0.535E 00		0,111E 01	0.456E 00		0.268E 01	0.421E 00	
FEB 20		0,369E 00	0.542E 00		0.113E 01	0.462E 00		0.267E 01	0.425E 00	
FEB 25		0.391E 00	0,547E 00		0.116E 01	0.464E 00		0.270E 01	0.421E 00	
MAR 02		0,408E 00	0,553E 00		0.119E 01	0.466E UD		0.271E 01	0.419E 00	
MAR 07		0,413E 00	0.556E 00	+	0,121E 01	0.468E 00	•	0.272E 01	0.416E 00	
MAR 12		1:427E 00	0.559E 00		0:122E 01	0.469E 00		0.273E 01	0.414E 00	
MAR 17	•	0,498E 00	0:555E 00		0,126E 01	0.467E 00	•	0.269E 01	0.420E 00	•
MAR 22	•	0,692E 00	0,538E 00		0,133E 01	0.461E 00	•	0.248E 01	0.445E 00	
MAR 27		1.975E 00	0.509E 00		0.133E 01	0.456E 00		0.203E 01	0.494E 00	
APR 01		0.117E 01	0.485E 00		0,111E 01	0.466E 00		0.148E 01	0.555E 00	•
APR 06	•	0.116E 01	0:484E 00		0.706E 00	0.494E 00		0.108E 01	0.605E 00	•
APR 11		1,105E 01	0,499E 00		0,339E 00	0.526E GO		0.950E 00	0.630E DO	٠
APR 16		0,104E 01	0.513E 00		0.188E 00	0.547E 00		0.101E 01	0.638E 00	
APR 21		1,117E 01	0.521E 00	•	0,215E 00	0.557E 00		0.113E 01	0.640E 00	
APR 26	•	0,137E 01	0,525E 00	•	0:309E 00	0.561E 00	•	0.125E 01	0.641E 00	
MAY 01	•	1,139E 01	0;524E 00		0.342E 00	0.5626 10	•	0.133E 01	0.641E 00	
MAY 06		0.140E 01	0:524E 00	•	0.359E 00	0.563E 00		0.139E 01	0.641E 00	
MAY 11		0,141E 01	0,524E 00		0.416E 00	0.565E 00		0.146E 01	0.642E 00	
MAY 16	•	1,142E 01	0.525E 00	•	0,473E 00	0,569E U0	•	0.152E 01	0.642E 00	
MAY 21	•	0,142E 01	0:525E 00	•	0,528E 00	0.572F 60	•	0.157E 01	0.642E 00	
MAY 26		0.142E 01	0.526E 00		0.577E 00	0.575E 60	•	0.162E 01	0.642E 00	
MAY 31		0.139E 01	0.525E 00	+	0.620E 00	0.578E 00		0.163E 01	0.643E 00	
-UN 05		0.130E 01	0;524E 00		0.689E 00	0.579E 00		0.167E 01	0.643E 00	
_UR 10		0,122E 01	0,523E 00		0.584E 00	0.581E 00	٠	0.173E 01	0,643E 00	
_UN 15	•	0.113E 01	0:529E 00		0.549E 00	0.586E 00	•	0.187E 01	0.644E 00	
-UN 20		0,111E 01	0,559E 00	•	0.528E 00	0,601E 00	٠	0.225E 01	0.650E 00	
UN 25	٠	0,120E 01	0.621E 00	•	0.552E 00	0.630E UO	٠	0.287E 01	0.671E 00	
_UM 30	•	0,139E 01	0,702E 00		0,638E 00	0,667E 00	•	0.344E 01	0.710E 06	
-UL 05		0.158E 01	0.768E 00	•	0:777E 00	0.697E 00	•	0.365E 01	0.758E 00	
-UL 10	٠	0.168E 01	0,801E 00	٠	0.943E 00	0.713E 00	•	0.354E 01	0.796E 00	
-UL 15	٠	1.169E 01	0.811E 00		0,111E 01	0.718E 00	•	0.336E 01	0.814E 00	

(Continued)

(Sheet 1 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 9. 2 LAT#41,87 LON#83,27

MONROE MI

SHORELINE GRID POINT 1
PAGE 2 OF 2

ANGLE CLASS

		1				2			3	
DATE			8			В		A		
-UL 20		0:167E 01	0:8125 00		0.127E 01	0.720E 00		0.326E 01	0.818E 00	
-UL 25		1:165E 01	0.812E 00		0.142E 01	0.721E 00		0.320E 01	0.818E 00	
UL 30		0.165E 01	0,813E 00		0.153E 01	0.722E 00		0.315E 01	0.817E 00	
AUG 04		0.165E 01	0.815E 00		0,151E 01	0.722E 00		0.308E 01	0.816E 00	
AUG 09		0.162E 01	0.815E 00		0,158E 01	0.722E 00		0.290E 01	0.812E 00	
AUG 14		0,159E 01	0 . 815E 00		0.149E 01	0.722E 00	•	0.273E 01	0.807E 00	
AUG 19		0.156E 01	0,816E 00		0.148E 01	0.722E 00		0.274E 01	0.809E 00	
AUG 24		0.152E 01	0.816E 00		0.147E 01	0.722E 00		0.259E 01	0.806E 00	
AUG 29		0:150E 01	0.816E 00		0,141E 01	0.721E CO		0.242E 01	0.801E 00	
SEP 03		0,146E 01	0.817E 00		0.184E 01	0.723E 00		0.2376 01	0.801E 00	
SEP 08		0.147E 01	0.818E 00		0:174E 01	0.723E LO		0.235E 01	0.802E 00	
SEP 13		0,150E 01	0.817E 00		0.164E 01	0.721E CO		0.233E 01	0.803E 00	
SEP 18		0,160E 01	0.804E 00		0.157E 01	0.713E 00		0.231E 01	0.795E 00	
SEP 23		0.183E 01	0.765E 00		0,162E 01	0.687E UO		0.232E 01	0.762E 00	
SEP 28		1,200E 01	0.701E 00		0.186E 01	0.635E CO		0.237E 01	0.696E 00	
CCT 03		0.179E 01	0.649E 00		0.221E 01	0.571E UO		0.244E 01	0.612E 00	
CCT 08		0.109E 01	0.642E 00		0.258E 01	0.520E CO		0.248E 01	0.544E 00	
CCY 13		0,307E 00	0,667E 00		0.265E 01	0.495E 00		0.248E 04	0.510E 00	
CCY 18	:	-0.179E 00	0.691E 00		0.269E 01	0.488E 00		0.2446 01	0.500E 00	
CCY 23		-0.357E 00	0.700E 00		0.269E 01	0.487E CO		0.239E 01	0.499E 00	
CCT 28			0.701E 00		0.268E 01	0.487E 00		0.234E 01	0.500E 00	
VOA 05		-0,408E 00	0,7018 00		0.131E 01	0.461E 00		0.232E 01	0.505E 00	
NOV 07		-n. 491E 00	0:702E 00		0.123E 01	0.460E 00		0.227E 01	0.512E 00	
VOA 15		-0.543E 00	0.703E 00		0.114E 01	0.458E 00		0.221E 01	0.516E 00	
NOV 17		-0.715E 00	0.697E 00		0.103E 01	0.454E 00		0.211E 01	0.526E 00	
VOA 55		-0.787E 00	0.699E 00		0.879E 00	0.450E 00		0.168E 01	0.559E 00	
NOV 27		-0.926E 00	0,695E 00		0.864E 00	0.449E 00		0.104E 01	0.609E 00	
LEC 05		-0.955E 00	0.697E 00		0,862E 00	0.449E 00		0.106E 01	0.610E 00	
	•									
	•	-0.989E 00	0.700E 00	:	0.816E 00	0.447E 00	•	0.108E 01	0.611E 00	•
	•	-0.101E 01	0.701E 00		0.778E 00	0.445E 00	•	0.110E 01	0.611E 00	•
CEC 17	•	-0,942E 00	0,692E 00	•	0.759E 00	0.443E 00	٠	0.112E 01	0.60 E 00	•
LEC 55		-0.622E 00	0.660E 00	•	0,775E 00	0.443E 00	•	0.118E 01	0.596E 00	•
EEC 27		-0,515E-01	0.605E 00	•	0,334E 00	0.444E 00	•	0.133E 01	0.570E 00	•

(Continued)

(Sheet 2 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 10, 2 LAT#41,72 LON#83,27 CEDAR POINT OH

### SHORELINE GRID POINT 2 PAGE 1 OF 2

ANGLE CLASS

		1				2			3	
DATE			В			В			8	
_AN 01		0;123E 01		00 +	0.229E 01	0.361E 00		0.395E 01	0.342E 00	
LAN DE		0,1166 01		00 +	0.2628 01	0.3378 00		0.391E 01	0.335E 00	
_AN 11		0.947E 00		• 00	0.282E 01	0.3216 00		0.369E 01	0.345E 00	
_AR 16		1,793E 00	77 6 30 10 10 20 20 20	00 +	0.293E 01	0.3116 00		0.352E 01	0.356E 00	
_AN 21		0,751E 00		00 +	0.299E 01	0.303E 00		0.344E 01	0.359E 00	
JAN 26		0.761E 00		00 +	0.304E 01	0.297E 00		0.342E 01	0.359E 00	
_AN 31	:	1,769E 00		00 +	0.305E 01	0.295E LO		0.339E 01	0.356E 00	
FER 05	:	2.787E 00		00 •	0.305E 01	0.293t 00		0.335E 01	0.351E 00	:
FEB 10		0.803E 00		00 +	0.306E 01	0.2928 00		0.329E 01	0.343E 00	
FEB 15		1.815E 00		00 +	0.306E 01	0.291E GO		0.326E 01	0.341E 00	
FEB 20	•			00 +	0.306E 01	0.291E 00		0.331E 01	0.345E 00	
FEB 25	•	0.842E 00		00 +		0.289E 00	•	0.338E 01	0.349E 00	
MAR 02	•			•	0.308E 01	0.288E CO	•	0.344E 01	0.353E 00	•
PAR 07	:	0.853E 00		00 +	0.311E 01 0.314E 01	0.2886 00	:	0.354E 01	0.359E 00	:
FAR 12		7.732E 00		00 +	0,317E 01	0.2918 00		0.364E 01	0.365E 00	
MAR 17		0.647E 00		00 +	0.312E 01	0.301E CO		0.375E 01	0.369E 00	
				00 •		0.324E 00		0.388E 01	0.368E 00	
MAR 22		0,500E 00		• •	0.282E 01	0.364E 00			0.357E 00	
MAR 27	•				0.215E 01	0.411E 00	:	0.400E 01		
APR 01	*	0.183E-01			0.130E 01	0.449E 00	:	0.410E 01	0.340E 00 0.325E 00	•
APR 06	•	-0.160E 00		00	0.663E 00			0.415E 01		
APR 11	•	-0,219E 00		00 +	0,413E 00	0.469E 00	•	0.418E 01	0.317E 00	•
APR 16	•	-0,193E 00		00 +	0,448E 00	0.476E 00	•	0.421E 01	0.315E 00	•
APR 21	•	-0,135E 00		00 +	0:598E 00	0.479E 00	•	0.423E 01	0.315E 00	•
APR 26	•	-0,714E-01		00 •	0.754E 00	0.482E 00	•	0.425E 01	0.315E 00	
PAV 01	•	-0.536E-02	0.729E		0.808E 00	0.482E 00	٠	0.434E 01	0.316E 00	
MAY 06	•	0.338E-01	0.729E		0,918E 00	0.484E 00	•	0.437E 01	0.316E 00	
PAY 11	•	0,176E 00		00 +	0,186E 01	0.493E 00	•	0.442E 01	0.317E 00	•
MAY 16	•	0, 280E 00		00 +	0,189E 01	0.493E 00	•	0.442E 01	0.316E 00	•
MAY 21		1,384E 00		00 +	0,192E 01	0.493E 00	•	0.446E 01	0.316E 00	
MAY 26		0.479E 00		00 +	0.195E 01	0.493E 00	•	0.432E 01	0.308E 00	+
MAY 31		0.566E 00		00 +	0.198E 01	0.494E 00	•	0.432E 01	0.308E 00	•
_UN 05	٠	1,599E 00		00 +	0.200E 01	0.494E 00	•	0.481E 01	0.271E 00	•
-UN 10		1,620E 00		00 +	0,201E 01	0.494E 00	•	0.519E 01	0.244E 00	•
-UN 15		7,613E 00	0,755E	00 +	0.205E 01	0.499E 00	•	0.542E 01	0.237E 00	•
-UN 20	٠	0,567E 00		00 +	0.218E 01	0.515E 00	•	0.551E 01	0.271E 00	
_UN 25	•	1,534E 00		00 +	0,247E 01	0.543F 00	•	0.541E 01	0.362E 00	•
_UN 30	٠	0.611E 00		00 +	0.289E 01	0.571E 00	•	0.504E 01	0.492E 00	•
-UL 05	•	0,811E 00		00 +	0:332E 01	0.579E 00		0.449E 01	0.614E 00	
-UL 10	•	1,102E 01		00 +	0.365E 01	0.563E 00	•	0.400E 01	0.688E 00	•
-UL 15	٠	0,112E 01	0,979E	00 +	0.384E 01	0.540E 00	•	0.372E 01	0.716E 00	•

(Continued)

(Sheet 3 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 10. 2 LAT#41.72 LON#63.27 CEDAR POINT OH

SMORELINE GRID POINT 2
PAGE 2 OF 2

ANGLE	CLASS
	•

			1				2					3		
DATE			8				В			A		В		
-UL 20	0 .	1,112E 01	0.973E	00		0:391E 01	0.524E	0.0		0.360E	01	0.721E	00	
_UL 25		0.108E 01	0.971E	00	+	0.393E 01	0.515E	00		0.353E	01	0.720E	00	+
_UL 30	• 0	1,105E 01		00	+	0,398E 01		0.0		0.358E	01	0.724E		•
AUG 04		1,997E 00	0,969E	00	+	0.386E 01	0.502E	0.0		0.358E		0.725E		
AUG 09	•	0,970E 00	0,969E	00	+	0.382E 01		U 0	•	0.360E		0.728E		•
AUG 14		0,943E 00		-	+	0.377E 01		00	•	0.364E			00	•
AUG 19		0.910E 00		00	٠	0.374E 01			•	0.369E		0.735E		•
AUG 24		0,888E 00			+	0,372E 01		0.0	+	0.373E		0,738E		•
AUG 2		0,874E 00		• •	•	0.349E 01			•	0.377E			00	•
SEP O	3 .	1.905E 00		00	+	0,348E 01		00	•	0.385E		0.748E		•
SEP OF		1,938E 00		00	*	0,347E 01		00	•	0.388E		0.751E		•
SEP 1		0,971E 00		() •	+	0,346E 01		00	•	0.390E		0.753E		•
5EP 18		1,100E 01		00	•	0.347E 01		00	•	0.397E			00	•
SEP 23		0.103E 01		0 4	+	0.351E 01		00		0.419E		0.696E		•
SEP 28		1,105E 01		0.0	+	0.351E 01			•	0.454E		0.611E		•
CCY O		7,106E 01		••	•	0.331E 01		00	•	0.479E		0.517E		•
CCT OF		0,106E 01		0.0	•	0.289E 01		0.0	•	0.475E		0.459E		•
CCT 1		1,105E 01			+	0,245E 01			•	0.451E			00	•
CCY 18		0,104E 01		00	+	0.216E 01		00		0.428E	01	0.445E	00	•
CCY 2		0;103E 01		00	٠	0,201E 01		00		0.414E			00	•
CCT 28	9 •	7.101E 01	0:574E	00	+	0:191E 01	0.410E	0.0	•	0.405E	01	0.445E		•
VOA 05	2 +	1,964E 00	0.574E	00	+	0:182E 01			•	0.381E	01	0.437E	00	•
100 0	7 .	0,911E 00			+	0.173E 01				0.349E		0.424E		
VOA 1		0,851E 00			+	0,164E 01				0.321E		0,410E		•
VOA 1		0,778E 00			٠	0,191E 01			٠	0.299E		0.396E		•
VOA 5		0,679E 00		• -	•	0.138E 0:		00	•	0.295E		0.396E		•
VOA 5		0,664E 00		00	+	0.129E 01			•	0.296E		0.402E	00	•
CEC 02	2 +	0,664E 00		00	+	0,125E 01		0 3	•	0.296E	01	0.407E	00	•
CEC O	7 .	0,621E 00	0.572E	00	•	0.129E 01		00		0.299E	01	0.416E	00	•
CEC 1	2 .	1,586E 00	0.571E	00		0.183E 01	0.434E	0		0.303E	01	0.424E	00	•
CEC 1	7 •	1,612E 00	0.566E	00	+	0.141E 01	0.427E	00	•	0.312E	01	0.423E	00	•
CEC 2	2 +	0,778E 00	0.550E	00		0:159E 01	0.413E	00		0.336E	01	0.406E	00	•
CEE 2	7 .	1.105E 01	0:529E	00	•	0.191E 01	0.389E	00		0.370E	01	0.372E	00	
			The state of the s			100000000000000000000000000000000000000				33312				

(Continued)

(Sheet 4 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 101 1 LAT-41,70 LON-63.07 LOCUST POINT ON

SHORELINE GRID POINT 3
PAGE 1 OF 2

ANGLE CLASS

			1					2		3	
DATE				8				В		8	
LAN 01		0:455E	01	0:662E	00 +	0.133E	0.1	0,478E 00	0.824E 00	0.549E 0	
AN 06			01		00 +			0.459E 00	0.783E 00	0.529E	
AN 11		0.3208		0.640E		0:164E		0.449E 00	0.785E 00	0.517E	
JAN 16		2.235E		0.646E	•	0.167E		0.446E 00	0.819E 00	0.509E	
JAN 21		0,203E		0.649E		0.166E		0.444E 00	0.864E 00	0.503E	
JAN 26		0.197E			00 +	0.165E		0.442E 00	0.909E 00	0.498E 0	
.AN 31		0.195E			00 +	0.163E		0.440E CO	0.936E 00	0.494E 0	
FEB 05		0.186E		0.914E		0.162E		0.442E 00	0.965E 00	0.490E C	
FEB 10		-0.834E-	01	0,950E	00 +	0,161E	01	0.443E 00	0.102E 01	0.491E 0	0 +
FEB 15		-n,183E	00	0:960E	00 +	0.159E	01	0.444E 00	0.106E 01	0.493E C	0 +
FER 20		-0,233E	00	0,961E	00 +	0,154E	01	0.442E 00	0.108E 01	0.497E 0	
FEB 25	•	-0.290E		0.962E	00 +	0.153E	01	0.443E 00	0.117E 01	0.499E	
MAR 02	•	-0.356E		0.962E		0.152E	01	0.444E 00	0.130E 01	0.509E 0	
MAB 07		-0,445E		0;964E				0.439E 00	0.137E 01	0.509E	
MAR 12		-1,531E	00		00 +			0.436E 00	0.1456 01	0.509E 0	
MAR 17		-0,556E	00		00 +			0.438E 00	0.153E 01	0.508E	
MAR 55	•	-1,362E	00	0,949E	00 +	01101		0.452E 00	0.158E 01	0.504E	
MAR 27	•	0,211E			00 +	011055		0.479E 00	0.147E 01	0.504E	
APR 01	•	0,111E			00 +			0.511E 00	0.107E 01	0.522E	
APR 06	•	0,203E		0,854E		010415		0,538E 00	0.453E 00	0,557E	
APR 11	•	0,268E		0.840E		0.639E		0.553E 00	-0.660E-01	0.593E	
APR 16	•	3,299E		0.8368				0.560E DD	-0.292E 00	0.615E	
APR 21	•		01		00 +	0.871E		0.564E 00	-0.280E 00	0.625E	
APR 26	:	0,311E		0,835E	00 +	01101		0.567E 00	-0.176E 00 -0.131E 00	0.630E 0	
MAY 01		0,311E	01	0.835E	00 +	0,110E 0,126E		0.570E 00	-0.724E-01	0.633E	
PAY 11	•	0.311E		0.835E	00 +			0.572E 00	-0.273E-01	0.635E	
MAY 16	•	0.3116		0.835E				0.572E 00	-0.175E-01	0.636E	
PAY 21		0.311E		0.835E				0.573E 00	-0.331E-02	0.638E	
PAY 26		0.311E			00 +			0.574E 00	0.9688-02	0.640E	
MAY 31		0;311E	01		00 +			0,574E 00	0.301E-01	0.648E C	
JUN 05		0,209E	01	0.8275	00 +			0.574E 00	0.2816-01	0.645E	
_UB 10		0,122E	01		00 +			0,575E 00	0.490E-02	0.651E	
-UN 15		0,614E		0.841E				0,580E 00	-0.940E-01	0.685E	
-UB 20		0,251E			00 +			0.597E 00	-0.3668 00	0.798E 0	
-UN 25		-0.188E-			01 .	0,194E		0.631E 00	-0.860E 00	0.102F	
-UN 30		-0.275E		0.132E		0.229E		0.674E 00	-0.146E 01	0.131E 0	
-UL 05		-0 477F	0.0	0.150E		0.297E		0.707E 00	-0.194E 01	0.153E	
-UL 10		•1,583E	00		01 .			0.723E 00	-0.221E 01	0.164E	1 .
-UL 15		-0.623E	00	0,161E	01 +	0,273E	01	0.726E 00	-0.232E 01	0.167E 0	

(Continued)

(Sheet 5 of 48)

### FABLE OF EXTREMES ESTIMATES GRID LOCATION 102 3 LATE41,70 LONE83,07 LOCUST POINT ON

### SMORELINE GRID POINT 3 PAGE 2 OF 2

	1				ANGL	E C	LASS 2					3		
DATE		8					В					В		
-UL 20	-0;639E 00	0;162E	01		0,272E	01	0.724E	00		-0.238E	01	0.168E	01	
UE 25	-0.652E 00		01			01		0.0		-0.243E	01		01	
-UL 30	-0.663E 00		01			01		0.0			01		01	
AUS 04	-0,682E 00		01	+		01		00			01		01	•
AUS 09	-0.662E-01		01			01		0.0			01		01	
AU6 14	0.287E 00		01			01		00	٠	-0,256E	01		01	•
AUS 19	0,503E 00		01	•		01	0.714E	00			01		01	
AUG 24	0.685E 00		01	•		01	0.712E	00	•	-0.249E	01	0.168E	01	
AUS 29	0.836E 00		01			01	0.6998	00		-0.277E	01	0.167E	01	
SEP 03	1,969E 00		01			01	0.699E	00		-0.277E	01	0.167E	01	
SEP 08	0,399E 01		01			01		00	٠		01		01	
SEP 13	0.131E 02		01			01		UO	•	-0.275E	01		01	
SEP 18	0.297E 02		0.0			01	0.690E	00		-0.254E	01	0.164E	01	
SEP 23	0.450E 02		00			81		00	٠		01		01	
SEP 28	0.466E 02		00	•		01	0.605E	0.0		-0.466E	00		01	
CCT 03	n,332E 02		00		0.222E		0.5508	00	•	0.100E	01		00	
CCT 08	0,160E 02		00	+		01	0,522E	60	•	0.190E	01	0.716E	00	•
CCV 13	0,502E 01		00	•	0.137E	01	0.522E	00		0.209E	01	0.615E	00	
CCT 18	0,181E 01		00			01	0.529E	00	•	0.193E	01	0.594E	00	•
CCT 23	0.215E 00	0.903E	80		0.993E	00	0.532E	00	•	0.175E	01	0.596E	00	
CCY 28	0.136E 00		00	+	0.946E	00	0.532E	00	٠	0.161E	01	0.598E	00	•
NOV 02	0.107E 00		00	•	0,904E	00	0,5318	00		0.150E	01	0.605E	00	
NOT 07	0,691E-01		00		0.868E	00	0.528E	0.0		0,139E	01	0.611E	00	
A09 12	0.216E-01	0.912	00			0.0	0.527F			0.127F			00	
	-0,358E-01	0 9 4 AF	00			00		00			01		0.0	
180 22	0,116E 01		0.0			00		00		C.968E			00	
NOV 27	#1,182E 01	0,120E	01	•		00	0.527E	00		0.887E	00	0.627E	00	
CEC 02	-0,192E 01	0,121E	01	*	0,789E	00	0.531E	00	•	0.8536	00	0.623E	00	•
EEC 07	-0.612E 00		00			00	The second secon	00		0.847E	00	0.621E	00	
CEC 12	0,263E 00	0.847E	00			00		00			00		0.0	
CEE 17	0,901E 00		0.0			00		00			00		00	
CEE 22	0,196E 01		00			00	0.521E	00			00		00	
CEE 27	0.351E 01		00			01		00		0.881E		0.573E		
			••			••						and a succession		

(Continued)

(Sheet 6 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 10: 4 LATE41:69 LON=82,90

PORT CLINTON OH

### SMORELINE GRID POINT 4 RAGE 1 OF 2

ANGLE CLASS

				1			2			3	
DATE				8			В			В	
-AN 01		0,5948	02	0,196E 01		0,362E 01	0.529E 00		0.268E 01	0.434E 0	1 .
LAN DE		0.750E				0.285E 01	0.528E 00		0.246E 01	0.416E 0	
LAN 11		0.826E		0.141E 00		0.145E 01	0.533E 00		0.158E 01	0.458E 0	
JAN 16		0.848E	02			0.487E 00	0.534E 00		0.884E 00	0.500E 0	
JAN 21		0.851E				0.149E 00	0.535E 00		0.626E 00	0.516E 0	
AB 26		0.851E		-0.708E-01		0.918E-01	0.535E 00		0.581E 06	0.519E 0	
JAN 31				.0.708E-01		0.786E-01	0.535E UO		0.564E 00	0.520E 0	
FEB 05		0.851E	02			0.429E-01	0.535E 00		0.542E 00	0.522E 0	
FEB 10		0,851E	02			0.847E-02	0.535E 00		0.515E 00	0.524E 0	-
FEB 15	:	0,851E		-0:708E-01		.0.332E-01	0.535E 00		0.482E 00	0.526E 0	
FEB 20	:		01	0:127E 01		-0.826E-01	0.535E 00	:	0.443E 00	0.529E 0	
FEB 25		-0 2505		0:125E 01			0.535E 00		0.398E 00	0.532E 0	
MAR 02	•	-0,259E	01	0:125E 01	:	-0.140E 00 -0.208E 00	0.535E 00	:	0.344E 00	0.535E DI	
MAR 07	:	-0,239E	01	0.125E 01		.0.295E 00	0.535E 00		0.275E 00	0.540E 0	
PAR 12			01	0,125E 01		0.350E 00	0.532E 00		0.224E 00	0.543E 0	
MAR 17		-0,212E	01	0.124E 01		0.174E 00	0.519E 00		0.318E 00	0.536E 0	
PAR 22	:	-0,169E				0.536E 00	0.482E 00		0.817E 00	0.501E 0	
							0,437E 00				
PAR 27	•	*0,104E		0;116E 01		0,164E 01		•	0.181E 01	0.431E 0	
APR 01	•		00	0.112E 01	*	0,238E 01	0.429E 00	•	0.294E 01	0.352E 0	
APR 06	•		00	0.1126 01	•	0.219E 01	0.476E 00	•	0.365E 01	0.300E 0	
APR 11	•		00	0,114E 01	•	0,154E 01	0.539E 00	•	0.385E 01	0.285E 0	
APR 16	•	-0.843E	00	0,116E 01	•	0,119E 01	0.570E GO	•	0.381E 01	0.288E 0	
APR 21	•	-0,845E	00	0,1185 01	•	0,129E 01	0,567E 00	•	0.377E 01	0,290E 0	
APR 26	•		00	0,119E 01	•	0.159E 01	0.549E 00	•	0.376E 01	0.291E 0	
MAY 01	•	-0.662E	00	0.120E 01		0,183E 01	0.540E 00	•	0.376E 01	0.291E 0	
PAY 06	•	-0,568E	00	0,1215 01	•	0,192E 01	0.531E 00	•	0.375E 01	0.291E 0	
MAY 11	•	-0.498E	00	0;1216 01	•	0;200E 01	0.523E 00	٠	0.375E 01	0.292E 0	
PAY 16	•	-1,496E		0,122E 01	•	0;210E 01	0.522E 00	•	0.374E 01	0.292E 0	
PAY 21	•	-0,486E		0.122E 01	•	0;216E 01	0,523E 00	•	0.373E 01	0.295E 0	
MAY 26	•	-0,479E	00	0,1225 01	•	0,220E 01	0.519E 00	•	0.372E 01	0.293E 0	
PAY 31	•		00		•	0,220E 01	0.524E 00	•	0.371E 01	0.294E 0	
_UN 05	•	-0,507E		0;123E 01	•	0,218E 01	0,543E 00	•	0.370E 01	0.295E 0	
_UN 10	•		00	0,123E 01	•	0,219E 01	0.560E 00	•	0.368E 01	U.299E 0	
-UN 15	•	-0,643E	00	0:128E 01		0.246E 01	0,568E 00	•	0.362E 01	0.323E 0	
_UN 20			00	0;145E 01	•	0,308E 01	0,561E 00	•	0.345E 01	0.403E 0	
JUN 25	٠	-0,139E		0,178E 01		0,410E 01	0,555E 00	•	0.306E 01	0.562E 0	
_UN 30	٠	-0:199E	01	0,219E 01		0,470E 01	0.589E 00	•	0.245E 01	0.761E 0	•
-UL 05		-0.247E	01	0,251E 01		0:437E 01	0.669E 00	٠	0.182E 01	0.919E 0	•
-UL 10			01	0,267E 01		0.351E 01	0.754E 00		0.139E 01	0.998E 01	
UL 15	•	-0.286E		0.271E 01		0,286E 01	0.804E 00	•	0.1196 01	0.102E 0	

(Continued)

(Sheet 7 of 48)

## Table C1 (Continued) TABLE OF EXTREMES ESTIMATES GRID LOCATION 10. \$ LAT-41.69 LON=82.90

#### PORT CLINTON OH

### SHORELINE GRID POINT 4 PAGE 2 OF 2

ANGLE CLASS

			1			2			3	
DATE			9							
שענ 2		+0:290€ 0		01 .	0:262E 01	0.818E 00		0.114E 01	0.102E 01	
בטני 2	5 .	-0.294E 0	1 0 2715		0:297E 01	0.817E 00		0.113E 01	0.102E 01	
LUE 3	0	-0.296E 0	1 0,271E	01 +		0.818E 00		0,113E 01	0.102E 01	
AUG 0		-0,297E 0		01 +		0.812E 00		0.113E 01	0.102E 01	
AUG O		-0,297E 0		01 +	0.237E 01	0.804E 00		0.112E 01	0,102E 01	•
AUG 1		-0,298E 0		01 +		0.800E 00		0.112E 01	0.102E 01	
AUG 1		-0,300E 0				0.797E 00		0.111E 01	0.102E 01	
AUG 2		-0.300E 0		či ·		0.793E 00		0.110E 01	0.102E 01	•
AU6 2		-0,313E 0		01 +		0.786E 00		0.109E 01	0.102E 01	•
SEP 0		-0,315E 0				0.831E 00		0.108E 01	0.102E 01	
SEP 0	8 .	-0,317E 0		01 .	0.148E 01	0.846E 00	•	0.107E 01	0.102E 01	•
SEP 1	3 .	-0,314E 0		01 .	0,143E 01	0.857E 00	•	0.108E 01	0.102E 01	•
SEP 1	8 .	-0.283E 0	1 0:261E	01 .	0.165E 01	0.852E 00	•	0.121E 01	0.100E 01	•
SEP 2		-0,182E 0	1 0,240E	01 .	0,246E 01	0.820E 00	٠	0.157E 01	0,933E 00	•
SEP 2	8 .	-0:101E 0			0.366E 01	0.776E 00	•	0.200E 01	0.821E 00	
CCT 0	3 .	0.147E 0			0.486E 01	0.772E 00	٠	0.2006 01	0.717E 00	•
CCT 0	8 .	1,201E 0	1 0,124E	01 .	0;301E 01	0,833E 00		0.134E 01	0,676E 00	•
CCT 1	3 +	0,168E 0		01 +	0.142E 01	0.916E 00	•	0.467E 00	0.698E 00	•
CCY 1	8 .	0,121E 0	1 0;114E	01 +	010425 00	0.969E 00	•	-0.966E-01	0.717E 00	•
CCT 2	3 +	0,958E 0	0 0;115E	01 +		0.982E 00	٠	-0.288E 00	0.728E 00	•
CCT 2		0.0176		01 .	-012405 02	0.976E 00		-0.320E 00	0.731E 00	•
NOV O		0,742E 0		01 .	4-1	0.699E 00	٠	-0.332E 00	0,731E 00	•
NOV 0				01 +		0.507E 00	*	-0.348E 00	0.732E 00	•
NOV 1			0 0,1196	01 .	41	0.509E 00	•	-0.367E 00	0.734E 00	
NOV 1	2 .	0.457E 0	0 0:120E	01 +	0;134E 01	0.511E 00	•	-0.390E 00	0.735E 00	•
NOV 2	2 .	0,150E 0			41144	0.514E 00	•	-0.418E 00	0.737E 00	•
VOA 5	7 .	-0,144E 0		01 .	011045 01	0.517E 00	•	-0.450E 00	0.739E 00	•
CEC 0		-0,156E 0		01 +	01	0.521E 00	•	-0.488E 00	0.742E 00	•
CEE 0		-0,101E 0		01 .		0.619E 00	٠	-0.537E 00	0.745E 00	
CEC 1		0,115E 0		01 .	#017.0F 00	0.684E CO	+	-0.547E 00	0.745E 00	•
LEC 1		0.719E 0		01 .	01004- 01	0.681E 00	•	-0.303E 00	0.724E 00	•
CEC 5			2 0,344E	01 .		0.619E 00	•	0.528E 00	0.652E 00	•
CEE 2	7 .	0.386E 0	2 0;3116	01 .	0.294E 01	0.556E 00	٠	0.182E 01	0.533E 00	•

(Continued)

(Sheet 8 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 11. 5 LATE41,57 LONE62,70

SMORELINE GRID POINT 5
PAGE 1 OF 2

LAKESIDE OH

ANGLE CLASS		N	GL	E	CL	ASS
-------------	--	---	----	---	----	-----

				:	1					2					3		
DAT	16				В					9			A		8		
LAN			-0,144E	01	0,784E	0.0		.0,111E	01	0.764E	0.0		-0.158E	04	0.101E	0.1	
LAN			-0.292E	01	0.933E	00		-0.158E		0.832E			-0.130E		0.908E		
LAN			-1,402E			01		.0.178E		0.861E			-0.116E	_	0.859E		
LAN					0,1002				-	0.8646			-0.114E		0.843E		
		٠		01		01	•		01	0.8576		•					•
LAN			-0,468E		0:109E		•	*0.177E				•	-0.115E		0.839E		•
	26		-0.469E		0.110E		•	.0.173E		0.849E		+	-0.117E		0.834E		•
	31	•	-0.469E		0,110		•	-0.173E		0.849E		•	-0.119E		0.825E		•
	05	•	-0.471E		0,110E			*0.175E		0.850E			-0.118E		0.816E		•
	10	•	-n,473E		0.110E			.0.176E		0.851E		•	-0.115E		0.815E		•
PEB			-0.475E	01	0.110E		•	#0.178E		0.853E			-0.112E		0.815E		•
LEB			-0,476E	01	0:1116		•	-0,177E		0.854E			-0.107E		0.816E		
	25			01	0,111E			.0.175E		0.853E			-0.975E		0.813E		•
MAR		•	-0.479E	01	0:111E	01		.0.176E		0.855E			-0.890E		0.812E		•
MAR	07		-0,488E -0,492E	01	0,111E			.0.174E	01	0.854E			+0.792E	00	0.810E	00	•
MAR	12		-0,492E	01	0:110E	01	+	.0,171E	01	0.852E	00	•	-0.681E	00	0.808E	0.0	•
MAR	17		-9.471E	01		01	•	.0.154E	01	0.841E	00	•	-0.486E	00	0.806E	00	
MAR	22	•	-1,376E	01	0:978E	00		.0,101E	01	0.805E	00		-0.792E	01	0.808E	00	
	27		-0.180E	01	0.786E		+	0,322E		0.734E	00	•	0.515E	00	0.823E	00	
APR	01		0.705E	00	0.545E			0,134E	01	0.646E	00		0.100E	01	0.860E	00	
APR			1.274E	01	0:352E			0.243E		0.580E	00		0.113E	01	0.910E	00	
APR			0:381E		0.255E			0.304E		0.552E			0.999E		0.951E		
APR			0.418E		0.229E			0.382E		0.553E			0.873E		0.972E		
APR			0,430E		0,2298			0,348E		0.563E			0.852E		0.977E		
APR			0.440E	01	0.2336	0.0		0.362E		0.573E			0.883E		0.977E		
MAY			0.449E		0.236E			0.369E		0.574E			0.942E		0.974E		
MAY			0.453E		0,241E			0.375E		0.578E			0.9806		0.972E		
MAY			1:455E		0.2435			0;382E		0.584E			0.102E		0.971E		
PAY			0.457E		0:245E			0.385E		0.589E			0.107E		0.969E		
PAY			0,459E		0.246			0.388E		0.596E			0.111E		0.968F		-
MAY			0.461E		0:248			0:396E		0.602E			0.114E		0.967E		
	31	:	0,463E		0:2506		:	0.387E		0.612E		:	0.114E		0.963E		:
			0.467E							0.636E			0.1146		0.960E		
	05	•				00	•	0,361E				•					•
LUN		•	0.471E		0,2535		•	0.347E		0.649E		•	0.115E		0.957E		•
UN		•	0;473E		0,259E		•	0:347E		0.653E		•	0.120E		0,961E		•
-00		•	0,467E		0.278E		•	0,352E		0.661E		•	0.136E		0.977E		•
LUD		•		01		00	•	0,349E		0.685E		•	0.168E		0,101E		
UN		٠	1,427E		0,358E		•	0,387E		0.721E		•	0.208E		0.105E		•
LUC	05		0,410E		0:394E		•	0;320E		0.748E		•	0.241E		0.108E		•
LUL	10		0,402E			00		0,325E		0.758E		•	0.257E		0,110E		•
-UL	15		0.402E	01	0.418E	00		0;325E	01	0.755E	0.0		0.261E	01	0.110E	01	•

(Continued)

(Sheet 9 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 11. 5 LATE41.57 LONE82.70 LAKESIDE ON

SHORELINE GRID POINT 5
PAGE 2 OF 2

ANGLE	CLASS
	2

		1						2					3			
DAT	E		A		В					8			A	В		
- UL	20		0,405E	01	0.420E	00		0.327E	01	0.74BE	00		0.261E 01	0,110E (	11 .	
UL	25		1,409E	01		00		0.327E		0.740E			0.260E 01	0.109E	11 +	
UL	30		0,414E	01	0:422E	00		0:324E		0.732E	00		0.257E 01	0.109E		
	04								01		00		0.2506 01	0.110E		
AUG			0.408E	01				0.310E	01		00		0.242E 01	0,111E		
AUG			0.403E	01		00			01	0.705E	0.0		0.229F 01		11 +	
AUS			0. 395E	01	0,417E	00			01		00		0.215E 01		11 +	
	24		0:391E	01		00			01		00		0.198E 01	0.115E		
	29			01		60		0.269E			00		0.175E 01	0.116E		
	03			01		00			01		00		0.162E 01	0.117E		
	08		0,391E		0,4146	00			01	0.673E			0.116E 01	0.122E		
	13	:	0.392E	01	0.415E	00		0.2715			00	:	0.686E 00	0,126E		
	18			01		00		0.274E		0.665E			0.246E 00	0.130E		
	23			01		00			01		00		-0.802E-01	0.132E		
	28			01		00		0.284E			00		-0.343E 00	0.131E		
	03			01		00		0.264E		0.506E			-0.678E 00	0.128E		
	08		0,193E	01	0,503E	00			01		00		-0.111E 01	0.126E		
	13			01		00			01		00		-0.150E 01	0.124E		
	18		0,157E	01	0.520E				01		00		-0.175E 01	0.124E		
	23			01	0.521E			0.132E		and the same of th	00		-0.189E 01	0.125E		
	28			01	0:5226			0.126E			00		-0.199E 01	0.125E		
NOV			0.139E		0:520E			0.114E			00		-0.208E 01	0.126E		
ACV				01	0:517E			0.980E			00		-0.217E 01	0.126E		
NOV				01	0,513E				00		00		-0.225E 01	0.127E		
NOV			0,999E		0,507E	00		0,622E			00		-0.233E 01	0.127E		
VOA				00	0.499E	00			00		00		-0.236E 01	0.127E		
NOW				00	0,496E	00		0.286E			00		-0.238E 01	0.128E 0		
	02			00	0,495E	00			00		00		-0.239E 01	0.129E		
	07	Ť		00	0:491E	00										
		•							00		00	•	-0.241E 01		_	
	12	•			0,489E	00	:	0.235E			00	•	-0.242E 01	0.129E 0		
	17	•		00	0,497E	50000		0.194E			00	•				
	53			00		00	•	-0.304E			00	•	-0.224E 01	0.123E		
CEE	27	•	-0.143E	00	0.635E	00	•	-0.510E	00	0.675E	00	•	-0.194E 01	0.113E 0	1 +	

(Continued)

(Sheet 10 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 12: 6 LATE41.42 LONB82,50 HURON OH

SMORELINE GRID POINT 6
PAGE 1 OF 2

ANGLE CLASS

	1						2					3				
DATE				8					В			A		В		
LAN O1		-0,250E	01	0,729E	00		-0.321E	01	0.808E	00		0.654E	00	0.614E	00	
_AN 06		-0.329E	01		00			01		00		0.981E			00	
.AN 11		-0.369E			00		-0.219E			0.0		0.616E			00	
_AN 16			01		00			01	-	00		0.232E			00	
-AN 21		-0,384E	01		00		-	01		00			00	-	0.0	
JAN 26		-0,385E	01		00			01		00	:	0.1698		0.593E		:
_AN 31			01		00			01	0.634E			0.249E			00	
FEB 05			01		00			01		00	:	0.312E			00	:
FEB 10			01		00			01		0.0		0.308E			00	
FEB 15			01		00	:	.0.161E		0.616E		•	0.2716		0.575E		•
FEB 20		-0,396E		0.8776	00		-0.156E			0.0	•	0.305E			00	•
		-0,3702								-	•			0.5766		•
FEB 25		-1,394E	01	0.875E	00	•	-0.144E			0.0	•	0.3135				•
MAR 02		-0.394E	01		00	:	•0,132E		0.601E	V. T. D. T.	:	0.302E		0.580E		•
MAR 07		-0.394E			00		-0.123E			0.0		0.273E			0.0	•
MAR 12			01		00		.0.114E			00	•	0.269E			00	•
MAR 17			01	0.860E	00		.0.940E			0.0	•	0.428E			00	•
MAR 22		-0.302E			00	•	.0.464E			00	•	0.992E			0.0	•
MAR 27		-0,162E			00	•	0.414E			00	•	0.195E			00	•
APR 01			00	0.583E		•	0,149E		0.605E		•	0.2848		0.500E		•
APR 06			01	0.481E		•	0.236E		0.604E		•	0.319E		0.501E		•
APR 11			01	0.430E		•	0,281E		0.605E		•	0.316E		0.5188		•
APR 16			01	0,415E		•		01	0.608E		•	0.316E		0.524E		•
APR 21		0,286E	01	0.416E	00	•		01		00	•	0.331E			00	•
APR 26			01		00	•	0.308E			00	•	0.351E			0.0	
MAY 01		0,3125			00	•	0.315E			00	•	0.368E		0.494E	00	•
MAY DO			01	0;423E		•	0,322E		0,633E		•	0.3866			00	•
MAY 11		0:316E		0,425E		•	0:350E		0.638E		•	0.398E			00	
PAY 16		0.3186		0:427E	00	•	0,326E		0.639E	00	•	0.408E			00	•
MAY 21		0:350E	01	0,428E	00	•	0,327E	01		00		0,416E			00	•
PAY 26		1:321E	01	0,430E	00		0.328E	01	0.6436	60		0.420E			00	•
MAY 31		0,322E	01	0;431E	00		0,327E	01	0.644E	00		0.423E	01	0.459E	00	•
_UN 05		0:327E	01	0;435E	00		0,326E	01	0,645E	00		0.428E		0.465E	00	
_UN 10		0:332E	01	0:439E	00	•	0.324E	01	0,648E	00		0.433E	01	0.472E	00	•
_UN 15		0.335E	01	0.446E	00	•	0.313E	01	0,667E	00		0.434E	01	0.486E	00	
.UN 20			.01		00		0,277E	01	0,733E	00		0.424E		0.524E	00	•
-UN 25		0.320E	01	0:492E	00	•	0,207E		0.866E	00	•	0.390E		0.605E	00	
-UR 30			01	0,528E	00	•	0,119E			61		0.324E			00	
-UL 05		2.288E	01	0.556E	00		0.459E			01		0.243E			00	
-UL 10			01		00	•	0.610E-			01		0.1796			00	
-UL 15		0,279E		0,572E	00	•	.0,887E-			01	•	0.147E		0.938E	00	
-UL 15		0.5/95	01	0,5/26	00	•	.0.887E-	01	U.124E	01	•	U.147E	01	0.936E	00	•

(Continued)

(Sheet 11 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 12: 6 LAT-41,42 LON-82,50 HURON OH

### SMORELINE GRID POINT 6 PAGE 2 OF 2

ANGLE	CLASS

		1						2					3				
DATE			A		В			4		8							
-UL 2	0	٠	0,279E	01	0:572E	00	•	.0.142E	00	0.124E	01		0.1375 01	0.944E	00		
שלני 2	5	٠	0.279E	01	0.570E	00		.0.176E	00	0.124E	01		0.134E 01	0.945E	0.0		
	0	•	0.279E	01	0,568E	ÕÕ	•	.0,189E	00		01	•	0,131E 01	0,945E	00	•	
AUS C	14	•	1,278E	01	0,568E	00		.0:192E	00	0.124E	01	•	0.123E 01	0.944E	00	•	
AUG 0	9	•	0:267E	01	0,557E	00		.0,195E	00	0.124E	01		0.109E 01	0.942E	00		
AUG 1	4	٠	1:262E	01	0:553E	00	•		00	0.124E	01	•	0.965E 00	0.947E	00	•	
AUG 1		•	0:252E	01	0.547E	00	•		00	0,124E	01		0.816E 00	0,954E	00	•	
AUG 2		٠	0.245E	01	0,542E	00		.0,215E	00	0.124E	01		0.637E 00		00	•	
AUG 2		•	1.236E	01	0,535E	00			00	0.124E	01		0.412E 00		00		
SEP C			1.235E	01	0:537E	00	•		00	0.124E	01		0.270E 00		00		
	18		0.235E	01	0,539E	00			00	(F) (F) (F)	01		0.138E 08	The second secon	0.0		
	3		0,235E	01	0,540E	00		.0,356E	00	0,1246	01		0.274E-01		01		
	•			01		00			00		01		D.206E-01		00		
SEP 2				01	0.514E			-0,420E			01		0.240E 00	0.957E			
	8			01	0,481E	00		.0.722E			01		0.622E 00	0.878E			
CCT C				01		00		-0.148E		0.101E		•	0.827E 00	0.798E	00		
CCT C		•		01	0,4566	00	•	€0.257E			00	•	0.614E 00	0.759E	00	•	
	3	•		00	0,473E	00	•	.0;394E	81	0,992E	00	•	0.183E 00	0.758E	00	•	
CCT 1	8		0,153E	00	0.487E	00	•	#0,410E	01	0.101E	01		-0.136E 00	0.767E	00	•	
CCT 2	23	٠	0,790E	-02	0,4926	00	•	.0.432E	01	0.102E	01	•	-0.265E 00	0.769E	00	•	
CCT 2	8	•	-0,517E	-01	0,491E	00	•	.0.443E	01	0.103E	01		-0.312E 00	0.765E	00	•	
VOA 0	12	٠	-0,844E.	-01	0,490E	00	•	-0;452E	01	0.104E	01	•	-0.405E 00	0.764E	00	•	
NOV 0	7		-0,844E.	00	0:487E	00		#0; 458E	01		01		-0.494E 00	0.762E	00	•	
NOV 1	2	٠	-7,119E	00	0,486E	00		.C, 465E	01	0.105E	61	•	-0.633E 00	0.766E	00	•	
AOV 1	.7	٠	-0,151E	00	0,485E	00		.0:472E	01	0.105E	01	•	-0.771E 00	0.774E	00	•	
NOV 2	2	٠	-0.183E	00	0.482E	00		.0.477E	01	0.106E	61		-0.898E 00	0.782E	00		
NOV 2	27	٠	-0,198E	00	0,483E	00		.0.483E	01	0.106E	01		-0.116E 01	0.803E	00		
CEC C	12	٠	-0.215E	00	0.486E	00		.0.488E	01	0.106E	01	•	-0.150E 01	0.829E	00		
CEC 0	7		-1:202E	00	0.485E	00		.0.493E	01	0.106E	01		-0.221E 01	0.877E	00		
CEC 1	.2			00	0.486E	00		.0.497E	01		01		-0.267E 01	0.909E	00		
CEC 1	7		-0,320E	00	0.499E	00		.0.491E	01		01		-0.266E 01	0.906E	00		
CEC 2	2	٠	•0.721E	00	0.541E	00	+	.0.462E	01	0.101E	01	•	-0.192E 01	0.844E	00	•	
CEC 2	?7		-0.151E	01	0:6256	00		.0.466E	01	0.918E	00		-0.552E 00	0.728E	00		

(Continued)

(Sheet 12 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 11. 7 LAT=41.57 LON=62.38

VERMILION OH

SMORELINE GRID POINT 7
PAGE 1 OF 2

ANGLE CLASS

	1					2				3			
DATE			В					8			В		
_AN 01		-1;784E 0	0 0:731E	0.0		-0;380E	01	0.861E 00		-0.351E 01	0.878E 0	0 .	
_AN 06		-0,187E 0		00		.0.377E		0.838E 00		-0.362E 01	0.878E 0		
-AN 11		-0,272E 0		00		.0.374E		0.824E 00		-0.369E 01	0.878E 0		
_AN 16		-0.314E 0				.0.378E		0.817E 00		-0.373E 01	0.879E 0		
.AN 21		-1,326E 0	0.103E			-0.366E		0.8125 00		-0.376E 01	0.880E 0		
_AN 26		-0.328E 0	0.103E	01		.0.362E		0.809E UD		-0.378E 01	0.881E 0		
_AN 31		-1.329E 0		01		#0.359E		0.805E 00		-0.379E 01	0.879E 0		
FEB 05		-0.332E 0				-0.354E		0.8018 (0		-0.381E 01	0.878E 0		
FEB 10		-n.335E 0				0.348E		0.797E 00		-0.383E 01	0.877E 0		
FEB 15	:	-0.339E 0					01	0.794E 00		-0.385E 01	0.876E 0		
FEB 20	:	-0.342E 0		01		.0,344E		0.791E CO	:	-0.378E 01	0.874E 0		
FEB 25	:	-0.344E 0		01		.0.386E		0.787E 00		-0.371E 01	0.871E 0		
MAR 02	:	-0,348E 0				.0.329E		0.783E CO	:	-0.365E 01	0.870E 0		
MAR 07	:	-0.361E 0	0.1046			-0.318E		0.785E 60	:	-0.358E 01	0.868E 0		
PAR 12		-0.370E 0				.0.305E		0.786E 00		-0.349E 01	0.865E 0		
PAR 17		-0.359E 0				.0.276E		0.782E 00		-0.332E 01	0.860E 0		
MAR 22		-1.299E 0				-0,203E		0.760E 00		-0.288E 01	0.848E 0		
MAR 27		-0.169E 0				-0.652E		0.714E 00		-0.209E 01	0.827E 0		
APR 01	:	-0.738E-0	0.6986			0.104E		0.655E CO		-0.112E 01	0.802E 0		
APR 06	•	0.140E 0:						0.608E 00		-0.349E 00	0.80ZE 0		
APR 11	:	0.220E 0		0.0		0,246E 0,309E		0.586E 00	:	0.270E-01	0.781E 0		
The second secon		0.254E 0						0.583E 00					
-	•					0,353E			•	0.110E 00	0.786E 0		
APR 21	•	0,270E 0		00	•	0,341E		0.589E 00	•	0.875E-01	0.794E 0		
	•	0,283E 0		00	:	0.348E		0.598E 00	•	0.558E-01	0.802E 0		
PAY 01	•	1,299E 0		00		0,354E		0.602E 00	•	0.331E 00	0.784E 0		
MAY 06		0.302E 0		00		0.361E		0.609E 00	•	0.476E 06	0.774E 0		
PAT 11	•	1,305E 0		00	•	0,363E		0,613E 00	٠	0.585E 00	0.76 BE 0		
PAY 16	•	0.306E 0	1 0:499E	00	•		01	0.614E 00	•	0.719 00	0.762E 0	0 •	
MAY 21	•	0,3085 0	0,501	00	•	0,363E		0.617E 00	•	0.835E 00	0.758E 0		
MAY 26	•	0,311E 0	0,502E	00	•	0,364E		0.620E 00	•	0.932E 00	0,754E 0		
MAY 31	•	1,311E 0		00	*	0;364E		0.621E 00	•	0.104E 01	0.746E 0		
-UN 05	•	0,316E 0			•	0.363E		0.622E 00	•	0.117E 01	0.740E 0		
JUN 10	•	0;322E 0		00	•	0;361E		0,622E 00	•	0.130E 01	0,734E 0		
-UN 15	•	0,325E 0			•	0.356E		0.620E 00	•	0.141E 01	0.729E 0		
-UN 20	•	0,323E 0		00	•		01	0.615E 00	•	0.149E 01	0.727E 0		
_UN 25	•	0,313E 0		00	•	0,318E		0.606E 00	•	0.153E 01	0.729E 0		
JUN 30	•	0.299E 0		00	•	0,287E		0.594E 00	٠	0.154E 01	0.732E 0		
_UL 05	•	0.287E 0		00	•	0,241E		0.583E 00	•	0.153E 01	0.735E 0		
JUL 10	•	1.280E 0		00	٠		01	0.574E 00	٠	0.151E 01	0.736E 0		
JUE 15		0.278E 0	1 0,576E	00	•	0,237E	01	0.567E 00	•	0.150E 01	0.736E 0	0 •	

(Continued)

(Sheet 13 of 48)

## TABLE OF EXTREMES ESTIMATES GRID LOCATION 11. 7 LAT-41.57 LON-82.30 VERMILION OH

### SMORELINE GRID POINT 7 PAGE 2 OF 2

ANGLE CLASS

	1					2	3				
DATE		A	8			8		A	В		
-UL 20		0.277E 01	0.574E 00		0.283E 01	0.561E 00		0.148E 01	0.736E 00		
UL 25		1,277E 01			0,229E 01	0.555E 00		0.146E 01	0.735E 00		
JUE 30		1.277E 01	0.570E 00		0,227E 01	0.555E 00		0.142E 01	0.735E 00		
AUG 04		0.277E 01	0:569E 00		0.227E 01	0.556E 00		0.134E 01	0.735E 00		
AUG 09		0.265E 01	0:557E 00		0.227E 01	0.557E 00		0.123E 01	0.735E 00		
AUG 14		1.260E 01	0,553E 00		0,226E 01	0.560E 00		0.111E 01	0.737E 00		
AUG 19		1,251E 01	0.548E 00		0:226E 01	0.562E 00		0.976E 00	0.739E 00		
AUG 24		0:244E 01	0,542E 00		0,225E 01	0.563E 00		0.823E 00	0.743E 00		
AUG 29		0.236E 01	0,535E 00		0.218E 01	0.556E 00		0.622E 00	0.745E 00		
SEP 03		0.236E 01	0.537E 00		0,217E 01	0.558E 00		0.569E 00	0.749E 00	•	
SEP 08		0.236E 01	0.537E 00		0:215E 01	0,559E 00		0.530E 00	0.752E 00		
SEP 13		1,236E 01			0.212E 01	0.561E 00		0.485E 00	0.756E 00		
SEP 18		1.238E 01	0.5316 00		0,196E 01	0.571E 00		0.363E 00	0.761E 00		
SEP 23		0.242E 01	0.508E 00		0.142E 01	0,605E 00		0.111E-01	0.774E 00		
SEP 28		1;240E 01	0.466E 00		0.346E 00	0,675E 00		-0.665E 00	0.798E 00		
CCY 03		0.2166 01	0.427E 00		0.102E 01	0.763E 00		-0.150E 01	0.827E 00		
CC. 08		0,172E 01	0,412E 00		-0,216E 01	0.836E 00		-0.218E 01	0.850E 00		
CC 13	:	0.1276 01	0,419E 00		.0.282E 01	0.878E 00		-0.253E 01	0.860E 00		
CCY 18		0,981E 00	0,428E 00		.0.312E 01	0.897E 00		-0.265E 01	0.861E 00		
CC# 23		1.852E 00	0,432E 00		.0.330E 01	0.907E UO		-0.270E 01	0.859E 00		
CCT 28		1.792E 00			.0.345E 01	0.917E 00		-0.273E 01	0.857E 00		
VOA 05		0.764E 00			-0.360E 01	0.927E CO		-0.279E 01	0.8566 00		
NOV 07		0.747E 00	0,427E 00		.0.371E 01	0.934E 00		-0.285E 01	0.855E 00		
NOV 12		0.743E 00	0,425E 00		-0.382E 01	0.942E 00		-0.298E 01	0.853E 00		
NOV 17		0.717E 00			-0;395E 01	0,951E 00		-0.304E 01	0.855E 00		
VOA 55		1.694E 00	0.420E 00		.0.405E 01	0.957E 00		-0.308E 01	0.858E 00		
NOT 27		0.683E 00	0:4215 00		.0,414E 01	0.964E 00		-0.312E 01	0.863E 00		
CEC 02		0.668E 00	0,424E 00		0,420E 01	0.965E GO		-0.316E 01	0.868E 00		
CEC 07		0.693E 00			.0.416E 01	0.957E 00		-0.317E 01	0.8728 00		
CEC 12						0.948E 00		-0.319E 01	0.876E 00		
CEC 17	:			:	-0,409E 01	0.935E 00	:	-0.322E 01	0.879E 00	:	
EEC 22		0,705E 00			-0.391E 01	0.916E 00		-0.328E 01	0.881E 00		
DEC 27	•	0.108E 00			.0.385E 01	0.890E 00		-0.338E 01	0.8806 00		
DEC 21		DI THOE UN	017066 00		WU1333E U1	0.0.0.00		-0.0000 01	0.0006 00		

(Continued)

(Sheet 14 of 48)

#### TABLE OF EXTREMES ESTIMATES 6RID LOCATION 11: 8 LATE41:57 LON#62.12

LORAIN OH

### SMORELINE GRID POINT 8 PAGE 1 OF 2

ANGLE CLASS

	1					2					3				
									•			•	3		
DATE				В					В						
		-4.185	^.	0;752E			10 2445		0.758E 00				B	• •	
LAN OI	•	-0,185E				•	.0.214E			•	-0.146E		0.194E		•
LAR OG	•	-0,406E			00	•		01	0.747E UO	•	-0.170E		0.217E		•
-AN 11	•	0,594E			00	٠	.0.220E		0.743E UO	•	-0.182E		0.229E		•
LAN 16	•	0,113E		0.471E		•	.0.224E		0.743E CO	•	-0.186E		0.232E		
_AN 21	•	1,138E			00	•	●0.227E	01	0.744E 00	•	-0.186E		0.231E		•
-AN 26		0.151E		0,444E	00	•	.0.231E	01	0.744E 00	•	+0.185E	02	0.231E	01	•
-AN 31	٠	0,130E	01	0:446E	00		.0.235E	01	0.744E 00		-0.185E	02	0.231E	01	•
FEB 05	•	0.146E	01	0,452E	00		■0.237E	61	0.739E 00	+	-0.185E	02	0.230E	01	
FEB 10	٠	7,140E	01	0:460E	00		.0.236E	01	0.736E UO		-0.184E	02	0.229E	01	
FEB 15		0,134E	01	0.467E	00	+	.0.234E	01	0.732E 00		-0.183E	02	0.229E	01	
FEB 20		0,134E	01	0.472E	00		-0.231E	01	0.731E 00		-0.183E	02	0.229E	01	
FEB 25		0.135E			00		-0.224E		0.728E 00		-0.182E		0.228E		
PAR 02		9:131E	01		00		.0.218E		0.725E 00		-0.180E		0.229E		
MAR OT		0,135E		0.480E			.0.288E		0.720E 00		-0.179E		0.229E		
MAR 12		7,139E	01	0.480E		•	.0.197E		0.715E UD		-0.178E		0.228E		
PAR 17		0,139E		0.492E			.0,176E		0.706E 00		-0.170E		0.222E		
MAR 22		0.134E	01	0.535E			.0.128E		0.686E 00		-0.146E		0.203E		
PAR 27		0,121E		0.6186			.0.395E		0.648E 00		-0.101E		0.165E		
APR 01		0,107E		0,720E			0.696E		0.601E 00		-0.494E		D.120E		
APR 06		0,102E		0.7986			0.168E		0.563E 00		-0.126E		0.877E		
APR 11		0,109E		0,8332			0,210E		0.543E 00		0.2326		0.738E		
APR 16		1.125E		0.841E			0,23eE		0.539E GO		0.5176		0.709E		
APR 21				0.844E					0.545E 00		0.517E				•
APR 26		0,143E		0.849E			0,237E		0.555E 00				0,704E		•
MAY 01							0,240E		0.557E 00		0.686E		0.696E		•
	•	0,175E		0.846E		•	0.246E			•	0.969E		0.670E		•
MAY DO	•	0,178E		0;848E		•	0,249E		0.559E 00	•	0.118E		0.647E		•
PAY 11	•	0,180E		0,8515		•	0,252E		0.562E 00	•	0.124E		0.642E		•
MAY 16	•	0,181E		0,8566		•	0;296E		0.564E 00	•	0.136E		0.641E		•
MAY 21	•	0,183E		0,857E		•	0,261E		0,566E 00	•	0.145E		0.643E		•
MAY 26		0.185E			00	•	0.264E		0.567E UO		0.153E		0.642E		٠
MAY 31	•	1,184E		0.860E			0,267E	01	0.567E 00		0.156E		0.647E	00	
_UN 05		0,184E	01	0,860E	00		0,270E	01	0.567E UO		0.158E	01	0.653E	00	•
-UB 10		0,183E		0,854E	00		0,273E	01	0.568E 00		0.160E		0.658E		٠
-UN 15	•	0,184E	01	0.846E	00	•	0,272E	01	0.580E 00		0.169E	01	0.653E	00	•
_UN 20	٠	0,194E	01	0,807E	00		0;260E	01	0.627E 00		0.196E	01	0.626E	00	•
-UN 25		1.216E	01	0,732E	00	•	0,231E		0.725E 00		0.238E		0.576E		
_UN 30		0:246E	01	0,639E	00		0,193E		0.850E CO		0.266E		0.527E		•
-UE 05		0.270E		0.565E			0,1626		0.950E UO		0.259E		0.508E		
-UL 10		1,282E		0,526E			0,146E		0.100E 61		0.229E		0.515E		
UL 15		1.284E		0.511E			0.141E		0.101E 01		0.204E		0.525E		

(Continued)

(Sheet 15 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 11: 6 LAT-41:57 LON-82.12 LORAIN OH

SMORELINE GRID POINT 8

ANGLE	CLASS
	_

	1				2		3				
DATE		8			8		A	В			
-UL 20	0:284E 01	0.505E 00	•	0,139E 01	0.101E 01		0.192E 01	0.529E 00			
JUL 25	0.284F 01	0.500E 00		0.138E 61	0.101E 01		0.1866 01	0.528E 00			
JUE 30	0,284E 01	0.497E 00		0.137E 01	0.101E 01		0.180E 01	0.526E 00	•		
AUG 04	1.285E 01	0.497E 00		0,134E 01	0.101E 01		0.173E 01	0.525E 00			
AUS 09	0.285E 01	0:498E 00		0.132E 01	0.101E 01		0.162F 01	0.524E 00			
AUS 14	0.285E 01	0.500E 00		0.127E 01	0.102E 01		0.153E 01	0.526E 00			
AUG 19	0.285E 01	0.502E 00		0,121E 01	0.102E 01		0.135E 01	0.539E 00			
AUS 24	0.284E 01	0:504E 00		0:115E 01	0.102E 01		0.115E 01	0.554E 00			
AUG 29	0.264E 01	0:486E 00		0,102E 01	0.102E 01		0.903E 00	0.572E 00			
SEP 03	1.262E 01	0.489E 00		0.972E 00	0.102E 01		0.788E 00				
SEP DE	1.258E 01	0.492E 00		0.928E 00	0.102E 01		0.681E 00				
SEP 13	1.252E 01	0:498E 00		0.858E 00	0.102E U1		0.553E 00	0.593E 00			
SEP 18	0.227E 01	0.519E 00		0:739E 00	0.101E 01		0.266E 00	0.617E 00			
SEP 23	0,152E 01	0.584E 00		0.472E 00	0.980E 00		-0.483E 00	0.686E 00			
SEP 28	0.643E-01	0.710E 00		0,682E-03	0.922E 00	+	-0.188E 01	0.819E 00			
CCT 03	-0,175E 01	0.864E 00		.0.569E 00	0.848E 00		-0.358E 01	0.983E 00			
CCT 08	-0,322E 01	0.989E 00		.0,104E 01	0.789E 00		-0.494E 01	0.111E 01			
CCT 13	-0.403E 01	0.105E 01		.0,130E 01	0.759E 00		-0.565E 01	0.118E 01			
C-7 18	+0,436E 01	0.108E 01	+	30.142F 01	0.749 F 00		-0.590F 01	0.119F 01			
CT 23	-1,453E 01	0.108E 01		.0.150E 01	0.7486 00		-0.600E 01				
CC 28	+0.467E 01	0.109E 01		.0.197E 01	0.748E 00		-0.608E 01	0.119E 01			
NOV 02	-0:479E 01	0:110E 01		.0.166E 01	0.751E 00		-0.616E 01				
NOV 07	-0 489E 01	0,111E 01	•	.0,173E 01	0.753E 00	•	-0.625E 01	0.120E 01	•		
NOV 12	-0.499E 01	0,111E 01	•	.0,186E 01	0.757E 00		-0.635E 01	0.120E 01			
NOV 17	-0 513E 01	0,112E 01		.0.186E 01	0.760E UO	٠	-0.654E 01	0.121E 01	•		
NOV 22	-0,524E 01	0.113E 01		.0:168E 01	0.761E 00		-0.6725 01	0.123E 01			
NOV 27	-0.531E 01	0,113E 01		.0,198E 01	0.765E 00		-0.683E 01	0.124E 01	•		
CEC 02	.0.531E 01	0.113E 01	•	.0,193E 01	0.769E 00		-0.694E 01	0.124E 01			
CEE 07	-n:527E 01	0.112E 01		#0:199E 01	0.778E 00		-0.707E 01	0.125E 01			
CEC 12	-0.522E 01	0.111E 01		.0.205E 01	0.785E 00		-0.723E 01	0.126E 01			
CEC 17	-0.504E 01	0.109E 01		-0:209E 01	0.789E 00		-0.769E 01	0.130E 01			
CEC 22	-0.449E 01	0.103E 01		-0.211E 01	0.785E CO		-0.900E 01	0.142E 01			
CEC 27	-n.337E 01	0.911E 00		.0.212E 01	0.773E 00		-0.115E 02	0.165E 01			

(Continued)

(Sheet 16 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 11; 9 LAT-41:56 LON-81,93 AVON POINT OH

### SMORELINE GRID POINT 9 RAGE 1 OF 2

								ANG	-E 0	LASS					
		1								2				3	
DAT	E		A		8					В			A	В	
LAN	01		-0,463E	01	0;105E	01		+0,480E	01	0,839E	00		-0.435E 01	0.103E	01 .
	06	•	-0,583E	01	0.122E	01	•	●0.239E	01	0.682E	00	•	-0.358E 01	0.933E	00 •
-AN	11	•	-0,604E	01	0.127E	01	•	-0.121E	01	0.576E	CO	•	-0.322E 01		00 •
LAN	16	•	-0,586E	01	0,127E	01	•	.0,345E	00	0.509E	00	•	-0.314E 01		00 •
MA	21		-0,574E	01	0.127E	01		0.294E	00	0.464E	00	•	-0.315E 01		00 •
LAN	26	•	-0.571E	01	0.127E	01	•	0.769E	00	0.431E	00	•	-0.317E 01		00 •
LAN	31	•	-0,572E	01	0.126E	01	•	0.866E	00	0.424E	00	•	-0.318E 01		• 00
FEB	05	•	-0.572E	01	0.127E	01	•	0.965E	00	0.417E	00	+	-0.320E 01		00 •
PEB	10		-0.572E	01	0.127E	01		0.111E	01	0.40BE	00	•	-0.322E 01		00 •
FEB	15	•	-0,573E	01	0:127E	01	•		01	0.408E	00		-0.324E 01		00 •
FEB	20	•	.0,572E	01	0.127E	01	•	0,115E	01	0.404E	00		-0.315E 01	0.877E	
FEB	25	•	-0,570E	01	0,127E	01	•	0,128E	61	0.396E	00	•	-0.310E 01	0.874E	
MAR	02	•	-0.569E	01	0,126E	01	•		01	0.389E	00		-0.305E 01		00 •
MAR	07	•	.0,598E	01	0,127E	01	•	0,152E	01	0.390E	00	•	-0.297E 01		00 +
MVB	12	•	-0.618E	01	0.127E	01	•	0.163E	01	0.394E	00	•	-0.288E 01		00 •
MAR	17			01	0,1256	01	•		01		00	•	-0.274E 01	0.872E	
MAR	22	•	-0,536E	01	0;119E	01	•	0,194E	01	0.417E	00	•	-0.244E 01	0.878E	
MAR	27	•	-0.384E	01	0,105E	01	•	0;221E	01	0.446E	00	+	-0.190E 01		00 •
APR	01	•	-0,189E	01	0.886E	00	•	0.253E	01	0.481E	0.0		-0.122E 01		• 00
APR	06	•	-0.246E	00	0.748E	00			01		00	•	-0.621F 00	0.918E	
APR	11	•	7.701E	00	0.672E	00	•	0,296E	01	0.522E	00	•	-0.246E 00		00 +
APR	16	•	0,113E	01	0,645E	00	•	0,307E	01	0.529E	0.0	•	-0.644E-01	0.919E	
APR	21	•	0,134E	01	0,638E	00	•		01	0.535E	00	•	0.183E-01		00 •
APR	26		0,150E	01	0.637E	00	•	0,323E	01	0,543E	00	•	0.673E-01		00 •
MAY	01	٠	0.169E	01	0,635E	00	•	0,330E	01	0.547E	00	•	0.172E 00	0.913E	
HAY	06	•	0,171E	01	0,637E	00	•	0,332E	01	0,550E	00		0.277E 00	0.906E	
	11	•	1,172E	01	0,639E	00		0;331E	01		00		0.362E 00	0.900E	
MAY	16	•	0,173E	01	0:640E	00	•		01	0.549E	00	•	0.487E 00	0.894E	
**	21	•	0,174E	01	0.641E	00	•		01		0.0		0.597E 00		00 •
MAY	26			01	0.642E	00	•	0.325E	81	0.555E	00		0.678E 00		00 •
MAY	31	•	0,176E	01	0,644E	00	•		01	0.557E	00	•	0.745E 00	0.881E	
-UN	05	•	0,182E	01	0.647E	00		0.322E	01	0,558E	00	+	0.836E 00	0.878E	00 +
LUN	10	•	0,189E	01	0,650E	00	•	0;319E	01	0.558E	00	•	0.929E 00	0.876E	00 •
	15		0.200E	01	0:645E	00	•	0,315E	01	0.553E	00		0.101E 01	0.876E	00 .
UK	20	٠	0,223E	01	0;616E	00	•	0.308E	01		00	•	0.108E 01	0.884E	00 .
	25	٠	0.262E	01	0.555E	00		0.299E	01	0.502E	0.0		0.112E 01		00 •
-00	30	•	0,310E	01	0.479E	00	•		01	0.461E	00		0.113E 01		00 .
-UL	05	•	0,348E	01	0,417E	00	•	0,281E	01	0.426E	00	•	0.114E 01		00 •
JUL	10	•	1;367E	01	0;386E	00	•	0,276E	01	0.407E	00	٠	0.114E 01		• 00
JUL	15	٠	0.372E	01	0,377E	00		0,273E	01	0,398E	00	•	0.113E 01	0.959E	00 +

(Continued)

(Sheet 17 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 11. 9 LAT-41.56 LON-81.93 AVON POINT OH

SHORELINE GRID POINT 9
PAGE 2 OF 2

,	-	٠.	•	
ANGLE	CL	AS	s	

			1				2	3				
DATE			В				8			9		
-UL 20		0:373E 0:		00 .	0:272E	01	0.393E 00		0.112E 01	0.959E	0.0	
שני בי		0.373E 0		00 +			0.388E 00		0.111E 01		00	
JUL 30		0.373E 0		80 +			0.386E 00	:	0.108E 01		00	:
		0.373E 0		00 +			0.387E 00		0.103E 01	0.960E	-	
AUG D		0.361E 0		00 +		01	0.388E 00		0.913E 00	0.961E		
AUG 05				00 .			0.391E 00		0.771E 00		00	
4UE 1		0.355E 0:		00 +		01					00	
AUS 19		0;345E 0:				01		•	0.604E 00		333.0	
AUG 24		0,341E 0		00 .		01	0.409E 00	•	0.399E 00		00	•
AUG 29		0,335E 0		00 +	012205	01	0.404E 00	*	0.153E 00	0.100E		
SEP 03		0;334E 0:		00 +	-1	01	0.404E 00	•	0.791E-02		01	•
SEP 08		0,334E 0:		00 +	414205	01	0.406E 00		-0.148E 00		01	•
SEP 13		0.334E 0:		00 .	012-05		0.412E 00	•	-0.286E 00	0.103E		•
SEP 18		n,333E 0:		00 .	011701		0.440E 00		-0.421E 00	0.104E		•
SEP 2:		0;327E 0:		00 .	0,1005		0.533E 00	•	-0.672E 00	0.104E		•
SEP 28		0.305E 0:	0;333E	00 +		01	0.712E 00	•	-0.130E 01		01	•
CCT O		1,257E 0		00 +		01	0.932E 00	٠	-0.249E 01	0.113E		•
CCT 08		0,194E 0		00 .	.0.570E	01	0.111E 01	+	-0.397E 01	0.121E		•
CCT 1	3 +	0.140E 0	0,387E	00 +	.0,681E	01	0,120E 01	+	-0.515E 01	0.127E	01	•
CCT 18	8 •	0,110E 0	1 0:401E	00 +	.0.724E	01	0,123E U1		-0.577E 01	0.130E	01	•
CC 7 2:	3 +	1,993E 0	0,404E	00 .	.0.743E	01	0.124E 01		-0.596E 01	0.131E	01	•
CCY 28	8 .	0.952E 0		00 +	90,758E	01	0.125E 01		-0.601E 01	0.130E	01	
	2 .	1:938E 0		00 .	-0.766E	01	0.126E 01		-0.605E 01	0.130E	01	
180 0		0,926E 0		00 .			0.126E D1		-0.610E 01		01	
NOV 12		1,924E 0		00 +			0.126E 01		-0.616E 01		01	
AOV 1		7,900E 0	0,393E	00 +		01	0.127E 01		-0.621E 01		01	
NOV 21		0,882E 0		00 +		01	0.127E 01		-0.626E 01		01	
NOV 2		0,869E 0		00 +		01	0.127E 01		-0.630E 01		01	
CEC O		0.852E 0		00 +		01	0.127E 01		-0.635E 01		01	
CEC O		1.856E 0	The second section	00 .		01	0.127E 01		-0.640E 01	The second second	01	
CEC 1		1.813E 0		00 +		01	0.1268 01		-0.643E 01		01	
CEC 1		1.478E 0		00 +			0.124E 61		-0.638E 01		01	-
CEC 2		-0.606E 0		00			0.116E 01	:	-0.604E 01		01	
CEC 2		-0.256E 0		-					-0.530E 01	0.116E		
LEC 21	, .	-0.2702 0	0.772	00 .	•0,5/16	01	0.1026 01	•	-U. 750E UI	0.1106	01	•

(Continued)

(Sheet 18 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 11,10 LAT#41.56 LON=c1.73 CLEVELAND OH

SHORELINE GRID POINT 10
PAGE 1 OF 2

ANGLE CLASS

	1								2			3	
DATE		A		В			A		В			8	
_AN 01		-0,157E	01	0.660E	00		.0,416E	01	0.760E CO		-n.823E 01	0.113E 0	1 .
_AN 06		-1.392E	00		00		-0.469E		0.785E 00		-0.782E 01	0.109E 0	
_AN 11	+	0.214E	00	0.473E			.0.497E		0.797E CO		-0.705E 01	0.103E 0	
AN 16			0.0	0.449E	0.0		The second secon	01	0.8016 00		-n.603E 01	0.965E 0	
JAN 21		0.571E	0.0		0.0		.0.509E		0.8006 40		-0.508E 01	0.904E 0	-
JAN 26			00	0.432E		+	-0.510E		0.7995 00		-0.433E 01	0.855E 0	
LAN 31		0.621E	00	0.436E	0.0			01	0.794E 00		-n.420E 01	0.846E 0	
FEB 05		1.589E	00		00			01	0.6288 00		-0.398E 01	0.829E 0	
FEB 10		1.553E	00		00			01	0.5808 00		-0.378E 01	0.816E 0	
FEB 15		0.507E	00		00		#0.164E		0.5648 00		-n.365E 01	0.807E 0	_
FEB 20		0.477E	00	0.459E	00			01	0.563E CO		-p.361E 01	0.806E 0	
FEB 25		2.427E	0.0	0.466E	0.0			01	0.546E 00		-n.359E 01	0.815E 0	
MAR 02	:		00	0.478E			-0.112E		0.536E CO		-n.37 nE 01	0.837E 0	
MAR 07		0.306E		0.480E			.0.909E		0.525E 00		-0.372E 01	0.846E 0	
MAR 12			00		00			00	0.514E 00		-0.369E 01	0.851E 0	
MAR 17		0.257E	00	0.497E	00			00	0.502E CO		-0.346E 01	0.841E 0	
MAR 22			00		00		0.114E		0.4926 00		-0.283E 01	0.809E 0	
MAR 27	:	0,270E		0.587E	00		0.723E		0.494E UO		-0.187E 01	0.760E 0	
APR 01			00	0.6566			0.106E		0.527E 00		-0.115E 01	0.730E 0	
APR D6			00	0.708E		+	0.8935		0.585E CO		-0.111E 01	0.743E 0	
APR 11			00	0.733E			0.455E		0.641E 00		-0.152E 01	0.778E 0	
APR 16			00		00		0.139E		0.6766 00		-0.185F 01	0.803E 0	
APR 21			00		00		0.354E-		0.6918 00		-0.193F 01	0.808E 0	
APR 26		0.919E			00		0.285E-		0.699E 00		-0.188E 01	0.803E 0	
MAY 01		0.105E		0.738E			0.726E-		0.6986 (0		-0.170E 01	0.784E 0	
MAY 06			01	0.740E			0.987E-		0.697E UO		-0.283F-01	0.665F 0	
MAY 11			01	0.742F			0,1116		0.697E CO		0.840F-01	0.656E 0	
MAY 16			01	0.745E			0,1268		0.697E UD		0.189E 00	0.654E 0	
MAY 21		0,1116		0.748E			0,151E		0.696E 00		0.269E 00	0.653E 0	
MAY 26			01		00			00	0.695E 00		0.344E 00	0.651E 0	
PAY 31		1:109E			00			00	0.694E 00		0.378E 00	0.653E 0	
_UN 05		0,108E		0.755E			0.141F		0.693F 00		0.3946 00	0.658E 0	
UN 10			01	0.754E			0,134E		0.691E CO		0.406E 00	0.663E 0	
UN 15			01		00			00	0.690E 00		0.437F 00	0.666E 0	
UN 20		0.132E	01	0.701E				00	0.689E UO		0.549E 00	0.665E 0	
-UN 25		0.175E	01		00			00	0.691E 00		0.7866 00	0.657E 0	
UN 30		n.23nE	01		00		0.1068				0.109E 01	0.645E 0	
-UL 05	:	0.275E	01	0,4375	00	:		01	0.694E 00		0.134E 01	0.634E 0	-
JUL 10		1.299E		0 393E	00			01	0,698E 00		0.146E 01	0.628E 0	
-UL 15		0.308E		0.375E	-		0,163E		0.698E 00		0.1486 01	0.626E 0	
-OF 13		1,3006	0.7	0,3/36	00		0,1035	0.1	0.0705 00	•	0.1-05 01	0.0205 0	•

(Continued)

(Sheet 19 of 48)

### THE OF EXTREMES ESTIMATES GRID LOCATION 11,10 LATE41,56 LONEB1,73 CLEVELAND OH

SMORELINE GRID POINT 10 PAGE 2 OF 2

ANGLE	CLASS
	2

DATE		A		В				В		A		8		
-UL 20		0:313E	01	0.365E	00		0:164E 01	0.698E 00		0.146E	01 0.	625E	00	
-UL 25		0.317E		0.354E	00		0.164E 01	0.698E 00		0.144E	01 0.	624E	00	
JUL 30	•	1.320E		0,347E			0,163E 01	0.700E 00		0.141E	01 0.	622E	00	•
AUG 04		0;324E	01	0;345E	00		0.160E 01	0.702E 00		0.134E	01 0.	. 620E	00	
AUS 09		0.325E		0.348F			0.156E 01	0.705+ 00		0.124F		621F		
AUG 14		1.326E		0.352E			0.147E 01	0.714E 00		0.1126		626E		
AUG 19		0.326E	01	0.353E	00		0.138E 01	0.720E 00		0.815E	00 0.	647E	00	
AUG 24		1.327E	01	0.354E	00		0.128E 01	0.727E 00		0.281F	00 0.	684E	00	•
AUG 29		1.322E	01	0.350E		•	0.107E 01	0.739E 00		-0.141E	01 0.	803E	00	
SEP 03		0.321E	01	0.351E	00		0.948E 00	0.747E GO		-0.148E	01 0.	807E	00	٠
SEP 08		0.318E	01	0:354E	00	+	0:555E 00	0.774E 00		-0.154E	01 0.	810E	00	
SEP 13		0.312E	01	0:359E	00		0.118E 00	0.804E CO		-0.162E	01 0.	814E	00	
SEP 18		0,286E	01	0.382E			-0.236E 00	0.819E 00		-0.183E	01 0.	825E	00	
SEP 23		0.202E	01	0:454E	00		-0.238E 00	0.788E UO		-0.241E	01 0.	857E	00	•
SEP 28		0,376E	00	0.595E	00	•	0.283E-81	0.708E 00	+	-0.350E	01 0.	919E	00	
CCT 03		-1,168E	01	0.769E	00	•	0.708E-01	0.627E 00		-0.485E	01 0.	995E	00	
CCT 08		-1,335E	01	0.909E	00	•	-0.415E 00	0.597E 00	•	-0.594E	01 0.	106E	01	٠
CC7 13		-1,426E		0:981E	00	•	.0.113E 01	0.612E 00		-0.651E	01 0.	109E	01	•
CCY 18		-0,460E	01	0,101E	01	•	+0,163E 01	0.635E UO		-0.672E	01 0.	110E	01	•
CCT 23		-n,475E	01	0.101E	01		+0,185E 01	0.645E 00	•	-0.680E		109E		•
CCT 28	•	-0,487E	01	0:102E			.0.193E 01	0.648E 00	•	-0.685E		109E	01	•
NOV 02		-1:495E		0,103E	01		+0,201E 01	0.651E 00	•	-0.695E	01 0.	110E	01	•
NOV 07		-0.502E	01	0;103E	01		.0.209E 01	0.652E 00	•	-0.705E	01 0.	110E	01	•
NOV 12		-0,508E		0;104E	01		-0,217E 01	0.656E 00		-0.717E	01 0.	111E	01	٠
NOV 17		-1.517E	01	0.104E	01	•	-0.224E 01	0.658E 00		-0.740E	01 0.	112E	01	
NOV 22		-1.524E	01	0.104E			.0.229E 01	0.660E 00		-0.767E	01 0.	114E	01	
NO0 27		-n.528E	01	0,1045			-0,236E 01	0.667E 00		-0.780E	01 0.	115E	01	
CEC 02		-0.528E		0.104E			.0.242E 01	0.673E 00		-0.793E		116E		•
CEC 07		-0.528E	01	0.104E			+0,249E 01	0.680E 00		-0.808E	01 0.	117E	01	
CEC 12		-0,524E	01	0.103E			-0.256E 01	0.686E 00		-0.823E	01 0.	118E	01	
CEC 17		-0.504E	01		01		.0.267E 01	0.692E UO		-0.834E	01 0.	1188	01	
CEC 22		-n:437E	01	0.942E	00		.0.295E 01	0.705E CO		-0.840E	01 0.	117E	01	
CEE 27		*n.310E	01	0.814E	0.0		-0.349F 01	0.730E 00		-0.838F	0 0.	116F	01	

(Continued)

(Sheet 20 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 10;11 LAT-41,68 LON-61,53

EAST OF CLEVELAND OH

SHORELINE GRID POINT 11
PAGE 1 OF 2

ANGLE CLASS

	1								2			3		
DATE				В					8			В		
AN OI		-0.143E	0.1	0:639E	••		-0.369E		0.750E 00		-0.135E 02	100	04	
AN 06	:	0.2218			0.0			01	0.753E 00		-0.111E 0		01	:
AN 11		0.135E		0.382E				01	0.755E 00		-0.934E 0			
-AN 16		0.196E			00			01	0.757E 00		-0.795E 01			
AN 21			01		00			01	0.7588 00		-0.671E 01		01	
_AN 26			01	0.299E				01	0.758E 00	17.0	-0.559E 0			
LAN 31			01	0,303E			.0.398E		0.756E CO		-0.543E 0			
FEB 05		0.236E		0.306E				01	0.750E 00		-0.516E 0		01	
FEB 10		0.234E	01		00			01	0.744E 00		-C.490E 01		00	
FEB 15			01		00			01	0.739E 00		-0.470E 0		0.0	
FEB 20		1,230E			00		.0.388E		0.738E 00		-0.467E 01		00	
FEB 25			01		00		*	01	0.734E 00		-0.465E 0		00	
MAR 02			01		00	+		01	0.732E CO		-0.468E 01		00	
MAR 07	•	0,219E	01	0:338E	00	•	.0.361E	01	0.727E 00		-0.467E 01	0.100E	01	
MAR 12			01	0.341E			.0,349E		0.7226 00		-0.462E 05	0.100E	01	
MAR 17		1,222E	01	0,351E	00			01	0.715E 00	•	-0.442E 01	0.994E	00	•
MAR 22	•	1.225F	01	0.384E	00	+	.0.280E	01	0.702E GO		-0.390E 05	0.964E	00	•
MAR 27	•	0.220E	01	0:453E	00	+	-0,196E	01	0.681E 00	•	-0.308E 0	0.916E	00	•
APR 01		0,196E	01	0.553E	00		.0.911E	00	0.653E 00		-0.241E 01	0.880E	00	
APR 06		0.156E	01	0.649E	00		-0.228E-	01	0.628E 00		-0.225E 01	0.877E	00	
APR 11		0,121E	01	0.711E	00		0,492E		0.613E 00		-0.243E 0	0.894E	00	
APR 16		0.107E	01	0.738E	00		0.706E	0.0	0.607E CO		-0.247E 01	0.899E	00	
APR 21		1,111E	01	0,748E	00		0,786E	00	0.607E CO		-0.212E 0	0.877E	00	•
APR 26		1.123E	01	0.755E	00		0.828E	00	0.609E UO		-0.148E 0			•
MAY 01		0.132E	01	0.756E	00		0.942E	00	0.604E 00		-0.937E 00	0.793E	00	•
MAY 06		0,134E	01	0.759E			0.103E	01	0.600E 60		-0.650E DO	0.768E	0.0	
MAY 11		1,137E		0.764E	00		0,109E	01	0.599E 00		-0.568E 00			•
MAY 16		0.137E		0,766E	00		0,114E	01	0,596E 00		-0.461E 00		0.0	
HAY 21	•	0,1376			00	•		01	0.590E UO	•	-0.372E 00		00	•
MAY 26		0,136E			00			01	0.5868 00		-0.292E 00		00	•
MAY 31		1:134E			00		0,134E		0.581E 00		-0.235E 00		0.0	•
_UN 05		1,132E			00		0.138E	01	0.577E 00		-0.196E 00		00	•
_UN 10	•	1,129E		0:770E			0,141E	01	0.573E 00		-0.161E 0			•
_UN 15	٠	0.131E		0.758E			0,144E		0.571E 00		-0.101E 0			
-UN 20		1,147E		0,717E		+	0,142E		0.577E 60		0.504E-01		00	٠
_UN 25		1,186E			00		0.134E		0.595E 00	•	0.339E 0		00	•
_UN 30		1,238E			00	•	0.122E		0.6186 00		0.696E 0		00	•
_UL 05		1:281E		0.452E	00		0,113E	01	0.637E CO		0.981E 00		00	•
-UL 10		7,302E	01	0,408E	00		0,108E	01	0.646E 00		0.112E 01		00	•
UL 15		1.308E	01	0.391E		•	0.107E	01	0.648E 00	•	0.114E 01	0.595E	00	

(Continued)

(Sheet 21 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 10,11 LAT#41,68 LON#81,53

#### EAST OF CLEVELAND OH

### SHORELINE GRID POINT 11 PAGE 2 OF 2

### ANGLE CLASS

	1							2			3	
DATE		A		8				В		A	8	
-UL 20		1:309E	01	0.385E	00		0.107E 01	0.648E 00		0.112E 01	0.594E 00	
JUL 25		0.310E		0.381E			0.107E 01	0.6476 00		0.110E 01	0.593E 00	
UL 30		1.312E	01	0.376E			0.106E 01		+	0.106F 01	0.592E 00	
AUG 04		0,314E	01	0.376E	00		0,102E 01	0.653E UO		0.989E 00	0.591E 00	
AUG 09		1,316E	01	0.379E			0.979E 00	0.657E UC		0.897E 00	0.592E 00	
AUG 14		1.316E	01	0.382E	00		0.888E 00	0.665E 00	•	0.782E 00	0.597E 00	
AU6 19		1:317E		0.383E			0.805E 00	0.6706 00		0.624E 00	0.606E 00	
AUG 24		0.317E	01	0.384E			0.715E 00	0.676E CO		0.443E 00	0.616E 00	
AU6 29		1,308E	01	0.377E	00	+	0.511E 00	0.685E 00		0.2788 00	0.628E 00	
SEP 03		0.307E	01	0.379E	00		0.428E 00	0.690E UC		0.198E 00	0.633E 00	
SFP 08		1.305E	01	0.3816	00		0.290E 00	0.699E 00		0.130E 00	0.636E 00	
SEP 13		1.299E	01	0.386E	00		0,135E 00	0.708E 00		-0.579E-02	0.645E 00	
SEP 18		1.273E	01	0.408E	00	+	0.107E-01	0.710E CO		-0.632E 00	0.698E 00	•
SEP 23		1,191E	01	0:477E	00	+	-0.546E-02	0.689E 00		-0.267E 01	0.877E 00	
SEP 28		0.309E	00	0.610E			.0.451E-02			-0.669E 01	0.123E 01	
CCT 03		-7.170E		0,775E	00	+	+0,281E 00	0.612E 00		-0.117E 02	0.167E 01	+
CCT 08		-0,334E		0.909E	00		-0.940E 00	0.614E 00		-0.157E 02	0.203E 01	
CCT 13	•	-0.423E			00		#0,168E 01	0.642E 00		-0.178E 02	0.221E 01	
CCT 18		-1,458E		0,100E	01		.0.216E 01			-0.184E 02	0.226E 01	
CCT 23	•	-0:474E		0,101E	01		.0.237E 01			-0.186E 02	0.227E 01	•
CC# 28		-0:487E		0,102E		+	.0.247E 01			-0.187E 02	0.228E 01	
VOA 05	•	-1,495E		0,103E		+	.0,257E 01	0.685E 00		-0.188E 02	0.228E 01	
NOV 07		-1,502E		0,103E			-0,267E 01			-0.188E 02	0.229E 01	•
NOV 12		-0,509E		0:104E	01		-0,278E 01			-0.190E 02	0.230E 01	
NOV 17	•	-0:519E		0.104E		+	.0,288E 01			-0.191E 02	0.231E 01	
VOA 55	•	-0:526E		0:105E	01		.0,293E 01	0.699E 00	•	-0.193E 02	0.232E 01	•
NOV 27		-1.530E	01		01	+	.0.303E 01	0.708E UD		-0.194E 02	0.233E 01	•
CEC 02		-1,531E	01		01		.0.312E 01	0.714E 00		-0.195E 02	0.234E 01	
CEC 07		-1,530E	01	0.104E	01		#0,334E 01			-0.196E 02	0.234E 01	
CEE 12			01	0.103E	01	+	.0.351E 01			-0.196F 02	0.234E 01	•
CEC 17			01	0.101E	01		.0.359E 01			-0.194E 02	0.231E 01	
CEC 55	٠		01		00		-0.360E 01	0.750E 00		-0.184E 02	0.220E 01	•
CEC 27		-1.318E	01	0.813E	0.0		.0.362E 01	0.748E 00		-0.162E 02	0.197E 01	

(Continued)

(Sheet 22 of 48)

## Table C1 (Continued) TARLE OF EXTREMES ESTIMATES GRID LOCATION 9,12 LAT#41,88 LON#c1,35 FAIRPORT HARROR OH

SHORELINE GRID POINT 12
PAGE 1 OF 2

ANGLE CLASS

			1							2					3		
DAT	E		4		В			Δ		В			A		В		
LAN			-1:177E	01	0.736F	0.0		-0.364E	01	0.775E	0.0		-0.105E	02	0.137E	0.1	
AN			-7.494E		0.580E	00		.0.317E			0		-0.892E		0.120E		
LAN			1.144E			0.0		.0.297F		0.672			-0.809E		0.111E		
AN				00		00		-0.295E		0.664E			-0.779E		0.108E		
	21		1,523E		0.462E				01		0		-0.768E		0.107E		
AN	56		1.627E	00	0.454E	0.0		-0.300E	01		0.0		-0.758E		0.107E		
LAN	31			00	0.457E	00		-0.301E		-	0.0		-0.752E		0.106E		
FER	05		1.607E	00	0.459E	0.0			01	0.6588			-0.742E		0.105E		
FER				00	0.460F	0.0			01		00		-0.729E		0.104E		
FER				00	0.464E	00			01		00		-0.721F		0.104E		
FEB		:		00	0.471E	00			01		.0		-0.719E		0.104E		
FEB				00	0.474E	0.0			01	0.6508			-0.696E		0.102E		
MAR				0.0		0.0		-0.273E		0.646E			-0.684E		0.102E		
	07			00	0.482E	0.0		#0.260E		0.6406			-0.677E		0.102E		
MAR				0.0	0.485E	00		-0.247E		0.634E		+	-0.669F		0.102E		
MAR				00		0.0		-0.228E		0.6288			-0.649E		0.101E		
MAR			1.772E		C.509E			-0.190E		0.623E			-0.595E		0.987E		
MAR			0.115E		0.538E			.0.125E			0.0		-0.490E		0.942E		
APR	01			01	0.573E	00			0.0	0.6118			-0.351E		0.880E		
APR	-			01	0.600E			0.236E		0.604E			-0.228E		0.822E		
APR				01		00			00	0.600+			-0.150E		0.783E		
APR				01		0.0		0.794E		0.5981			-0.112E		0.762F		
ADR		:		01		00		0.862E			00	:	-0.897E		0.748E		:
APR			The state of the s	01		00		0.902E		0.601E			-0.710E		0.735E		
MAY		:		01		0.0	:	0.10GE		0.5986		:	0.941E		0.623E		:
MAY			0.288E			00		0,107E		0.596E			0.288E		0.488E		
MAY				01	0,642E	00		0,111E		0.596			0.313E	0 1	0.471E		
WAY			1,292E		0.642E	0.0		0,116E		0.595E			0.344E		0.459E		
MAY			1.293E			00		0.124E		0.592E			0.368E		0.452E		
MAY			1.295E		0,641E	00		0.129E		0.589E			0.389E		0.445E		
MAY				01	0.641E	00		0,134E			00		0.404E		0.442E		
LUN	05			01		00		0.1386			0.0		0.413E		0.441E		
	10		1.2926		0.639E	0.0		0.141E			0.0		0.420E		0.441E		
LUN			1.2925		0.630E	0.0		0.139E		0.583E			0.421E		0.445E		
	20			01	0.599E	0.0		0.125E		0.615E			0.402F		0.460E		
LUN			0.309E	01		00			00	0.682E			0.356E		0.490E		
LUN	30			01		00		0.521E			00		0.296E	0 1	0.528E		
	05			01	0.404E	00		0.184E		0.836E			0.247E		0.558E		
	10			01		0.0		0.101E-			00		0.220F			00	
UL			1.342E		0.358E			.0.461E-		0.879E			0.210E		0.576E		
- 01		-	3,0,66		A . O . O E	00		A			~ ~		0.6105	- 1	0.0.00		-

(Continued)

(Sheet 23 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 9.12 LAT=41.88 LON=81.35

#### FAIRPORT HARBOR OH

### SHORELINE GRID POINT 12 PAGE 2 OF 2

					ANGLE C	LASS				
		1				2			3	
DATE		. A_	В		A	В		A	В	
-UL 20	٠	1,342E 01	0.354E 00	*	-0,628E-01	0.880E 00	*	0.205E 01	0.575E 00	
UL 25	•	0,341E 01	0,352E 00	:	-0.753E-01	0.879E CO	:	0.200E 01	0.574E 00	
UL 30	•	0.342E 01	0:350E 00		-0.830E-01	0.8806 00		0.194E 01 0.187E 01	0.572E 00	
AUG 04	•	0:344E 01	0.350E 00	•	-0.107E 00	0.882E 00	*		0.571E 00	
AUG 09	•	0,345E 01	0.354E 00	:	0,135E 00	0.883E 00	:	0.178E 01	0.572E 00	
AUG 14	•	0,346E 01	0.357E 00		.0.191E 00			0.163E 01	0.580E 00	
AUG 19	•	1,347E 01	0.358E 00	*	.0.256E 00	0.891E 00	•	0.144E 01 0.121F 01	0.590E 00	
AUG 24	•	n,348E 01	0.360E 00	*	.0:325E 00	0.894E 00	•		0.603E 00	
AUG 29	•	n,338E 01	0.353E 00	•	.0.464E 00	0.897E 00	•	0.974E 00	0.619E 00	
SEP 03	٠	0,337E 01	0.355E 00	•	-0.514E 00	0.899E 00	•	0.848E 00	0.627E 00	
SEP 08	•	0,334E 01	0,358E 00	*	*0.579E 00	0.903E LO	•	0.734E 00	0.634E 00	
SEP 13	٠	1,330E 01	0.363E 00	•	.0.664E 00	0.907E 00	•	0.574E 00	0.645E 00	
SEP 18	•	0.312E 01	0.384E 00	•	-0.851E 00	0.913E 60	•	0.422E-01	0.685E 00	
SEP 23	•	1,252E 01	0,455E 00	:	-0.130E 01	0.923E 00	•	-0.157E 01	0.810E 00	
SEP 28	•	0,1186 01	0.605E 00		-0.212E 01	0.935F CO	•	-0.469E 01	0.106E 01	
CCT 03	•	-n,794E 00	0,810E 00	:	-0,310E 01	0.947E 00 0.957E 00	:	-0.856E 01	0.136E 01	
CCY 08	•	-0.276E 01	0.999E 00		0.388E 01			-0.133E 02	0.173E 01	
CCY 13	*	-0,411E 01	0.112E 01	:	#0.429E 01	0.961E 00 0.964E 00	:	-0.138E 02	0.177E 01	
CCT 18	•	-0.478E 01	0.117E 01		-0,445E 01	0.965E 00		-0.139E 02	0.177E 01	
CCT 23	•	-0.508E 01	0.119E 01	•	-0.452E 01	0.967E 00	:	-0.140E 02	0.177E 01	
CC7 28	•	-0.527E 01	0,120E 01	•	.0,459E 01	0.970E 00			0.178E 01	
VOA 05	٠	-0.544E 01 -0.559E 01	0.121E 01 0.122E 01	*	-0.466E 01	0.9726 60	•	-0.141E 02	0.179E 01	
NOV 07	٠	-n.578E 01			.0.479E 01	0.976E 00	*	-0.144E 02	0.180E 01	
NOV 12	•	-0.614E 01	0.124E 01	•	.0.489E 01	0.977E 00	•	-0.145E 02	0.181E 01	
NOV 17	:	-0.788E 01	0.126E 01 0.137E 01	:	•0.490E 01	0.977E 00	:	-0.147E 02	0.182E 01	
		-0.760E 01				0.978E 00		-0.147E 02	0.183E 01	
NOV 27	•		0.135E 01		-0.496E 01	0.978E 00	:	-0.148E 02	0.183E 01	
CEC 05	*	≈0.760E 01	0,135E 01	•	-0.502E 01					
CEC 07	٠	-0,694E 01	0.130E 01	•	.0.586E 01	0.962E 00	•	-0.149E 02	0.184E 01	
CEC 12	•	-0.638E 01	0.126E 01	•	#0.507E 01	0.982E 00	*	-0.149E 02	0.184E 01	
TEC 17	•	• 9.583E 01	0.121E 01	•	.0.501E 01	0.973E 00	*	-0.148E 02	0.182E 01	
CEC 22	•	-0,492E 01	0.111E 01	*	.0.475E 01	0.936E 00	•	-0.141E 02	0.174E 01	
CEE 27	•	-0.345E 01	0.938E 00	•	●0.425E 01	0.864E 00	•	-0.125E 02	0.157E 01	•

(Continued)

(Sheet 24 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 9213 LAT:41,87 LON:81,17

EAST OF FAIRPORT HARBOR OH

### SMORELINE GRID POINT 13 PAGE 1 OF 2

ANGLE CLASS

	1								2					3		
DATE				В			A		8					В		
_AN 01		-1,220E	01	0:748E	0.0		.0.209E	01	0.622E	0.0		-0.363E	01	0.754E	0.0	
_AN 06		-1.449E	0.0	0.575E			.0.269E			00		-0.272E		0.669E		
_AN 11		9.472E	00	0.484E			-0:353E			0.0		-0.274E		0.657E		
_AN 16			00	0.449E	0.0	+		01	The state of the s	0.0		-0.298E		0.668E		
_AN 21			01	0.433E	00			01		00		-0.303E		0.670E		
_AN 26			01		00		-0.435E			00		-0.295E		0.664E		
_AN 31			01	0.424E	00		*0.436E		0.728E			-0.289E		0.658E		
FEB 05		1.120€			0.0		44	01		0.0		-0.28nE		0.650E		
FEB 10		0.1216		0.425E	00		*0.439E			60	:	-0.272E		0.644E		
FEB 15		0.118E			0.0		.0.441E			0.0		-0.269E		0.641E		
FEB 20		1,121E		0.433E			-0.442E			00	:	-0.270E		0.644E		•
FEB 25			01		0.0		-0.438E			00		-0.271E			00	•
MAR 02			01	0.441E			-0.436E		0.734E			-0.275E		0.661E		
MAR OT		0.117E		0.444E		:	-0.434E		0.734E		:	-0.278E		0.668E		:
MAR 12		0.116E		0.449E			-0.430E		0.734E			-0.281E		0.674E		
MAR 17			01		00		#0.417E			0.0		-0.272E			00	
MAR 22		0.111E		0.509E			-0.374E			00		-0.238E			00	
MAR 27		1.105E			00		.0.284E		0.698E			-0.238E		0.6648		
APR 01		1.989E	0.0		00		-0.166E		0.663E		:	-0.178E		0.667E		•
APR 06		1.973E		0.779E					0.629E					0.683E		•
APR 11		1,1018		0.821E			0.362E		0.606E		:	-0.102E		0.699E		•
																•
APR 16	*	0,110E		0.835E			0,333E		0.594E		:	-0.890E		0.696E		•
APR 21	•	0,120E		0.843E			0;442E			00		-0.502E		0.672E		•
	•	0,132E			00			00		CO	•	0.383E-			00	•
MAY 01	•	0,141E		0.853E		•	0.629E			00	•	0.303E		0.616E		•
PAY 06		7,148E		0.860E		•	0.741E		0.584E		٠	0.194E		0.503E		•
MAY 11	•		01	0,863E		•	0.819E		0.581E		•	0.226E		0.479E		•
MAY 16		0,152E		0;864E		•	0.886E		0.578E		•	0.250E		0.471E		•
MAY 21		0,153E		0.863E		•	0.970E		0.574E			0.267E		0.466E		•
MAY 26		1,153E		0,863E		•	0,104E		0.569E		•	0.284E		0.460E		•
MAY 31			01		00	•	0.110E			00	•	0.292E			00	•
.UN 05		0,151E		0.864E		•	0.117E			00	•	0.297E		0.462E		•
JUN 10		0,150E		0,861E		•	0,123E			00	•	0.301E		0,465E		•
.UN 15		0.154E		0.845E		•	0.122E			00		0.294E			0.0	•
-UN 20		0,170€		0,792E	00		0,105E			0.0	•	0.259E			00	•
.UN 25		0,207E			00		0,656E			00	•	0.186E		0.605E		•
.UN 30		0,254E			00		0.138E		0.743E			0.928E		0.708E		•
_UL 05		1,291E			00	•	-0,284E		0.813E	00		0.179E		0.790E	00	
-UL 10		7.308E	01	0.403E	00	•	.0.498E			00	٠	-0.209E			00	•
-UL 15		0,312E	01	0,385E	00		.0,562E	00	0.856E	00	•	-0.343E	00	0.841E	00	

(Continued)

(Sheet 25 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 9213 LAT941.87 LON#61.17

### EAST OF FAIRPORT HARBOR OH

### SHORELINE GRID POINT 13 PAGE 2 OF 2

ANGLE	CLASS
	2

				1						•					3		
DAT	F				В					В					В		
LUL			n;312E	01	0.380E	00		-0.573E	0.0	0.857E	0.0	٠	-0.396E	00	0.842E	00	
LUL				01	0.377E	00		.0.578E			0	٠	-0.443E		0.841E		
UL	30		0.312E			00		.0.585E	00	0.860E	. 0	٠	-0.503E	00	0.839E		
AUG	04		0.314E	01	0.376E	00		.0.607E	00	0.861E	0		-0.573E	00	0.838E	00	
AUG			0.316E	01	0.379E	00		.0,634E	00	0.863E	0.0	٠	-0.662E	00	0.840E	00	
AUG	14	•	1,316E	01	0,383E	00	•	.0,699E	00	0.868E L	0	٠	-0.786E	00	0.845E	00	•
AUG	19		0,316E	01	0.385E	00		-0,773E	00	0.872E	0 (	٠	-0.939E	00	0.852E	00	•
AUG	24	•	0,316E	01	0:387E	00		.0,851E	00	0.877E	0	٠	-0.111E	01	0.860E	00	
AUG	29		0.306E	01	0,381E	00	•	.0,100E	01	0.878E	0.0	٠	-0.125E	01	0.869E	00	•
SEP	03		0,304E	01	0;3836	00	•	.0;106E	01	0.881E	0.0	٠	-0.133E	01	0.874E		•
SEP	08		0.301E	01	0.386E	00	•	.0.113E	01	0.884E L	0	٠	-0.139E	01	0.877E		
SEP	13		0;294E	01	0,392E	00	•	.0;122E	01	0.888E 0	0.0	•	-0.144E	01	0.879E	0.0	•
SEP	18		0.261E	01	0.422E	00		₩0:134E	01	0.887E 0	0.0		-0.149E	01	0.877E	00	
SEP	23	•	0,155E	01		00		.0.153E	01	0.872E	0.0	٠	-0.164E	01	0.870E	00	
SEP	28		-0,545E	00		00	+	.0.181E	01	0.836E	0 0	٠	-0.222E	01	0.874E	00	
CCT	03	•	-0,317E	01	0,936E		•	.0,212E	01	0.787E		٠	-0.349E		0.913E		•
CCT	08	•		01	0,112E	01	•		01	0.748E		٠	-0.518E		0.986E		•
CCT	13			01	0,122E		•		01	0.729E		*	-0.660E		0.106E		•
	18	•	-1,689E		0;125E		•	-0,261E			0 0	+	-0.735E		0.110E		•
CCT	23	•	-0,705E		0,126E		•	.0,268E		0.725E		٠	-0.760E		0.111E		
	28	•		01		01	•		01	0.727E		٠	-0.767E		0.111E		•
	02	•	-1.723E			01	•	-0,282E			0.0	•	-0.773E		0.111E		•
	07	•		01		01	*		01	0.734E		٠	-0.781E		0,111E		٠
	12	•		01	0.128E		•	.0:297E		0.738E		•	-0.790E		0.112E		•
	17	•		01		01	•		01	0.740E		*	-0.805E		0.113E		•
***	22	•		01		01	•		01		0	*	-0.820E			01	•
VOA	27	•	-0.752E		0,129E		•		01		0.0	٠	-0.832E		0.115E		•
CEC	02	•	-1,753E		0,129E	01	•	.0,316E			0.0	٠	-0.844E			01	•
CEC	07	•	-0.753E		0:128E		•	.0.319E	100		.0	٠	-0.856E		0.116E		•
	12			01		01			01		0	+	-0.863E		0.116E		٠
	17	٠		01	0.124E	01	•		01		0	٠	-0.839E			01	•
CEC	22		-0.626E		0.115E	01		-0.264E			00	٠		01		01	٠
CEC	27		-n.442E	01	0.967E	00		.0.216E	01	0.6486	0 0	٠	-0.550E	01	0.909E	00	٠

(Continued)

(Sheet 26 of 48)

# Table C1 (Continued) TABLE OF EXTREMES ESTIMATES GRID LOCATION 8,14 LAT:41,52 LON=80,98 GENEVA OH

SHORELINE GRID POINT 14

PAGE 1 OF 2

A	٨	G	L	E	CLASS	

		1								2				3		
DAT	F		Δ		В					8			A	8		
LAN			-1,111E	01	0.663E	0.0		-0,168E	01	0.5748	0.0		-0.662E 0	0.9418	0.0	
LAN			0.968E	-01		00	+		00		00		-0.611F 0		00	
AN			7.886E			0.0			00		00		-0.582E 0			
LAN			1,130E			0.0		Charles and Charle	00	0.4805			-0.566E 0			
LAN			1,151E			00		=0.864E		0.489E			-0.554E 0			
	26			01		00			00		0.0		-0.541E 0			
AN			1.163E	-		00			0.0		00		-0.528E 0			
FEB			9,164E			00			00		00		-0.510E 0			
FEB			1,165E			00		-0.288E			0.0		-0.492E 0			
FEB				01	0.4225	00		.0.290E			-		-0.48DE 0			
FEB		•	0.168E			0.0		-0.289E			00		-0.477E 0			
FEB		•	1.169E			0.0		-0.818E			00		-0.469E 0			•
		•					•			The second second	UO	•				•
PAR		:	0,169E	01		00	:	-0,269E 0,491E-			00	:	-0.464E 0			:
MAR											0.0		-0.460E 0			
	12	•		01		00		0.348E			00		-0.454E 0			
	17	:	1,174E			00		0.606E			00	:	-0.441E 0			
MAR		:	1,178E			00		0,908E			00		-0.408E 0			
MAR			0,185E						01		00		-0.347E 0			•
APR		•	0.195E		0,598		:	0,177E		0.403E		•	-0.272E 0			•
APR		•	1,205E			00		0.219E			00	•	-0.210E 0			•
APR		•	0.215E			00	•	0.248E			00	•	-0.171E 0		00	•
APR		•	0,226E			00	•	0.265E			00	•	-0.140E 0			•
APR		•	0,238E		0.704E		•	0,275E			00	•	-0.946E 0			•
APR		٠	1.252E		0.715E	00	•	0.281E		0.380E			-0.310E 0			
MAY		•		01		00	•	0.287E	-		00		n.715E-0			•
	06	•	1.271E			00	•		01	0,385E		•	0.310E 0		0.0	•
MAY			0,274E	01	0;729E	00	•	0:298E		0.386E		•	0.449E 0			•
MAY			- 0;274E	01		00		0,303E		0.387E	00		0.229E 01			•
MAY				01		00			01		00	+	0.2686 01			•
MAY		•		01	0.730E	00			01		00		0.304E 0		0.0	
	31	٠	0,275E	01		09	•		01		ũ O		0.319E 0		00	•
LUN			1.274E		0;731E	00			01		03		0.327 0			•
-UN			0,274E		0,730E			0,320E	01	0.387E	00		0.333E 0			•
LUN		•		01	0.717E	00	•		01		00	•	0.321E 01		00	•
-UN	20	٠		01		00	•		01		00		0.258E 0		00	
-UN	25	•	0,307E			00			00		00	•	0.125E 0		00	
LUN	30	•	0.335E			00	•	.0.303E			01	•	-0.438E 00		00	•
LUL	05	٠	0,356E		0;418E	00	•	.0,520E			01		-0.180E 01		00	•
.UL		•	0,365E	01	0,375E	00			01		61	•	-0.251E 01		01	•
-UL		٠	0.366E	01	0,361E	00		.0,663E	01	0.187E	01	•	-0.274E 0	0.106E	01	•
-																

(Continued)

(Sheet 27 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 8,14 LAT=41.52 LON=80.98 GENEVA DH

### SHORELINE GRID POINT 14

					1			ANGL	.E C	LASS 2				3		
DAT	F				В					8				В		
	20		1:365E	01	0:357E	00		.0.669E	01	0.188E 01		-0.281E	01	0.106E 0	1	
JUE		:	1,364E		0.355E	00			01	0.187E 01			01	0.106E 0	-	
	30		1.364E	01	0.352E	00			01	0.188E 01		-0.295E		0.105E 0		
AUS			0.365E		0,352E	00			01	0.188E C1		-0.302E	01	0.105E 0	1	
AUS			0.365E	01	0,354E	00			01	0.188E U1		-0.311E		0.105E 0		•
AUS			1:365E	01	0.355E	00	+		01	0.188E 01		-0.324E	01	0.106E 0		
	19			01	0,354E	00			01	0.189E 01	•	-0.342E		0.107F 0	1	
	24			01	0:352E	00		.0.704E		0.190E G1			01	0.108F 0	1	
AUG				01	0.347E	00		.0 .722E		0.190E U1			01	0.110E 0	1	
SEP			0,341E	01	0.350E	00			01	0.190E P1			01	0.110F 0	1	
SEP	08			01	0,354E	00		-0.735E	-	0.190E 01		-0.401E	01	0.111E 0	1	
	13			01	0.360E	00		.0.74UE		0.190E U1		-0.409E	-	0.111E 0	1	
	18		0.306E		0;382E	00		.0.735E		0.187E C1			01	0.111E 0	_	
SEP	23			01	0,448E	00			01	0.1.756 -01		-0.448E		0.110E 0	-	
SEP	28		0,914E	00	0,577E	00			01	0.150E 01		The second secon	0 1	0.108E 0	7	
CCY	03		-0.858E	00				-0.499E	01	0.119E U1			01	0.105E 0		
CCT	08					00			01	0.939E 00		-n.598E		0.102E 0	7	
- 007			-0.311E	01	0,934E				01	0.813E 00		-0.626E		0.101E 0		
CCT			-0:343E	01					01	0.777E UO		-0.640E		0.101E 0		
CCT			-1,358E			00			01	0.773E 00		-0.650E		0.101E 0		
CCT						00			01	0.774E 00		-0.660E		0.101E 0		
NOV			-0,375E	01	0,972E	00			01	0.777E LO		-0.670E		0.101F 0		
NOV			-1.379E	01	0.975E	00			01	0.781E 00		-0.681F		0.102E 0		
VOA			-1: 384E	01		00		.0.396E	01	0.786E 00		+0.692F		0.102E 0		
NOV			-0.393E			00		.0.402E	01	0.789E CO		-0.709E		0.103E 0		
NOV			-0.399E	01		00			01	0.789E 00		-0.725F		0.104E 0		
NOV	27		-1.404E	01		00		.0.411E	01	0.789E 00		-0.741E		0.105E 0		
CEC	02		-0.406E	01		00		.0.415E	01	0.786E 00		-0.756E		0.106E 0		
CEC	07			01					100	0.7868 00		-0.771E		0.107E 0		
CEC	12	:	-0,405E	01		00	:		01	0.7856 00	:	-0.783E		0.108E 0		:
TEC	17		-0.388E	01		00			01	0.7735 00		-0.786E			1	
CEC	22	•	-0.340E					-0.402E			•	-0.7688		0.107E 0		
CEC		•		01		00	•	-0.358E	01		*					•
TER	27	•	-0.242E	01	0.8008	00	•	•0.272E	01	0.6636 00	•	-0.723E	01	0.100E 0	1	•

(Continued)

(Sheet 28 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 8,15 LAT.41,51 LON.80,78

#### ASHTABULA OH

SMORELINE GRID POINT 15 PAGE 1 OF 2

ANGLE CLASS

		1			2		3		
DATE		8			8		4	8	
LAN DI	-0.229E 01	0:870E	. 00	.0.127E 01	0.530E 00		-0.885E 01	0.108E 01	
-AN 06	0.554E 00		00 +	-0.852E 00	0.493E UO		-0.932E 01	0.110E 01	
_AN 11	1.208E 01		00 +	-0.746E 00	0.480E CO		-0.952E 01	0.111E 01	
AN 16	1.265E 01		00 +	.0.845E 00	0.484E 00		-0.952E 01	0.111E 01	
AN 21	1.285E 01		00 .	-0.981E 00	0.491E 00		-0.943E 01	0.110E 01	
AN 26	1.297E 01		00 +	-0.108E 01	0.497E 00		-0.931E 01	0.109E 01	
AN 31	1.298E 01		00 +	-0.981E 00	0.490E UO		-0.918E 01	0.108E 01	
FEB 05	0.297E 01		00 +	-0.997E 00	0.490E 00		-0.902E 01	0.107E 01	
FEB 10	0.294E 01		00 +	*0.249E 01	0.593E 00		-0.885E 01	0.106E 01	
FEB 15	7.290E 01		00 +	.0.254E 01	0.600E 00		-0.871E 01	0.105E 01	
FEB 20	0,294E 01		00 +	.0.253E 01	0.600E 00		-0.870E 01	0.105E 01	
FEB 25	0.294E 01		00 +	.0.816E 00	0.487E 00		-0.862E 01	0.104E 01	
MAR 02	0.293E 01		00 +	0.145E 00	0.443E UO		-0.855E 01	0.104E 01	
MAR 07	0.294E 01		00 +	0.152E 00	0.425E 00		-0.850E 01	0.104E 01	
MAR 12	0.294E 01		00 +	0.415E 00	0.410E 00		-0.843E 01	0.104E 01	
MAR 17	0.293E 01		00 +	0.642E 00	0.401E 00		-0.818E 01	0.103E 01	
MAR 22	0.284E 01		00 +	0.981E 00	0.398E 00		-0.744E 01	0.100E 01	
MAR 27	1.268E 01		00 +	0.118E 01	0.401E 00		-0.601E 01	0.932E 00	
APR 01	0:248E 01		00 +	0.153E 01	0.404E 00		-0.425E 01	0.845E 00	
APR 06	1,235E 01		00 .	0.186E 01	0.404E 00		-0.282E 01	0.773E 00	
APR 11	1.234E 01		00 +	0.211E 01	0.398E 00		-0.202E 01	0.731E 00	
APR 16	1.244E 01		00 +	0.228E 01	0.391E 00		-0.153F 01	0.702E 00	
APR 21	0.260E 01		00 +	0.238E 01	0.386E CO		-0.915E 00	0.663E 00	
APR 26	0:278E 01		00 +	0:245E 01	0.385E CO		-0.760E-01	0.608E 00	
MAY 01	0.285E 01		00 +	0.258E 01	0.386E CO		0.370E 00	0.579E 00	
MAY 06	0.298E 01		00 +	0,261E 01	0.395E 00		0.662F 00	0.561E 00	
PAY 11	0.301E 01		00 +	0,264E 01	0.396E 00		0.8205 00	0.551E 00	
MAY 16	1,302E 01	0,650E		0.269E 01	0.395E 00		0.119E 01	0.538E 00	
PAY 21	0.302E 01	0,651E		0,274E 01	0.394E 00		0.146E 01	0.530E 00	
MAY 26	0.302E 01		00 +	0,281E 01	0.389E 00		0.1786 01	0.513E 00	
MAY 31	0.301E 01		00 +	0.283E 01	0.387E 00		0.193E 01	0.512E 00	
_UN 05	1:300E 01		00 +	0.286E 01	0.387E 00		0.200E 01	0.511E 00	
UN 10	1.299E 01		00 +	0.287E 01	0.390E 00		0.205E 01	0.513E 00	
_UN 15	1.300E 01	0,646E		0.275E 01	0.414E 00		0.197E 01	0.529E 00	
_UN 20	0:305E 01	0.625E		0,232E 01	0.492E 00		0.150E 01	0.588E 00	
UN 25	0,319E 01		00 +	0.150E 01	0.638E 00		0.504E 00	0.706E 00	
-UN 30	0.335E 01		00 +	0.688E 00	0.803E 00		-0.771E 00	0.853E 00	
-UL 05	0:347E 01		00 +	0,418E-01	0.915E 00		-0.181E 01	0.971E 00	
UL 10	0.350E 01		00 +	-0,119E 00	0.954E CO		-0.234E 01	0.103E 01	
UL 15	0:350E 01		00 +	-0,101E 00	0.955E UO		-0.254E 01	0.105E 01	

(Continued)

(Sheet 29 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 8,15 LAT=41,51 LON=80,78 ASHTABULA OH

SHORFLINE GRID POINT 15 PAGE 2 OF 2

ANGLE CLASS

		1										3				
DAT	E		A		В			A	В			A		8		
JUL	20		1.348E	11	0.459F	00		-0.893E-01	0.9518	6.0		-0.262E	01	0.105E	01	
UL.					0,457E	00		.0.974E-01		0.0		-0.270E	01	0.104E	01	
	30		0.347E		0,453E	00		9,116E 00	0.952E	00		-0.280E		0.104E	01	
AUG	04		0.347E	01	0.451E			-0,149E 00	0.9546	U-0-		-0.287E	01	0.104E	01	
AUG			0.347E	01	0.451E	00		.0.204E 00	0.9568	0.0		-0.295E	01	0.104E	01	
AUG			7.346E		0.452E	00		-0.295E 00	0.960E	0		-0.307E		0.105E	01	•
AUG	19		0:340E	01	0.449E	00		.0.417E 00	0.967E	00		-0.325E	01	0.106E	01	
AUG			0.334E	01		00	+	-0.561E 00	0,9766	60		-0.345E	01	0.107E	01	
AUG			0.324E	01	0.442E	00		-0:771E 00		00	+	-0.368E	01	0.108E		
SEP	03		0,319E	01	0,445E	00		.0:857E 00	0.984E	0 0	+	-0.380E	01	0.109E	01	
SEP	08		1,315E		0.449E			-0.100E 01	0.992E	0.0		-0.390E	01	0.110E	01	
SEP			0.306E			00		-0:119E 01	0.100E	41		-0.399E		0.110E	01	
SEP			0,262E			00		.0.136E 01				-0.409E		0.110E		
	23			01	0.648E	00		-0,134E 01				-0.426E		0.108E		
	28		*0.155E			00		40,108E 01				-0.454E		0.103E		
CCF				01		01		.0.89ME 00			+	-0.488E		0.977E		
	08			01	0.159E			.0.112E 01				-0.517E		0.933E		
CCT			-1,928E			01		#0,168E 01		00		-0.537E		0.913E		
CCT			-1.978E		0.178E			.0.197E 01		0.0		-0.551E		0.909E		
CCT			-1.993E		0.179E		+	-0,213E 01		00		-0.563E		0.911E		
CCT			-0.100E		0.179E		+	-0,219E 01				-0.575E		0.913E		
NOV				02	0.179E			.0.225E 01				-0.587E		0.916E		
NOV				02	0.180E			.0, 231E 01				-0.600E		0.920E		
NOV	12			02	0,180E			.0,239E 01				-0.614E		0.926E		
NOV				02		01		.0.245E 01				-0.630E		0.934E		
NOV				02		01		.0.249E 01				-0.649E		0.946E		
NOV			-0,103E	02		01		.0,253E 01				-0.673F		0.964E		
CEC				02		01		.0;256E 01		00		-0.696E			00	
	07			02		01		.0.268E 01	-	00		-0.714E	_	0.990E		
	12		-0.103E		0,179E	01		40.263E 01		00		-0.730E		0.998E		
CEC				01	0,174E	01		-0.259E 01		00		-n.746E		0.100E		
CEC			-0.849E	01	0,158E	01		.0.235E 01		0.0		-0.775E		0.102E		
TEC			-0.575E			01		.0.186E 01		00		-0.825E		0.105E		
220	-	•	-0.0756		0,12/6	0.1		40,1000 01	0.3020	UU	•	-U.025E	01	0.100	0.1	•

(Continued)

(Sheet 30 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 8:16 LAT#41:50 LON#80.60 CONNEAUT OH

SMORELINE GRID POINT 16
PAGE 1 OF 2

ANGLE	CLASS
-------	-------

	1								2			3	
DATE				В					8			В	
LAN DI		-0; 384E	0.0		00		60,462E	01	0.737E 0		-0.968E 01	0.113E 0	
LAN DE	•	0.194E		0.415E	0.0		-0.359E	01	0.655E 01		-0.106E 02	0.120E 0	
		1,323E		0:292E	00		.0.309E		0.615E 0		-0.110E 02	0.124E 0	
			10000		-			1000			-0.111E 02	0.124E 0	
-AN 16			01	0:245E	00			01				0.124E 0	
-AN 21		1:397E	01	0.229E	00	•		01	0.603E 01		-0.110E 02		
-AN 26	•		01	0.220E	00	•		01	0.603E 0		-0.109E 02	0.123E 0	
AN 31	•	0.412E			00	•	#0.295E	1500	0.600E 0		-0.109E 02	0.123E 0	
FEB 05	•	0.411E	- C.		00	•		01	0.597E 01		-0.107E 02	0.121E 0	
FEB 10	•	0,406E	01	0,240E	00		■0.288E	01	0.598E 0		-0.106E 02	0.120E 0	-
FEB 15	٠		01	0.248E	00	•		01	0.600E 0		-0.104E 02	0.119E D	
FEB 20	•	n,404E	01		00	•	.0.286E	120	0.600E DI		-0.104E 02	0.119E 0	
PEB 25	•	0,403E		0.251E	00	•		01	0.590E 0		-0.103E 02	0.118E 0	
MAB 05			01	0.257E	00	•		01	0.582E U		-0.101E 02	0.118E 0	
MAR 07			01		00			01	0.575E 0		-0.101E 02	0.118E 0	
MAR 12	•		01	0,263E	00	•		01	0.568E 0		-0.100E 02	0,118E 0	
MAR 17	•		01	0.274E	00	•		01	0.562E DI		-0.975E 01	0.117E 0	
MAR 22	•	0,353E			00	•		01	0.555E UI		-0.891E 01	0.113E 0	
MAR 27		1,296E			00	•		0.0	0.547E U		-0.730E 01	0.105E 0	
APR 01		0;228E			0.0	•	.0,136E		0.535E DI	•	-0.530E 01	0.943E 0	
APR 06	•	1,177E		0.500E	00	•	0,576E		0.523E 0		-0.368E 01	0.858E 0	
APR 11	•	0;157E	01	0,5286	00	•	0,101E	01	0.513E 0		-0.282E 01	0.813E D	
APR 16	•	1,160E	01	0,538E	00		0,12JE	01	0.505E 0	• 0	-0.251E 01	0.796E 0	
APR 21		0.171E	01		00		0,133E	01	0.500E DI		+0.239E 01	0.790E 0	
APR 26		1,184E	01	0.550E	00	•	0,140E	01	0,498E G	•	-0.229E 01	0.784E 0	
MAY 01		0.195E	01	0,551E	00		0,146E	01	0.498E U	•	-0.211E 01	0.772E 0	
MAY 06		1,204E		0,557E	00	•	0;162E	01	0.509E 0	•	-0.194E 01	0.761E 0	
MAY 11		0.515E	01	0;565E	00		0,165E	01	0.509E 0	•	-0.183E 01	0.754E D	
MAY 16		0,214E	01	0:566E	00		0,178E	01	0.508E 01	•	-0.149E 01	0.745E 0	
MAY 21		0.216E	01	0:566E	00		0,1765	01	0.505E 0	• 0	-0.123E 01	0.739E 0	0 •
MAY 26		0,217E	01	0,565E	00		0,183E	01	0.501E 0	• 0	-0.943E 00	0.725E 0	0 •
MAY 31			01	0,566E	00		0,186E	01	0.499E 01	• 0	-0.786E 00	0.724E 0	0 +
_UN 05		1,217E	01	0:566F	00		0,190E	01	0.496E CI	• 0	-0.722E 00	0.724E 0	0 +
UN 10		0,2176	01	0,565E	00		0,194E	01	0.495E 0	•	-0.665E 00	0.724E 0	0 +
UN 15		1:222E		0,560E	00		0,196E	01	0.502E 0		-0.651E 00	0.733E 0	0 •
-UN 20		0.239E		0.545E	00		0.194E		0.527E 0		-0.751E 00	0.766E 0	0 .
UN 25			01	0.516E	00		0.1888		0.577E 0		-0.101E 01	0.832E 0	
UN 30	-	1.311E		0.4808			0,178E		0.638E 0		-0.136E 01	0.914E 0	
-UL 05	:	1.341E	01	0.449E	00		0,169E		0.686E 0		-0.166E 01	0.980E 0	
-UL 10			01	0.431E	00			01	0.710E 0		-0.183E 01	0.101E D	
UL 15		0.356E		0.423E			0.161E		0.716E 0		-0.192E 01	0.102E 0	
	-	1 OF					- 1 7 -			7.0			

(Continued)

(Sheet 31 of 48)

### GRID LOCATION 8:16 LAT-41,50 LON-80,60

CONNEAUT OH

### SMORELINE GRID POINT 16

ANGLE	CLASS
	_

		1					2								3		
DA	TE.		A		8					8			A		В		
JUL	20		0:356E	01	0.420E	00		0.159E 0	01	0.716E	00		-0.199E	01	0.102E	01	
	25			01	0.418E	00		0.158E	01	0.715E	00		-0.208E	01	0.102E	01	
JUL	30		0,355E	01	0:416E			0,155E	01	0.7178	00	٠	-0.219E		0,102E	01	
AUG	04	•		01	0,415E	00		0.151E	01	0.720E		•	-0.225E	01	0.102E		
AUG	09		1:355E	01	0,417E	00	•	0,146E	01	0.724E	00	•	-0.233E	01	0.102E	01	
AUS	14	•	0,354E	01	0.419E		•	0,136E	01		00	•	-0.247E	01	0,102E	01	•
AUG	19	•	1,345E	01	0:415E	00		0,124E C	01	0.737E	00		-0.267E	01	0.104E		
AUS	24	•	1:337E	01	0,413E	00	•	0,118E C	01	0.746E	00		-0.289E	01	0.105E	01	
AUG	29		1,326E	01	0.408E	00	•	0.786E C	00	0.746E	00		-0.317E	01	0.107E	01	
SEP	03		0.324E	01	0.413E	00	•	0.688E C	00	0.751E	00		-0.333E	01	0.108E	01	•
SEP	08		1,321E	01	0.417E	00	•	0.541E C	0.0	0.760E	00	•	-0.345E		0.109E	01	•
SEP	13		0,316E	01	0,423E	00		0.347E	00	0.771E	00		-0.355E	01	0.110E	01	
SEP	18		0.299E	01	0:444E	00		0.677E-0	01	0.781E	00		-0.356E	01	0.109E	01	٠
SEP	23		0,237E	01	0,512E	00		-0.371E	00	0.782E	0.0		-0.333E	01	0.103E	01	
SEP	28	•	1.919E	00	0,661E	00	•	.0.118E	01	0.777E	00		-0.279E	01	0.922E	00	•
CCT	03		•0:131E	01	0.873E	00		.0,259E (	01	0.792E	00		-0.209E	01	0.782E	00	+
CCT	08		-1:362E	01	0,108E	01	•	.0.437E	01	0.840E	00		-0.156E	01	0.670E	00	•
CCT	13		-1,522E	01	0,120E	01		.0,586E (	01	0.8986	00		-0.136E	01	0.617E	00	
CCT	18			01	0:126E	01	•	.0.666E C	01	0.933E	00	•	-0.140E	01	0.603E	00	•
CCT	23		-0,617E	01	0.127E	01		-0:692E 0	01	0.944E	00		-0.152E	01	0.603E	00	•
CCT	28		-0.624E	01	0.127E	01		.0,699E	01	0.945E	00	+	-0.166E	01	0.603E	00	•
VOA	02		-1.629E		0.127E	01		-0.704E 0	01	0.947E	00		-0.181E	01	0.606E	00	
104	07		-0.635E	01	0:127E	01		.0.710E C	01	0.951E	0.0		-0.198E	01	0.613E		
NOO	12		-1.640E			01		#0,716E (		0.955E	00		-0.217E		0.622E		
NOV	17		-1.650E		0.128E	01		.0.723E (		0.959E	00		-0.243E	01	0.636E	00	
NOV	22		-1.658E	01	0.128E	01		-0.729E 0	71	0.961E	00		-0.274E	01	0.655E	00	
NOV	27		-0.664E	01	0.128E	01	•	-0.734E 0	01	0.961E	00		-0,320E	01	0.685E	00	•
CEC	02		-1:667E	01	0,128E	01		-0.741E 0	01	0.960E	00		-0.378E	01	0.721E	00	
CEC	07		-0.670E	01	0.128E	01			01	0.965E	0.0		-0.531E	01		00	
	12		-0.669E	01	0.128E	01	•	-0.754E			0.0		-0.637E			0.0	
	17			01	0,125E	01			01		0.0		-0.698E			00	
CEC	22			01	0.114E	01		.0.696E			00		-0.758E			00	
	27		-n; 317E	01		00		.0.593E			00		-0.853E		0.104E		

(Continued)

(Sheet 32 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 7.17 LATE42.12 LONEGO.38

GIRAD PA

SHORELINE GRID POINT 17
RAGE 1 OF 2

ANGLE CLASS

				•	97.00					•				0		
DAT	E				В					8				В		
LAN	01		0,479E	00	0.535E	00		.0.215E	01	0.575E C	. 0	-0.842E	01	0.103E	01	
LAN			0.176E	01	0.412E	00		.0.234E	01	0.566E 0		-0.916E	01	0.107E		
LAN			0,252E		0.342E			+0.290E		0.590E C		-0.101E		0.113E		
LAN				01		00			01		. 0	-0.106E		0.116E		
LAD			0,300E	01		00			01		0 .	-0.108E		0.117E		
LAN				01		00			01			-0.108E		0.117E		
LAN			0.313E		0.300E	00		.0.343E				-0.108E		0.116E		
FER		:		01	0:306F	00		-0.338E		0.617E		-0.765E		0.973E		
FEB		-	0.310E			00		.0.351E		0.615E		-0.686E		0.924E		
FEB		•		01		00		-0.326E			0 .	-0.657E		0.906E		
FEB		•	1.312€	01		00		⇒0.329E		0.614E		-0.644E		0.898E		
FEB		•		01		00		.0.329E		0.609E		-0.619E		0.884E		•
MAR		•		01		0.0		-0.314E		0.605E		-0.601E		0.875E		•
PAR		:		01		00	:	0.319E			0 :	-0.594E		0.872E		:
										0.6026		-0.585E		0.869E		
MAR		•		01		00		.0.384E		0.598E		-0.557E		0.855E		:
		•	0.298E			00	•	.0.288E				-	_			•
MAR		•		01		00	•	.0.239E		0.583E		-0.471E		0.807E		•
MAR		•		01	0:374E		•	.0,143E		0.553E		-0.313E		0.716E		•
APR		•		01		00	•	-0.204E		0.514E		-0.137E		0.616E		•
	06	•		01		00		0.887E		0.481E		-0.163E		0.549E		•
APR		•		01		00	•	0,135E		0.462E		0.3756		0.521E		•
APR		•	0,266E		0,444E		•	0.1556		0.455E 0		0.664E		0.505E		•
APR			1.277E			00	•	0,161E		0.454E		0.984E		0.485E		
APR		•	0.290E			00	•	0.164E		0.455E		0.134E		0.463E		•
MAY		•	0,301E			00	•	0.167E		0.459E (		0.163E		0.444E		٠
MAY			0,311E		0.466E		•	0.177E		0.471E		0,183E		0.432E		•
MAY			0;319E	01	0:474E	00	•	0,179E		0.472E		0.195E		0.425E		٠
MAY		•	0.321E	01	0,475E			0.182E		0.472E		0.224E		0.421E		•
MAY			0,323E	.02	0,476E	00	+	0,187E		0.471E		0.249E		0.421E		•
MAY			1,324E	01	0,476E			0,193E		0.467E		0.273E		0.415E		
MAY	31		7,324E	01	0.47/6	00		0,196E		0.466E		0.286E		0.418E		+
	05			01	0.477E			0,200E	01	0.467E C		0.288E		0.419E		
LUN	10	•		01	0:477E		•	0,2028		0,472E 0		0.286E		0.425E		•
LUN	15		0.326E	01	0,476E	00	•	0,192E	01	0.496E C		0.256E	01	0.466E		•
LUN	20	•	0:330E	01	0.474E	00		0,143E	01	0.574E 0	• 0	0.149E	01	0.603E	00	٠
LUN		•	1,338E	01	0,471E	00	•	0,416E	00	0.727E 0	0 +	-0.653E	00	0.876E	00	
LUN				01	0.467E	00		-0.878E		0.916E 0	0 +	-0.334E	01	0.122E		
LUL				01		00			01	0.107E		-0.550E		0.149E		
LUL				01		0.0		.0.246E		0.114E		-0.660E		0.162E		
LUL			0.350E		0,454E			-0.263E		0.116E		-0.697E		0.166E		
	-	100									11.75		-		7.00	

(Continued)

(Sheet 33 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 7:17 LAT-42:12 LON-80:38 GIRAD PA

### SMORELINE GRID POINT 17 PAGE 2 OF 2

ANGLE CLASS

		1				•		3		
DATE			В			8			В	
-UL 20		0:348E 01	0;451E 00		-0.266E 01	0,116E 01		-0.710E 01	0.166E 0	1 .
UL 25		0.347E 01	0.449E 00		.0.267E 01	0.116E 01		-0.721E 01	0.166E 0	
UL 30		1:345E 01	0.448E 00		-0.269E 01	0.117E 01		-0.738E 01	0.166E 0	
AUG 04		1.346E 01	0.450E 00		-0.272E 01	0.117E 01		-0.744E 01	0.166E 0	
AUG 09		1,346E 01	0:452E 00		.0,279E 01	0.117E 01		-0.753E 01	0.166E 0	
AUG 14		0.346F 01	0.453 p 00		.0.289F 01	0.117 = 01		-0.766F 01	0.167F 0	1 .
AUG 19		1,336E 01	0.451E 00		.0.381E 01	0.118E 01		-0.782E 01	0.168E 0	1 .
AUS 24		1.329E 01	0:450E 00		.0.314E 01	0.118E 01		-0.800E 01	0.169E 0	1 .
AUG 29		1:319E 01	0:447E 00		-0,353E 01	0.1188 61		-0.820E 01	0.171E 0	1 .
SEP 03		0,317E 01	0.451E 00		60,359E 01	0.118E U1		-0.835E 01	0.172E 0	
SEP 08		1,314E 01	0,454E 00		-0,366E 01	0.119E 01		-0.845E 01	0.173E 0	1 .
SEP 13		0.309E 01	0,459E 00		-0.372E 01	0.119E 01		-0.853E 01	0.173E 0	1 .
SEP 18		0,2916 01	0:474E 00		.0.365E 01	0.117E 01	•	-0.856E 01	0.171E 0	1 +
SEP 23		0,233E 01	0.519E 00		-0.323E 01	0.109E 01		-0.844E 01	0.163E 0	1 .
SEP 28		7:118E 01	0.605E 00		-0.238E 01	0.940E 00	•	-0.815E 01	0.147E 0	1 .
CCY 03		-9,249E 00	0;711E 00		-0.112E 01	0.746E 00		-0.776E 01	0.128E 0	1 .
CCY 08	•	-0.142E 01	0:796E 00		.0.171E 00	0,589E 00	•	-0.749E 01	0.112E 0	
CCT 13		-1,206E 01	0;839E 00	•	0.287E 00	0.509E 00	•	-0.743E 01	0.104E 0	
CCV 18		-1,230E 01	0.852E 00		0,372E 00	0,485E 00	•	-0.752E 01	0.103E 0	1 .
CCT 23		-1,240E 01	0 . 854E 00		0.290E 00	0,484E 00	•	-0.767E 01	0.103E 0	
CCT 28		-0.248E 01	0;856E 00		0,154E 00	0.489E 00	٠	-0.783E 01	0.103E 0	1 .
NOV 02		-1,255E 01	0.857E 00		-0,148E 00	0.508E 00	•	-0.801E 01	0.104E 0	1 .
NOV 07		-0,262E 01	0.862E 00		.0.403E 00	0,525E CO	+	-0.817E 01	0.104E 0	
NOV 12		-0,269E 01	0,867E 00		.0.862E 00	0.556E 00	+	-0.830E 01	0.105E 0	1 .
NOV 17		-1:278E 01	0.870E 00		-0,387E 01	0.748E 00		-0.845E 01	0.105E 0	1 .
NOV 22		-1,287E 01	0.872E 00		.0.388E 01	0.748E 00		-0.862E 01	0.106E 0	1 .
NOV 27		-1,291E 01	0.874E 00		-0,390E 01	0.746E 00	+	-0,875E 01	0.107E 0	1 .
CEC 05		-0.294E 01	0,870E 00	•	.0,395E 01	0.746E UO		-0.886E 01	0.108E 0	1 .
CEC 07		-9,293E 01	0.869E 00		-0.399E 01	0.748E 00		-0.896E 01	0.108E 0	1 .
CEC 12		-0.291E 01	0,865E 00		.0.399E 01	0.747E 00		-0.901E 01	0.108E 0	
EEE 17		-1,274E 01	0:848E 00		-0.383E 01	0.735E 00		-0.893E 01	0.108E 0	1 .
CEC 22		-9,217E 01	0.792E 00		+0.334E 01	0.694E 00		-0.863E 01	0.105E 0	1 +
CEC 27		-0.102E 01	0.679E 00		.0.261E 01	0.628E 00		-0.830E 01	0.103E 0	
								-		

(Continued)

(Sheet 34 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 6.18 LAT=42.27 LON=60.17 ERIE PA

### SHORELINE GRID POINT 18 PAGE 1 OF 2

ANGLE CLASS

						2			3	
DATE			В			В			8	
LAN 01		-0,415E 01	0,122E 01		.0,112E 01	0.6128 00		-0.979E 01	0.114E 0	1 .
AN OF		-0.102E 00	0.705E 00		.0.310E 00	0.544E 00		-0.970E 01	0.112E D	
AN 11		1,198E 01	0,444E 00		0.455E 00	0.484E 00		-0.967E 01	0.112E 0	
AN 16		0.264E 01	0.365E 00		0.107E 01	0.438E CO		-0.966E 01	0.112E 0	
_AN 21		1.279E 01	0.352E 00		0.158E 01	0.407E 00		-0.962E 01	0.111E 0	
_AN 26		1.287E 01	0.350E 00		0:179E 01	0.386E 00		-0.954E 01	0.111E 0	
_AN 31		1,289E 01	0.355E 00		0.187E 01	0.381E 00		-0.944E 01	0.110E 0	1 +
FEB 05		0.290E 01	0.358E 00		0.199E 01	0.372E 00		-0.922E 01	0.109E 0	1 .
FEB 10		1:290E 01	0.360E 00		0.214E 01	0.362E 00		-0.896E 01	0.107E 0	1 +
FEB 15		1,288E 01	0.363E 00		0.217E 01	0.361E GO		-0.879E 01	0.106E 0	1 .
FEB 20		0,291E 01	0,364E 00		0.218E 01	0.360E 00		-0.883E 01	0.106E 0	
FEB 25	•	0.289E 01	0.368E 00		0.232E 01	0.351E 00		-0.864E 01	0.105E 0	
MAR 02		0,284E 01	0.374E 00		0.243E 01	0.345E 00	•	-0.846E 01	0.104E 0	
MAR 07	•	n;283E 01	0.376E 00	•	0.248E 01	0.345E 00	*	-0.833E 01	0.103E 0	
MAR 12	•	0.281E 01	0.378E 00	•	0.253E 01	0.346E 00	•	-0.817E 01	0.103E 0	
MAR 17	•	0,278E 01	0.382E 00		0,259E 01	0.351E 00	•	-0.776E 01	0.101E 0	
MAR 22	•	1.274E 01	0.393E 00	•	0.265E 01	0.370E 00	•	-0.672E 01	0.954E 0	
MAR 27	٠	0,267E 01	0,414E 00	•	0,271E 01	0.409E 00	٠	-0.490E 01	0.861E 0	
APR 01	•	0.260E 01	0:440E 00	•	0.277E 01	0.4598 00	•	-0.294E 01	0.764E 0	
APR 06	٠	0,257E 01	0,461E 00	•	0,282E 01	0,498E 00	•	-0.172E 01	0.707E 0	_
APR 11	•	0.260E 01	0,473E 00	•	0.287E 01	0.517E UD	•	-0.136E 01	0.697E 0	
APR 16	•	0,269E 01	0.479E 00	•	0,291E 01	0.523E 00		-0.137E 01	0.702E 0	
APR 21	•	0.283E 01	0.487E 00	•	0.294E 01	0.524E 00	•	-0.136E 01	0.704E 0	
APR 26	•	0,299E 01	0:496E 00	•	0:295E 01	0.525E 00	•	-0.128E 01	0.700E 0	
PAY 01	•	1,309E 01	0.496E 00	•	0.297E 01	0.529E 00	•	-0.113E 01	0.690E 0 0.683E 0	
PAY 06	•	1,319E 01 1,333E 01	0,501E 00 0,517E 00	•	0,326E 01 0,328E 01	0.564E 00	•	-0.999E 00	0.678E 0	
MAY 16	•	1.337E 01	0.5226 00	:	0.3296 01	0.565E 00	•	-0.650E 00	0.674E 0	
MAY 21	•	1:338E 01	0.523E 00		0,3316 01	0,566E 00	:	-0.419E 00	0.673E 0	
MAY 26	:	0.340E 01	0.524E 00	·	0,333E 01	0.567E 00	:	-0.187E 00	0.663E 0	
MAY 31		1;340E 01	0.525E 00		0,385E 01	0,568E 00		-0.656E-01	0.665E 0	
UN 05		0.340E 01	0.526E 00		0.3398 01	0.570E 00		-0.437E-01	0.667E 0	
_UN 10	:	0.339E 01	0.527E 00		0.341E 01	0.575E 00		-0.534E-01	0.672E 0	
UN 15		1.335E 01	0.538E 00		0.330E 01	0.598E 00		-0.248F 00	0.700E 0	
UN 20		0.323E 01	0,578E 00		0.282E 01	0.668E UO		-0.905E 00	0.789E 0	
JUN 25		1,298E 01	0.658E 00		0.198E 01	0.795E 00		-0.207E 01	0.949E 0	
_UN 30		1,266E 01	0.758E 00		0.849E 00	0.933E UO		-0.324E 01	0.112E 0	
UL 05		1,238E 01	0.834E 00		0.158E 00	0.102E 01		-0.386E 01	0.122E 0	
UL 10		0.220E 01	0.868E 00		.0.654E-01	0.105E 01		-0.392E 01	0.125E 0	
-UL: 15		0.212E 01	0.873E CO		.0.661E-01	0.104E 01		-0.384E 01	0.124E 0	
	•		0,0,02 00	0.00	40,0010-01			0.0046 01	0.12-6	

(Continued)

(Sheet 35 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 6.18 LAT#42,27 LON#80.17

ERIE PA

### SHORELINE GRID POINT 18 PAGE 2 OF 2

VG	L	E	CL	ASS	
			2		

		•						2							3		
DAT	1E				8					В			A		В		
-UL			0.208E	01	0.869E	00		.0.527E-	01	0.104E	01		-0.388E	01	0.123E	01	
LUL	25		0.206E	01	0:866E	00		-0.636E-	01	0.104E	01		-0.401E	01	0.123E	01	
-UL			1.204E		0,865E	00		.0.804E-	01	0.104E	01		-0.420E	01	0.124E	01	
AUG			0:205E	01	0:865E	00		.0.918E-	01	0.104E	01		-0.428E	01	0,124E	01	
AUG	09		1,205E	01	0.866E	00		=0,179E	00	0.104E	01		-0.437E	01	0.124E		
AUG	14	•	0:206E	01	0;868E	00		.0,296E	00	0.104E	U1	•	-0.448E	01	0.125E	01	٠
AUS	19		0,201E	01	0;867E	00	•	.0,405E	00	0.104E	01	•	-0.459E	01	0.125E	01	
AUS	24		1:196E	01	0.866€	00		-0.526E	00	0.105E	01		-0.473E	01	0.126E	01	
AUG	29		0.189E	01	0.864E	00		.0.943E	00	0.105E	01		-0.488E	01	0.127E	01	
SEP	03			01	0:866E	00		.0.100E	01		(1		-0.495E	01	0.128E	01	
SEP	08		0,185E	01	0.867E	00		.0.106E	01	0.106E	01		-0.500E	01	0.128E	01	•
SEP	13		0,176E	01	0.876E			-0,111E	01	0.106E			-0.503E	01		01	•
SEP	18	•	0,120E	01	0;935E		•	-0,107E	01	0.104E	C1	•	-0.495E	01		01	
SEP	23	•	-1,666E	00	0,114E		•		00		00	•	-0.473E		0.120E		
SEP	28	٠	-0,438E	01	0,154E		. •		00		0.0	•	-0.462E			01	
CCA	03	•	-0.902E	01		01	+		00		00	•	-0.516E		0.105E		
CCA	08		-0,128E		0,244E	01	•		00		00	•	-0.642E	01	0.104E		•
CCA	13	٠		02	0:264E	01	•		01		00			01	0.108E		
	18			02	0,269E		•	.0,180E			00	•	-0.861E		0.112E		
CCA	23	•		02	0,270E		•	-0.194E			CO	•	-0.896E			01	•
CCT	28	•		02		01	+		01		00	•	-0.910E			01	•
VOA		•		02	0,270E		•		01		00		-0.921E		0.114E		•
VOA		٠	-0,156E		0,271E				01		00	+	-0.933E		0.114E		•
VOA		•		02	0,271E		•		01		00	•		01	0.114E		
VOA		•		02	0:2716	01	•		01		0.0			01		01	•
	22	•		02	0;271E	01	•		01		0.0	•		01		01	•
VOA	27	•		02	0,271E	01	*		01		00	•	-0.980E			01	•
CEC	02	•		02	0,271E	01			01		00	+	-0.993E	01		01	•
LEC	07		-0,158E	02	0.2716	01	+		01		00	•	-0.100E		0.118E		٠
TEC	12	+		02		01	•		01		00	•	-0.101E		0.118E		٠
CEC	17			02	0,262E	01	•		01		00	•		0.5		01	٠
CEC	22		-0,132E	02	0.237E	01	•		01		00		-0.101E			01	
CEC	27		-0,917E	01	0.186E	01	+	-0.181E	01	0.673E	00		-0.994E	01	0.115E	01	٠

(Continued)

(Sheet 36 of 48)

## Table C1 (Continued) TABLE OF EXTREMES ESTIMATES GRID LOCATION 6;19 LAT=42;27 LON=79,98 EAST OF ERIE PA

## SHORELINE GRID POINT 19 PAGE 1 OF 2

ANGLE CLASS

		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					2				3				
DATE									8			8			
-		-1;351E	0.4	0:917E	••		€0,417E	01	0.964E CO		-0.728E 01	0.963E 0	0 .		
_AN 01		-0.581E	00		00	:	-0.484E		0.103E 01		-0.716E 01	0.927E 0			
_AR 11		0.110E	-	0:471E	-		.0.561E		0.109E 01		-0.787E 01	0.954E 0			
AN II	•			0.411E			.0.607E		0.111E C1		-0.850E 01	0.986E 0			
AN 16	•	0,176E	01	0,394E		:	0.6198		0.1126 (1		-0.872E 01	0.998E 0			
AN 26		1.2126	01		00			01	0.112E C1		-0.872E 01	0.997E 0			
			313					-			-0.869E 01	0.995E 0			
AN 31			01	0.382E		•	.0.611E		0.1115 (1		-0.855E 01	0.983E 0			
FER 05		0.223E		0.382E		•	-0.607E		0.1115 01		-0.841E 01	0.972E 0			
FER 10		1,223E		0,386E		•	.0.602E		0.110E U1						
FER 15		0,215E			00	•		01	0.1106 01		-0.832E 01	0.965E 0 0.967E 0			
FEB 20		0,218E		0.401E		•	-0.600E		0.110E 01		-0.836E 01	0.965E 0			
FER 25		0,214E		0.407E		•	.0.588E		0.109E C1						
MAR 02		0,202E			00		.0.584E		0.109E 01		-0.829E 01	0.965E 0			
MAR OF			01		00	•	+0.584E		0.109E 01		-0.830E 01	0.967E 0			
PAR 12		0.199E		0.425E		:	.0.581E		0.109E 01			0.969E 0			
PAR 17		0.197E		0.432E			.0.555E				-0.812E 01				
MAR 22		1,194E		0,448E			.0.461E		0.102E 01		-0.744E 01	0.939E 0			
MAR 27		0,191E		0.477E		•	.0,272E		0.896E 00		-0.601E 01	0.878E 0			
APR 01		7,190E		0.511E		•	.0,340E		0.737E CO		-0.418E 01	0.797E 0			
APR 06		0.193E		0.536E		*	0,159E		0.609E CO		-0.268E 01	0.730E 0			
APR 11		n,203E		0.548E		•	0,257E		0.544E 00		-0.189E 01	0.695E 0			
APR 16			01	0.553E	00		0,288E		0.525E 00		-0.160E 01	0.683E 0			
APR 21			01		00	•	0.294E		0.524E CO		-0.150E 01	0.678E 0			
APR 26		1,266E			00		0.296E		0.525E CO		-0.141E 01	0.673E 0			
MAY 01		0,280E		0.568E		•	0.299E		0.529E 00		-0.123E 01	0.664E 0			
MAY 06		1, 292E			00	•		01	0.562E 00		-0.109E 01	0.655E 0			
MAY 11		0.302E		0.589E		•	0.329E		0.563E 00		-0.970E 00	0.649E 0			
MAY 16		1,304E		0.593E			0.330E		0.565E U		-0.649E 00	0.641E 0			
MAY 21		0;307E		0,592E			0,331E		0.566E 00		-0.397E 00	0,636E 0			
MAY 26		0,309E			00	+	0,334E		0.567E 00		-0.168E 00	0.627E 0			
PAY 31		0,309E		0,591E	00		0;335E		0.569E 00		0.936E-03	0.624E 0			
_UN 05		0,309E			00		0,338E		0.571E 00		0.8516-01	0.623E 0			
_UN 10		0,309E		0,590E		•	0,348E		0.576E 00		0.137E 00	0.626E 0			
.UN 15			01		00		0,328E		0.598E 00		-0.203E-01	0.658E 0			
UN 20			01	0,593E			0,282E		0.667E 00		-0.765E 00	0.771E 0			
.UN 25		0,309E	01	0.601E	00	•	0,191E		0.794E 00		-0.233E 01	0.998E 0			
_UN 30		1;310E	01	0,612E	00	•	0.858E	00	0.934E UO		-0.432E 01	0.128E 0	1 .		
-UL 05		0.307E	01	0,616E	00		0,136E	00	0,103E 61		-0.593E 01	0.151E 0			
-UL 10			01	0.614E	00	•	-0,128E	00	0.105E 01		-0.676E 01	0.162E 0	1 .		
.UL 15		0.294E	01	0.608E	00	•	.0.154E	00	0.105E 01		-0.703E 01	0.165E 0	1 .		

(Continued)

(Sheet 37 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 6,19 LAT=42,27 LON=79,98 EAST OF ERIE PA

## SHORELINE GRID POINT 19 PAGE 2 OF 2

ANGLE CLASS

	1						2					3				
DATE		A		8					В			4		8		
-UL 20		0.290E	01	0:603F	00	+	.0.158E	0.0	0.105E	01		-0.713E	01	0.166E	01	
JUC 25		0.288E		0.600E			.0.163E		0.105E			-0.720E		0.166E		
UL 30		0.286E		0.601F	00		.0,218E		0.105E	01		-0.730F		0.166E	01	
AUG 04		0,286E		0,602E		•	.0.251E		0.105E			-0.739E		0.166E		•
AUS 09		0:285E		0:604E			-0.328E		0.105E			-0.748E		0.166E		
AUG 14		0.283E		0:607E			€0,436E		0,105E			-0.764E		0.167E		
AUG 19		0.274E		0.605E			.0.592E		0.106E			-0.783E		0.168E		
AUS 24			01	0;603E			.0.798E		0.107E			-0.805E		0.170E		
AUS 29		1,253E			00		-0.114E		0.107E			-0.831E		0.172E		
SEP 03		1:249E			00		-0;127E		0.107E			-0.843E		0.173E		
SEP 08			01		00		-0.149E		0.109E			-0.853E		0.174E		
SEP 13		1.232E		0,615E			-0.175E		0.110E			-0.862E		0.174E		
SED 18		0:170E		0.666E			.0.204E		0.1116			-0.872E		0.173E		
SEP 23		-0, 224E	0.0	0,828E			.0.233E		0.109E			-0.888E		0.168E		
SEP 28	:	-0,376E	01	0.112E	01		.0.265E		0.103E			-0.913E		0.157E		:
CCT 03			01	0:145E			.0.300E		0.952E			-0.943E		0.143E		
CCT 08		-0.103E		0,166E			-0.332E		0.892E			-0.969E		0.132E		
CCV 13		-0,112E		0.172E			.0.352E		0.862E			-0.989E		0.126E		
CCT 18		-0,112E		0:171E			-0.362E		0.853E			-0.100E		0.125E		
CCV 23		-7:112E		0,170E			-0:368E		0.852E			-0.102E		0.125E		
CCY 28		-0,113E		0,170E			.0.374E		0.853E			-0.104E		0.125E		
NOV 02		-0.113E		0,171E			.0,380E		0.857E			-0.106E		0.125E		
NOV 07		-0.113E		0.171E			.0.388E		0.865E			-0.108E		0.125E		
NOV 12		-1:113E		0,171E			.0:394E		0.8728			-0.109E		0.126E		
NOV 17		-0:114E		0:171E			0.401E		0.880E			-0.110E		0.120E		
NOV 22		-0,114E		0,171E			.0,408E		0.885E			-0.111E		0.127E		
NOV 27		-0.114E			01		.0.416E		0.891E			-0.112E		0.128E		
TEC 02		-0,114E		0,171E			.0:427E			00		-0.113E		0.128E		
CEC O7			02		01		.0.435E		0.904E	-		-0.114E		0.129E		
CEC 12			02	0.170E			-0.448E		0.908E		:	-0.115E		0.130E		
CEC 17	•	-0,113E			01	·	-0,436E		0.910E			-0.112E		0.130E		•
LEC 22	:		01		01	:	-0.416E		0.910		:	-0.102E		0.120E		:
CEC 27	•	-0,957E		0.126E		:	•0.397E		0.9226			-0.102E		0.120E		•
FEC 21	•	-0.0135	0.7	0.1205	0.7		40.37/6	0.7	0.7225	00	+	-0.0000	V1	0.1006	01	+

(Continued)

(Sheet 38 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 5/20 LATE42,41 LONE79,75

EAST OF NORTH EAST PA

### SHORELINE GRID POINT 20 PAGE 1 OF 2

ANGLE CLASS

	1						2				3					
DETE				В					В					В		
-AN 01		-0;132E	01		00		€0.235E	01		0.0		-0.995E	04	0.114E	01	
-AN 06		0.872E	00	0.572E	00			01		00		-0.937E			01	
.AN 11			01	0.432E	00			01		00		-0.912E			01	
JAN 16			01	0.387E	00			01	0.680E				01	0.104E		
_AB 21			01		00			01	0.667E			-0.898E		0.104E		
AR 26			01	0.375E	00			00		00			01	0.103€		
AN 31		0.261E	01	0.378E	00			00		0.0			01	0.1036		
FEB 05			01	0.3806	00			0.0		00			01		01	
FEB 10		0,265E	01		00			00		00		-0.809E			0.0	
FEB 15			01	0.3866	00			00		00		-0.788E			00	
FEB 20		1,267E	01		00			00		00		-0.790E			00	
FEB 25			01	0,390E	00		.0.655E		0.637E			-0.766E		0.949E		
PAR 02			01	0.414E	00			00	0,630E			-0.743E		0.936E		
MAR 07			01	0.416E	00			00		00		-0.728E		0.929E		
PAR 12		0,249E	01	0,418E	00			00		00			01		00	
MAR 17			01	0.423E				00		00		-0.682E		0.909E		
MAR 22		1,250E	01	0:437E	00		0.159E			00		-0.609E			00	
MAR 27			01	0.464E	00			00	0.553E			-0.474E			00	
APR 01			01	0:498E	00			01		00		-0.305E			00	
APR 06			01	0,525E	00		0.276E			00		-0.159E		0.646E		
APR 11		0.275E			00	+	0.319E			00		-0.622E		0.593E		
APR 16			01	0,5516	00		0.354E			00		0.115E-		0.556E		
APR 21			01		00			01		0.0		0.489E			00	
APR 26		0,330E	01		00		0.341E			00		0.928E		0.497E		
MAY 01		0,349E	01	0,562E	00	•	0.343E			00		0.129E			00	
MAY 06		1:361E	01	0:572E	00			01		00			01		00	
MAY 11			01	0.574E	00			01		00		0.172E			0.0	
PAY 16		0.366E			00			01		00		0.213E			00	
MAY 21		1,366E			00		0.368E		0.460E			0.245E		0.426E		
MAY 26		0,366E	01		00		0,372E			00		0.274E			00	
MAY 31		1,365E	01	0,5825	00		0:373E	01	0.464E	00		0.292E	01		00	
-UN 05		1:365E	01	7;583E	00		0,374E	01	0.466E	00		0.301E	01	0.410E	00	
-UN 10		0,363E	01	0:583E	00	•	0:373E	01	0.471E	00		0.306E	01	0.416E	00	•
-UN 15		1:360E	01	0:586E	90		0,356€	01	0.5116	00	•	0.277E	01	0.465E	00	
-UN 20			01	0:599E	00		0,268E	01		00	•	0.161E	01	0.629E	00	
-UN 25			01		00		0,102E	01	0.914E	00		-0.537E			00	•
-UR 30	•	0,317E	01	0.673E	00	•	.0.108E	01	0.125E	01	•	-0.282E	01	0.126E	01	
-UL 05		0.300E	01	0.705E	00		-0,278E	01	0.152E	01	•	-0.413E	01		01	•
-UL 10	٠		01	0:719E	00		-0.366E			01	•	-0.438E			01	•
-UL 15	٠	0.283E	01	0.720E	00	•	-0.395E	01	0.168E	01	+	-0.426E	01	0.151E	01	

(Continued)

(Sheet 39 of 48)

## GRID LOCATION 5,20 LATH42,41 LON#79.75 EAST OF NORTH EAST PA

## SHORELINE GRID POINT 20 PAGE 2 OF 2

ANGLE	CLASS
	2

		1					2				3			
DATE				В					8		A	В		
- IIL 2	20 .	0:280E	01	0:717E	00		-0,404E	01	0.169E C1		-0.424E 01	0.150E 0	1 .	
	25 .	1,277E	01	0.713E	00		-0,409E	01	0.168E C1		-0.433E 01	0.150E 0		
.UL 3	50 .	0.274E	01	0,710E	00	•		01	0,169E 01		-0.447E 01	0.151E 0	1 .	
	14 4	0.272E	01	0.707E	00		.0.416E	01	0,169E 01		-0.458E 01	0.151E 0		
	9 .	1.270E		0.706	00			01	0,169E 01	•	-0.470E 01	0.151E 0	1 .	
	14 .			0:706E	00			01	0.169E 61		-0.485E 01	0.152E 0		
	19 .			0:705E	00			01	0,170E 01		-0.502E 01	0.153E 0		
	24 .	1,252E	01	0:703E	00		.0.449E	01	0,171E C1		-0.523E 01	0.154E 0	1 .	
	29 .			0:700E	00			01	0,170E 01		-0.546E 01	0.156E 0		
	13 .			0,7036			.0 494E	01	0,171E 01		-0.551E 01	0.156E 0		
	18 •	1:234E		0:707E	00			01	0.171E 01		-0.555E 01	0.156E 0		
	13 .	0.226E			00			01	0,171E 01		-0.559E 01	0.156E 0		
	18 .			0:744E	00		.0.499E	01	0.168E 01		-0.574E 01	0.1556 0		
	23			0:844E	00		.0.463E	01	0.157E 01		-0.621E 01	0,152E 0		
			00		01		.0.385E		0.134E C1		-0.715E 01	0.145E 0		
			01	0:104E		•				•				
	13 •	-0,366E	01	0,129E	01	:		01	0,106E C1	*	-0.833E 01	0,136E 0	1 .	
		-0,572E	01	0.148E	01	:	-0,209E		0.712E 00	:	-0.985E 01	0.126E 0		
	3 .			0.158E				01						
	18 .		01	0,161E	01			01	0.678E 00		-0.101E 02	0,125E 0		
	23 •				01		-0,172E				-0.102E 02	0.1256 0		
	8			0,161E			.0,178E				-0.104E 02			
	12 .			0:1615		•		01	0,679E 00	•	-0.106E 02	0,125E 0		
	17 .				01	•		01	0.687E 00		-0.108E 02	0.125E 0		
	12 .				01	•	.0,199E		0.693E 00		-0.109E 02	0.126E 0		
	17 .		01	0.162E		•	.0:207E		0.701E 00	•	-0.110E 02	0.126E 0		
	55 •	-0,752E	01		01		.0,210E		0.703E 00		-0.112E 02	0.127E 0		
11	27 .	*0,/34E	01	0:162E	01	•		01	0.706E CO	٠	-0.113E 02	0.128E 0		
	5 .			0:162	01	•	.0;219E	01	0.707E 00	•	-0,113E 02	0.128E 0		
	07 +	●0,756E		0:162E	01	•		01	0.709E 00		-0.115E 02	0.129E 0		
CEC 1	15 +	-0,752E	01	0,161E	01	•	.0,225E		0.710E 00	•	-0.116E 02	0,130E 0		
	17 .	-0,721E	01	0:1576	01		.0.229E		0.713E CO		-0.116E 02	0,130E 0		
		.0'072E	01	0.144E	01		.0.237€	01	0.723E 00		-0.113E 02	0,127E 0		
CEC 2	27 .	-0.401E	01	0.117E	01		.0.244E	01	0.738E 00		-0.107E 02	0.121E 0	1 .	

(Continued)

(Sheet 40 of 48)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 5.21 LAT-42,41 LON-79,57

WESTFIELD NY

### SMORELINE GRID POINT 21 PAGE 1 OF 2

ANGLE CLASS

						•					
DATE			8		A .	В		A	8		
JAN 01		-0,104E 01	0;789E 00		0:223E 01	0.693E 00		-0.821E 01	0.997E 00	•	
JAN 06		0,414E 00	0,605E 00		00:216E 01	0.675E 00		-0.1025 02	0.112E 01	•	
LAR 11		0,123E 01	0.505E 00		00,216E 01	0.666E 00		-0.121E 02	0.123E 01	•	
JAB 16		0,156E 01	0.468E 00		.0.214E 01	0.661E 00		-0.130E 02	0.128E 01		
UAN 21		0,169E 01	0:457E 00		-0.212E 01	0.658E CO		-0.130E 02	0.128E 01	•	
_AN 26		0,177E 01	0:452E 00		.0;208E 01	0.655E UO		-0.124E 02	0,125E 01	•	
LAN 31		0.177E 01	0.455E 00		*0.200E 01	0.649E 00		-0.122E 02	0.124E 01	•	
FEB 05		0,180E 01	0.455E 00		.0:198E 01	0.647E GO		-0.117E 02	0.120E 01		
FEB 10		0.182E 01	0.4586 00		.0.196E 01	0.641E 00		-0.113E 02	0.118E 01	•	
FEB 15		0:182E 01	0:460E 00		-0;183E 01	0.636E 00		-0.111E 02	0.117E 01		
FEB 20		0,185E 01	0.4626 00		.0,182E 01	0.634E 00		-0.112E 02	0.117E 01		
FEB 25		0,186E 01	0.464E 00	+	-0.168E 01	0.625E CO		-0.109E 02	0.115E 01	•	
MAR 02		0,184E 01	0,469E 00	•	-0:155E 01	0.616E 00		-0.106E 02	0.113E 01		
MAB 07		0,184E 01	0:470E 00	•	-0,141E 01	0.609E 00		-0.105E 02	0.113E 01	•	
MAR 12	•	0,185E 01	0:472E 00		#0.127E 01	0.603E 00	•	-0.104E 02	0.112E 01	•	
PAR 17	•	0,189E 01	0.475E 00	•	.0:100E 01	0.600E CO	•	-0.101E 02	0.111E 01	•	
MYE 55	•	0,200E 01	0,482E 00	•	#0,724E 00	0.602E 00		-0.911E 01	0,106E 01	•	
MAR 27	•	0,223E 01	0,495E 00	•	-0,105E 00	0.611E 00		-0.709E 01	0,954E 00	•	
APR 01	•	0.292F 01	0,511E 00		0,637E 00	0.623E 00	•	-0.450E 01	0.817E 00		
APR 06	•	0,279E 01	0:525E 00	•	0,123E 01	0.633E 00		-0.235E 01	0.701E 00	•	
APR 11	•	0,299E 01	0:535E 80	•	0,155E 01	0.639E 00	•	-0.117E 01	0.638E 00	•	
APR 16	•	0,315E 01	0,544E 00	•	0,165E 01	0.641E 00	•	-0.719E 00	0.614E 00	•	
APR 21	•	0,334E 01	0;555E 00		0,168E 01	0.643E 00	+	-0.540E 00	0.604E 00	•	
APR 26	•	0,354E 01	0,568E 00	•	0,169E 01	0.646E 00	*	-0.409E 00	0.596E 00	•	
PAY 01	•	0.362E 01	0:567E 00	*	0,171E 01	0.651E 00	•	-0.227E 00	0.587E 00	•	
MAY 06	•	1,375E 01	0;576E 00		0,179E 01	0,663E 00	•	0.925€ 00	0.511E 00	•	
PAV 11	•	0,377E 01	0.5786 00	•	0,183E 01	0.671E 00	•	0.120E 01	0,495E 00	•	
PAY 16	•	0,378E 01	0:579E 00		0,188E 01	0.676E 00	•	0.1648 01	0.480E 00	•	
PAY 21	•	0;378E 01	0,582E 00	•	0;193E 01	0,681E 00	*	0.1956 01	0.476E 00		
MAY 26	•	0.377E 01	0.584E 00	*	0.198E 01	0.685E 00	•	0.375E 01	0.359E 00	•	
MAY 31	•	0,376E 01	0,587E 00		0,200E 01	0.686E 00	•	0.398E 01	0,355E 00	•	
UN 05	•	0.375E 01	0.588E 00	:	0 282E 01	0.687E 00	*	0.410E 01	0.353E 00	•	
-UN 10	•	0,373E 01	0,5888 00		0;201E 01	0,693E 00	•	0.415E 01	0,358E 00		
.UR 15	•		0.581E 00	:	0.177E 01		:	0.378E 01	0.409E 00	:	
-US 20		0,377E 01	0,562E 00 0,527E 00		0.875E 00	0,863E 00 0,112E 01		0.229E 01	0.580E 00 0.897E 00		
UN 25	:	0.397E 01	0:484E 00		.0.324E 01	0.145E U1		-0.356E 01	0.125E 01		
UN 30	:							-0.544E 01			
JUL 05	•				00,510E 01						
-UL 10	:	0,406E 01	0.429E 00		.0.600E 01	0.184E 01	:	-0.592E 01	0,153E 01	:	
JUL 15	•	0;405E 01	0,420E 00	1.00	-0.638E 01	0.187E C1	•	-0.585E 01	0.152E 01	•	

(Continued)

(Sheet 41 of 48)

## Table C1 (Continued) TABLE OF EXTREMES ESTIMATES GRID LOCATION 5:21 LAT=42.41 LON=79.57 WESTFIELD NY

## SHORELINE GRID POINT 21

ANGLE	CLASS
	2

		1						2					3				
DATE	E				8			•		В			A		В		
LUL 2			0.402E	01	0:415E	00		.0:647E	01	0.188E	01		-0.583E	01	0.152E	01	
	25		0,400E	01	0.4115	00			01		01			01		01	
	30		0.397E	01	0:407E	00			01		01			01		01	
AUS		•	0,395E	01	0.403E	00			01		01			01	0.152F	01	
AUS				01	0.402E	00			01		01			01	0.153E	01	
	14	•	0,389E	01	0.401E	00		.0:673E	01	0.188E	01			01		01	
AUG :			0,381E	01	0:399E	00	+		01	0.188E	01			01		01	•
	24		0.374E		0.398E	00			01	0.188E	01			01		01	
	29			01	0.394E	00			01		01			01		01	
	03			01	0.398E	00			01		01		-0.714E			01	
	8		0,355E		0,4016	00			01		01		-0.714E			01	
	13		0:350E		0:407E	00			01		01		-0.712E			01	
	18			01	0.429E	00			01		01			01		01	
	23			01	0:502E	00			01		01			01		01	
	28		0.161E	01	0:660E	00			01		01		-0.495E			01	
	3			00	0,882E	00			01	0.113E	01		-0.333E			00	
100000000000000000000000000000000000000	8			01	0,109E	01			01	0.8776	00		-0.207E			00	
	13		-0,370E		0.122			10.196E			00		-0.1518			00	
	18		-0.436E	04		01		.0.183E			00		-0.145E			00	
	23			01		01			01		00		-0.156E		0.623E		
	28	:	-0,464E	01	0.1296				01		00		-0.171E		0.624E		
100			-0.467E	01	0.1296				01		00		-0.190E			00	
NOV I			-0.470E	01		01			01		00		-0.213E			00	
NOV :			-0.473E			01			01		00		-0.226E			00	
NOT 1			-0,479E	01		01			01		00		-0.2416			00	
NOV :			.0.483F	01		01			20	0.734E	00		-0.267E			00	
AOV 2			-0.487F	01	0,1306	01			01	0.738E	00		-0.286E			00	
	02			01	0.130E	01			01	0.743E	00		-0.304E			00	
	7		-0.492E	01	0:130E	01			01	0.744E	00		-0.366E	1000		00	
	12		-0.492E	01	0.130E	01			01	0.746E	00		-0.425E			00	
	7			01	0:127E	01			01	0.743E	00			01		00	
	22			01	0,119E	01			01		00		-0.557E			00	
EEC 2			-0,277E		0,101E	01	•	-0,230E			00	•	-0.663E		0.900E		•

(Continued)

(Sheet 42 of 48)

## Table C1 (Continued) TABLE OF EXTREMES ESTIMATES GRID LOCATION 4:22 LAT=42.55 LON=79.35 DUNKIRK NY

SHORELINE GRID POINT 22
PAGE 1 OF 2

ANGLE CLASS

							2				3				
DATE				В					8				8		
AB 01		-0:274E	0.0	0.945E	00		.0:776E	0.0		co		-0.640E 0		1 .	
LAR DE		0,114E	01	0.713E	00		60.603E	00	0.589E	00		-0.721E 0		1 .	
AN 11			01		00			00		00		-0.821E 0		1 .	
LAN 16			01		00			01		00		-0.884E 0		1 .	
	•	0,2216	01	0.548E	00					00		-0.904E 0		11 .	
AN 21	:	0,225E	01		00			01		00				1 .	
	•						-0,118E	01		771.70				35.4	
AN 31	•	0,226E		0.548E	00			01		00				1 .	
FEB 05	•	0,226E		0,550E	00	•		01		00	•	-0.904E 0		1 +	
PEB 10	•	0,226E		0,555E	00	•		01		00	•	-0.895E 0		1 •	
FEB 15	•		01	0,560E	00	•	.0.969E	00		00	•	-0.894E 0		1 •	
LEB 50	•		01		00	•		00		00	•	-0.896E 0		11 •	
FEB 25			01		00			00		00		+0.869E 0		11 •	
MAR 02		0,226E		0,568E	00	•	.0.953E			00	•	-0.826 D		1 •	
MAR 07			01	0,569E	00			00		00		-0.822E 0		11 •	
MAR 12		0,227E	01	0.571E	00			00	0,574E	00		-0.817E 0:	0.122E	11 •	
MAR 17		0,229E	01	0,579E	00	•	#0,756E	00		00		-0.800E 0	0,121E	11 +	
PAR 22	4		01	0.6035	00	•		00		00		*0.742E 0	0,118E	11 .	
MAR 27		0,235E	01	0,650E	00	•	0:389E	00	0.5416	00		-0.624E 0			
APR 01		0:240E	01	0;710E	00		0:135E	01	0,513E	00		-0.472E 0	0,103E	1 +	
APR 06		0,248E		0.758E	00	•	0.214E	01		00		-0.345E 0		• 00	
APR 11			01	0.785E	00			01	0.480E	00		-0.276E 0		00 •	
APR 16			01	0.797E	00		0:269E	01		00		-0.250E 0		. 00	
APR 21			01		00			01		00		-0.240E 0		10 +	
APR 26		0,303E		0.8146	00		0.277E			00		-0.2328 0		0 •	
MAY 01		0,3096			00		0.283E			00		-0.212E 0		00 •	
MAW D6	-		01	0.819E	00		0.294E			00		-0.1936 O		00 .	
MAY 11	•	0.320E		0.820E			0.384E			00	:	-0.179E 0		0 .	
PAY 16			01	0.820E			0.319E			00		-0.137E 0		00 •	
MAW 21	•	0,320E		0.822E	00		0;352E			00	:	-0.107E 0		00 .	
MAY 26	•			0.823E	00		0.342E			00		-0.8545 0		00 +	
	•		01			•					•	-0.691E 0			
MAN 31	•	The second secon	01	0,823E	0.0	•		01		00	•			00 •	
-UR 05			01	0:855E	00			01		00	•	-0.567E 0		• 00	
-Ug 10		0,314E	01	0,820E	00			01		00	•	-0.438E 0		• 00	
_UN 15		0,313E	01	0,810E	00	•	0.333E	01		00	•	-0.269E 0		• 00	
-UN 20		0,315E	01	0,779E	00	•		01		00	•	-0.457E-0		•	
-UN 25	•	0,322E		0;721E	00		0;139E			00		0.6466-0		00 •	
-UN 30			01	0,6496	00	•		60		01		-0.231E 0		• 01	
-UL 05		0,339E	01	0.591E	00	+	.0.158E	01	0.148E	01		-0.954E 0		11 •	
-UL 10		0;341E	01	0;561E	00	•		01		01		-0.172E 0:		1 +	
-UL 19		0,340E	01	0;551E	00	•	€0,255E	01	0.163E	01		-0.218E 0	0.120E	11 +	

(Continued)

(Sheet 43 of 48)

## TABLE OF EXTREMES ESTIMATES GRID LOCATION 422 LAT-42,55 LON-79.35

#### DUNKIRK NY

SHORELINE GRID POINT 22 PAGE 2 OF 2

ANGLE	CLASS
	•

						•										
DATE				В										8		
-UL 20		0:338E	01	0:548E	00		.0.26\$E	01	0,163E	01		-0.235E	01	0.120E	01	
-UL 25		0.337E	01	0.546E	00		0.281E	01		01		-0.241E		0,120E		
UL 30		0.335E	OI	0.5446	ŏŏ	•	#0,286E	Ŏi		01			01	0.120E		
4UG 04		0,334E	01	0,544E	00		.0.293E	01	0.163E	01		-0,253E	01	0.120E	01	
AUG 09			01	0:5436	00			01		01			01		01	
AUS 15			01	0:540E	00			01		01	+	-0.281E	01	0.124E	01	
AUS 19		0,321E	01	0.5398	00		.0,317E	01		01		-0.295E	01	0.127E	01	
AUS 24		0.315E	01	0:538£	00		.0,326E	01	0,163E	01			01	0.129E	01	•
AUS 29			01	0:536E	00		.0.349E	01		01			01		01	
SEP 03		0.302E	01	0,5396	00	+	.0:362E	01	0,163E	01			01		01	
SEP 08			01	0.5416	00			01		01	٠	-0.326€		0.132E	01	
EF 13		0,297E	01	0.547E	00			01		Ci		-0.332E		0.133E		
SEP 18		0,275E	01	0,581E	00		.0.387E	01		61		-0.3388		0.132E		
SEP 23		0.200E	01	0,697E	00		-0.374E	01		01	+	-0.342E			01	
1EP 28		2.510E	DD	0;929E	00			01		01	•	-0.343E		0.120E	01	
CCY 03			01	0,122E	01	+		01		01		-0.343E			01	
CC 08		-0.288E	01	0,1455	01			01		00		-D. 348E			01	
CCT 13		-0.368E	01	0,157E	01	+	€0:251E	01		00			01		00	
CCT 18		-0.396E	01	0;160E	01		.0.249E	01		00		#0.384E			00	
EC . 53		-0,405E	01	0.1616	01		W	01	0.849E	00		-0.413E			00	
CC+ 28		-0,412E	01	0.161E	01			01		0.0		-0.447E			00	
NOV 02			01	0,1615	01			01		00		-0.500E			00	
NOV DT		-9:420E	01	0,162E	01	+		01		00		-0.531E		0.956E		
AOF 12		-0.423E	01	0.162E	01			01		00		-0.548E			00	
NOV 17		-0,429E	01	0,162E	01		-0:267E	01		00		-0.564E		0.974E	00	
VOA 55		-0,433E	01	0,163E	01			01	0.868E	00		-0.586E		0.993E		•
NOV 27		-0.435E	01	0,163E	01			81		00		-0.600F		0.100E		
CEC 02		-0,435E	01	0,162E	01	+	-0.266E	61		00		-0.611E		0.101F		
CEE 07		-0,434E	01	0:162E	01		-0,294E	01	0.883E	00			01	0.103E	01	
CEG 12		-0.429E	01	0.161E	01		-0:296E	01	0.884E	00			01		01	
CEE 17		-0,408E	01	0.158E	01		0.282E	01	0.869E	00		5 170	01	0.106E	01	
CEC 22		-0,338E	01	0,146E	01		-0.232E	01	0.817E	00			01		01	
CEC 27		-0,201E	01	0,123E	01		4	01		00		-0.622E			01	
	-	41-47-	~ -													

(Continued)

(Sheet 44 of 48)

# Table C1 (Continued) TABLE OF EXTREMES ESTIMATES GRID LOGATION 3.23 LAT#42.68 LON#79.15

ANGOLA NY

SMORELINE GRID POINT 23 PAGE 1 OF 2

ANGLE CLASS

						2	3				
DATE			8			8		A .	8		
_AN 01		0:735E 02	0,706E 80		-0;488E 01	0.106E 01		-0.124E 01	0,117E 0		
_AN 06		0,806E 02	0.310E 00		.0.170E 01	0.757E 00		-0.160E 01	0.123E 0		
JAN 11		1.834E 02	0.104E 00		-0.188E 01	0.610E 00		-0.1928 01	0.126E 0		
_AR 16		0.841E 02	0.440E=01		+0.155E 01	0.576E 00		-0.209E 01	0.127E 0		
_AN 21		0,842E 02	0,366E=01		-0.186E 01	0.576E 00		-0.215E 01	0.127E 0		
JAN 26		0.842E 02	0.366E-01		.0.192E 01	0.577E 00		-0.215E 01	0.127E 0		
JAN 31		0 842E 02	0.366E=01		-0,195E 01	0.577E 00		-0.216E 01	0.127E 0		
FEB 05		2.842E 02	0.366E=01		-0.198E 01	0.578E 00		-0.216E 01	0.127E 0		
FEB 10		0:842E 02	0:3666=01		-0:202E 01	0.579E 00		-0.217E 01	0.127E 0		
FEB 15		1,842E 02	0,3666=01		.0,207E 01	0.579E 00		-0.217E 01	0.127E 0		
FEB 20		0,114E 01	0.559E 00		.0.349E 01	0.720E 00		-0.218E 01	0.127E 0		
PEB 25		0,129E 01	0:557E 00		-0,396E 01	0.721E 00		-0.219E 01	0.127E 0		
MAR 02		0,139E 01	0:556E 00		0,364E 01	0.722E 00		-0.220E 01	0,127E 0		
MAR 07		0.146E 01	0:5566 00		0.374E 01	0.724E 00		-0.221E 01	0.127E 0		
PAR 12		0,151E 01	0.560E 00	+	-0:381E 01	0.723E 00		-0.219E 01	0.127E 0		
MAR 17		0.155E 01	0.582E 00		40:361E 01	0.708E CO		-0.196E 01	0.124E 0		
- AR 22		0,155E 01	0:6536 00		-0,271E 01	0.660E 00		-0.119E 01	0,117E 0		
FAR 27		0,159E 01	0.782E 00		.0.110E 01	0.581E 00		0.157E 00	0.104E 0		
APR 01	:	0,175E 01	0,920E 00		0.429E 00	0.518E CO		0.147E 01	0.899E 0		
APR 06		0.284E 01	0.100E 01		0.102E 01	0.510E 00		0.207E 01	0.820E 0		
APR 11		1,235E 01	0,103E 81		0:773E 00	0.542E 00		0.199E 01	0.807E 0		
APR 16		0,256E 01	0,1026 01		0,389E 00	0.572E 00		0.175E 01	0.818E 0		
APR 21		0.267E 01	0.102E 01		0.220E 00	0.584E 00		0.164E 01	0.824E 0		
APR 26		0.274E 01	0.102E 01		0.188E 00	0.586E 00		0.162E 01	0.827E 0		
MAY 01		0:281E 01	0;101E 01		0:176E 00	0.587E 00		0.161E 01	0.828E 0		
PAY 06		0,287E 01	0,102E 01		0.166E 00	0.588E 00		0.160E 01	0.828E 0		
PAY 11		0,288E 01	0;102E 01		0,1416 00	0,589E 00		0.1596 01	0,829E 0		
MAY 16		0.289E 01	0:1026 01		0,110E 00	0.590E 00		0.1575 01	0.830E 0	1	
PAY 21		0:290E 01	0:102E 01		0:984E-01	0.592E 00		0.155E 01	0.832E 0		
PAY 26	:	0,292E 01	0,102E 01		0,580E-01	0.594E 00		0.153E 01	0.833E 0		
MAY 31		0,290E 01	0;102E 01		0:204E-01	0,597E 00		0.150E 01	0.835E 0		
_UN 05		0.290E 01	0.102E 01		0.129E 60	0.602E 00		0.1478 01	0.838F 0		
UB 10	:	0.291E 01	0:1026 01		0,2916 00	0.631E 00		0.1436 01	0.843E 0		
JUN 15		7.291E 01	0:102E 01		0.462E 00	0.710E 00		0.136E 01	0.865E 0		
		0:287E 01				0.834E 00					
UN 20	•	0.277 E 01		:	0;668E 00			0,122E 01	0,932E 0		
JUN 25	•	0. 2485 01			0.984E 00	0.960E 00	•	0.979E 00	0.105E 0		
JUN 30	•	0,265E 01	0:1046 01	•	0,103E 01	0.105E 01	•	0.711E 00	0.117E 0		
JUL 05	•	0,256E 01	0 104E 01	:	0,677E 00	0,111E 01	:	0.515E 00	0.124E 0		
JUL 10	•	0,2325 01	0;104E 01		0,184E 00	0,113E 01		0.427E 00	0.126E 0		
JUL 15	•	0:320E 01	0;104E 01		0;139E 00	0,110E 01	•	0.408E 00	0.129E 0		

(Continued)

(Sheet 45 of 48)

## TABLE OF EXTREMES ESTIMATES GRID LECATION 3.23 LAT-42.68 LON-79.15

### ANGOLA NY

SHORELINE GRID POINT 23

ANGLE	CLASS	
	-	

	1						3										
Dat	TE.				В					8			A		8		
JUL	20		0,249E	01	0:104E	01	•	0.664E	00	0.103E	01		0.407E	00	0.124E	01	•
	25		0.248E	01	0.103E	01		0.147E	01	0.931E	00		0.408E	00	0.124E	01	
JUL	30		0:245E		0;103E	01		0:227E		0,610E	00		0.408E		0.124E		
	04		0,246E		0,103E			0.120F-		0.750F			0.408F		0,124E		
AUS				01	0,103E	01	•		01	0.880E			0.409E		0.124E		
AUG	14		0.241E	01	0:103E	01		00:194E	01	0.881E	00		0.409E	00	0.124E	01	
	19		0,237E	01	0,1035	01			01	0.882E	00		0.410E	00	0.124E		•
AUG	24		0,233E	01	0,103E	01	•	-0:504E	01	0.124E	01	•	0.410E	00	0.124E	01	
AUS	29		0,196E	01	0.985E	00		.0,597E	01	0.137E	01		0.411E	00	0,123E	01	•
SEP	03		0,193E	01	0,989E	00		.0.631E	01	0.148E	01		0.411E	00	0.128E	01	•
SEP	08		0.192E	01	0 990E	00		-0,652E	01	0.152E	01		0.412E	00	0.123E	01	
SEP	13			01	0.991E	00	+	-0,663E	01	0,153E	01		0.407E	00	0.123E	01	•
SEP	18		0,193E	01	0.990E	00		40,637E	01	0.152E	01	•	0.356E	00	0.122E		
SEP	23		1:193E	01	0:989E	00		€0,555E	01	0.146E	01	•	0.181E	00	0.122E	01	•
SEP	28		0.178E	01	0,9996	00		.0.494E	01	0.140E	01		-0.154E	00	0.119E	01	•
CCT	03		0:129E	01	0.103E	01	•	-0,619E	01	0.142E	01		-0.544E	00	0.115E	01	•
CCT	08	•	0,546E	00	0;109E	01		.0,983E	01	0.154E	01	•	-0.821E	00	0.109E		
CCT	13	•	-0.144E	00	0:114E	01		.0,121E	0.2	0.161E	01	•	-0.931E	00	0.105E	01	•
CCT	18		-0,552E	00	0:117E	01	•	.0.121E	02	0,150E	01		-0.946E	00	0.103E		•
CCT	23		-1:723E	00	0;119E	01		€0;964E	61	0.125E	01		-0.942E	00	0.102E	01	•
CCT	28			00		01	•	.0,631E	01		00		-0.940E	00	0.102E		•
NOV	02		-0.843E	00	0,119E	01	•	.0,639E	01	0.966E	00	•	-0.939E	00	0.102E	01	•
NOT	07		●0:875E	00	0:120E	01		-0.646E	01	0.969E	00		-0.938E	00	0.102E	01	
8,	12		-0.901E	00	0,121E	01		01647E	01	0.972E	00		-0.937E	00	0.102E	01	•
600	17		-0.940E	00	0.1215	01		-0:655E	01	0.977E	00		. 936E	00	0.102E	01	•
NOV	22		-0.981E	00	0,1225	01		.0.664E	01	0,982E	00		. 935E	00	0.102E	01	•
NOV	27		-0,104E	01	0,1226	01	•	40.675E	01	0.989E	00		-0.933E	00	0.102E	01	•
CEC	02	•	.0 110E	01	0:1236	01		.0;688E	01	0,996E	00		-0.931E	00	0,101E	01	
CEC	07		7,105E	01	0:126E	01		.0.755E	61	0.104E	01		-0.929E	00	0.101E	01	
CEC	12		1.790E	01	0,1336	01			01	0.117E	01		-0.924E		0.101E	01	
CEC	17		0,222E	02	0,143E	01			02		01		-0.913E	00		01	•
DEC	22		0,417E	02	0,141E	01		.0.122E	02		01		-0.912E	00		01	
CEC	27		0,603E	02	0.1156	01		-0.952E	01	0.138E	01		-0.993E	00		01	

(Continued)

(Sheet 46 of 48)

## TABLE OF EXTREMES ESTIMATES GRID LOGATION 2:24 LATE42:03 LON=79.94 BUFFALO NY

SMORELINE GRID POINT 24
RAGE 1 OF 2

ABGLE CLASS

			1						2					3		
DATE				8					8							
JAN 01		-0,292E	00	0:103E	01		.0:322E			00		0.510E	04	0,110E	01	
LAN DE		-0,120E	00	0,102E	01			01	0.624E	0.0			01	0.674E	00	
JAN 11		-0,110E	00	0.103E	01		.0.230E	01		0.0		0.4815	01		00	
JAN 16		-0,191E	00	0,103E	01			81		00			01		00	
JAN 21		-0.269E	00	0,1045	01			01		00		0.3882			00	
JAN 26			00	0,105E	01		.0.329E	01		00			01		00	
JAN 31		-0,267E	00	0,105E	01		*	01	0.530E	0.0			01	0.435E	00	
FEB 05		-0,295E	00	0:105	01			01		00			Öİ		00	
FEB 10		-0,204E	00	0,1056	01			01		00		0.3778		0.436E	00	
FEB 15		-0,125E	00	0,1045	01			01	0.530E	00			01		00	
FEB 20		-0,161E	00	0.104E	01			01		00		0.4726		0.645E		
FEB 25		0,104E	00	0,102E	01			01		0.0		0.467E			00	
MAB 02			00	0:100E	01			01		00		0.461E			00	
MAR 07		0,405E	00	0,993E	00			01		00	+	0.4548			00	
MAR 12			00	0.982E	00			01		0.0		0.4446			00	
PAR 17			00	0:966E	00			01	0.490E	00		0.4198	01		00	•
MAB 22			00	0,929E	00	•		00	0.389E	00	+	0.359E	01	0.862E	00	•
MAR 27		0,129E	01	0,863E	00			01	0.247E	00		0.257E	01	0.114E	01	
APR 01		1:175E	01	0:781E	00		0:453E	01	0.174E	00		0.153E	01	0.144E	01	
APR 06		0,2136	01	0.7166	00		0:399E	01		0.0		0.938E	00	0.163E	01	
APR 11			01	0.685E	00			01	0.410E	0.0		0.856E		0.168E		
APR 16		0.248E	01	0.681E	00	•		88		00		0.986E		0,167E		•
APR 21		0,256E	01	0:687E	00	•	-0,124E	01	0.629E	00	•	0.111E	01	0,166E	01	
APR 26			01	0:694E	00	•	.0.168E	01	0.684E	00	•	0.120E	01	0.166E	01	•
MAY D1		0,268E	01	0,6986	00		.0.163E	01	0.656E	00		0.129E	01	0,166E	01	
MAY 06			01	0:708E	00			01		00			01	0.166E	01	
MAY 11		0,291E	01	0;7166	00		0;141E	01		00		0.1446		0,165E	01	
MAY 16			01	0.729E	00	•	#U,176E	01		00		0.152E		0.164E		
MAY 21	•	0,330E	01	0;739E	00		.0,182E	01		00		0.159E	01	0.164E		•
MAY 26		0,340E	01	0;748E	00			01		00	+	0.166E		0.163E		•
MAY 31	•		01	0;758E	00	+		01		00	•	0.172E		0,162E		
-UN 05	•		01	0.762E	00		#0,262E	01		00		0.511E	01	0.145E		•
_UR 10		0,350E	01	0,7685	00	•	.0;287E	01		00	•	0.152E		0.941E		•
JUN 15	•		01	0,800E	00	•	€0,255E	01		00	•		05	-0,488E-		•
-UB 20			01	0:912E	00	•	.0.885E	00		00	•			.0.950E		•
JUN 25		0,2946	01	0;114E	01		0,197E	01	0.494E	00	•	0.517E	02	-0.121E	01	
JUN 30	•	1,246E	01	0,142E	01		0:424E	01	0.342E	00			05	-0.625E	00	
UL 05		0,208E	01	0,164E	01			01	0.3218	00		0.183E			00	•
JUE 10	٠		01	0;174E	01		and the second	01	0.396E	00	•	0,680		0,890E		
JUL 15	٠	0,185E	01	0:175E	01		0.178E	01	0,466E	00	•	0.276	01	0.115E	01	

(Continued)

(Sheet 47 of 48)

### Table Cl (Concluded)

### TABLE OF EXTREMES ESTIMATES GRID LOCATION 2229 LAT-42.83 LONA79.94

#### BUFFALO NY

SHORELINE GRID POINT 24

ANGLE	CLASS
	2

		1				2		2				
DATE			8			8			8			
JUE 20		0,184E 01	0:1736 01		0.131E 01	0.493E 00		0.201E 01	0.121E 01			
JUL 25		0,183E 01	0,170E 01		0:123E 01	0.496E 00		0.194E 01	0.121E 01			
2UE 30		0,177E 01	0,166E 01		0,123E 01	0,491E 00	•	0.1928 01	0,122E 01			
AUS 04		0.166E 01	0:160E 01	•	0:128E 01	0,477E 00	•	0.1896 01	0.122E 01			
AUS 09		0.160E 01	0:160E 01		0,129E 01	0.467E UD	•	0.1856 01	0.122E 01			
AUS 14		0:156E 01	0:161E 01		0;129E 01	0.459E 00		0.180E 01	0,123E 01			
AUS 19		0,150 = 01	0.161 . 01		0,112 01	0.459 _ 00	•	0.175 - 01	0.124 - 01			
AUS 24		0.143E 01	0:1626 01	•	0.9435 86	0.460E 00		0.170 01	0.152E 01			
AUS 29		0,139E 01	0,161E 01		0.702E 00	0.468E 00		0.162E 01	0.153E 01	•		
3EP 03		0,140E 01	0,161E 01	+	0;499E 00	0.485E 00		0.153E 01	0.154E 01	•		
8EP 08	•	0,139E 01	0,161E 01		.0,292E-01	0.512E 00		0.1428 01	0.155E 01	•		
SEP 13		0;137E 01	0;161E 01		-0,574E 00	0.540E 00	•	0.1302 01	0,157E 01	•		
3EP 18		0,129E 01	0,159E 01	•	€0,919€ 00	0.561E 00	٠	0.1226 01	0.161E 01	•		
3EP 23	•	0,1006 01	0,154E 01	•	0 716E 00	0.576E 00	٠	0.1215 01	0,171E 01	•		
SEP 28	•	0,086E 00	0.1425 01		00 61 VE 00	0.621E 00	٠	0.122E 01	0,190E 01	•		
CC7 03		0;190E 00	0;127E 01	•	.0,211E 01	0.738E 00	•	0.1068 01	0,213E 01	•		
CCT D8	•	-0,228E 00	0,115E 01		40,531E 81	0.896E 00	•	0.660E 00	0,232E 01	•		
CCY 13	•	-0,475E 00	0:108E 01		.0 883E 01	0.984E 00	•	0.222E 00	0.241E 01	•		
CCT 18	•	-0;596E 00	0;106E 01		-0,848E 01	0,938E 00	٠	-0.424E-01	0,243E 01	•		
CCT 23	•	-0,666E 00	0;106E 01		00,680E 01	0.802E 00	٠	-0.130E 00	0.243E 01	•		
CC# 28		-0,720E 00	0;105E 01		60,477E 01	0.646E 00	•	-0.144E 00	0.243E 01	•		
VOA 05	•	●0.732E 00	0,105E 01		.0.481E 01	0.647E 00	+	-0.149E 00	0,243E 01			
NOV 07	•	-0.737E 00	0.105E 01		-0:487E 01	0.650E GO	•	-0.156E 00	0.243E 01	•		
NOV 12		-0,738E 00	0,105E 01		0,494E 01	0,653E 00	•	-0.165E 00	0.243E 01	•		
NOV 17	•	-0.736E 00	0:105E 01	+	.0.503E 01	0.656E 00		-0.175E 00	0.243E 01	•		
VOA 55	•	-0,743E 00	0:105E 01		-0.514E 01	0.660E 00	•	-0.187E 00	0.243E 01	•		
NOV 27	•	■1,759E 00	0;1056 01	•	€0,526E 01	0,665E 00	•	-0.20SE 00	0.248E 01			
CEC 05		-0,786E 00	0:1056 01	•	-0,540E 01	0.671E 00		-0.219E 00	0.243E 01	•		
CEC 07		-0.831E 00	0.106E 81		-0.581E 01	0.695E 00	•	-0.241E 00	0.243E 01	•		
CEC 12		-n 872E 00	0,106E 01	•	-0,682E 01	0.753E 00	•	-0.208E 00	0,248E 01			
CEG 17		-0.879E 00	0:100E 01		#0.739E 01	0.846E 00		0.174E 00	0.236E 01	+		
CEC 22		-0,787E 00	0,1065 01		.0.755E 01	0.913E 00	•	0.140E 01	0.212E 01	•		
DEC 27	٠	-0.564E 00	0:104E 01		●0.578E 01	0.879E 00	•	0.341E 01	0.166E 01	•		

(Sheet 48 of 48)

### APPENDIX D: NOTATION

a	Parameter in extremal distribution
ъ	Parameter in extremal distribution
F <sub>i</sub>	Distribution function for 5-day period
F <sub>k</sub>	Distribution function for k 5-day periods
Н	Significant wave height
i	Subscript denoting 5-day period
k	Subscript denoting number of 5-day periods in sample
m	Number of years in sample
n	Rank of observation
Pi	Probability density function for 5-day period
P <sub>k</sub>	Probability density function for k 5-day periods
T <sub>R</sub>	Return period
TR <sub>i</sub>	Return period for i <sup>th</sup> 5-day period
T <sub>R</sub> k	Return period for k 5-day periods

In accordance with ER 70-2-3, paragraph 6c(1)(b), dated 15 February 1973, a faceimile catalog card in Library of Congress format is reproduced below.

Resio, Donald T

Seasonal variations in Great Lakes design wave heights: Lake Erie, by Donald T. Resio, Rebecca M. Brooks, cand; Charles L. Vincent. Vicksburg, U. S. Army Engineer Waterways Experiment Station, 1977. 1 v. (various pagings) illus. 27 cm. (U. S.

l v. (various pagings) illus. 27 cm. (U. S. Waterways Experiment Station. Miscellaneous paper H-76-21)

Prepared for U. S. Army Engineer Division, North Central, Chicago, Illinois. Includes bibliography.

1. Great Lakes. 2. Extremes. 3. Waves.
I. Brooks, Rebecca M., joint author. II. Vincent,
Charles L., joint author. III. U. S. Army Engineer
Division, North Central. (Series: U. S. Waterways
Experiment Station, Vicksburg, Miss. Miscellaneous
paper H-76-21)
TA7.W34m no.H-76-21